

SPECTROCHIMICA ACTA

14

CUMULATIVE
INDEXES

1-14

QD

95

A1562

SPECTROCHIMICA ACTA

Founder Editor

A. GATTERER, S.J. +

Editors

UNITED KINGDOM

H. W. THOMPSON

Oxford

U.S.A.

V. A. FASSEL

Ames, Iowa

F. A. MILLER

Pittsburgh

CUMULATIVE INDEXES

Volumes 1 to 14

TABLE OF VOLUME NUMBERS	p. 3
SUBJECT INDEX	p. 5
AUTHOR INDEX	p. 31



PERGAMON PRESS

OXFORD . LONDON . NEW YORK . PARIS

Publisher's Note: The Press wish to thank
Dr. Foil A. Miller for the tremendous
amount of work he has done in compiling
the Subject Index.

Cumulative Indexes, Vols. 1-14

Table of volume numbers

Volume number	Year of issue
1	1939-41
2	1941-44
3	1947-49
4	1950-52
5	1952-53
6	1953-54
7	1955-56
8	1956-57
9	1957
10	1957-58
11	1957
12	1958
13	1958-59
14	1959

Geological Survey of the State of New York

Report of the State Geologist, John H. Brown, for the year 1887

Albany: J. B. Nichols, State Printer, 1888

1887
1886
1885
1884
1883
1882
1881
1880
1879
1878
1877
1876
1875
1874
1873
1872
1871
1870
1869
1868
1867
1866
1865
1864
1863
1862
1861
1860
1859
1858
1857
1856
1855
1854
1853
1852
1851
1850
1849
1848
1847
1846
1845
1844
1843
1842
1841
1840
1839
1838
1837
1836
1835
1834
1833
1832
1831
1830
1829
1828
1827
1826
1825
1824
1823
1822
1821
1820
1819
1818
1817
1816
1815
1814
1813
1812
1811
1810
1809
1808
1807
1806
1805
1804
1803
1802
1801
1800
1799
1798
1797
1796
1795
1794
1793
1792
1791
1790
1789
1788
1787
1786
1785
1784
1783
1782
1781
1780
1779
1778
1777
1776
1775
1774
1773
1772
1771
1770
1769
1768
1767
1766
1765
1764
1763
1762
1761
1760
1759
1758
1757
1756
1755
1754
1753
1752
1751
1750
1749
1748
1747
1746
1745
1744
1743
1742
1741
1740
1739
1738
1737
1736
1735
1734
1733
1732
1731
1730
1729
1728
1727
1726
1725
1724
1723
1722
1721
1720
1719
1718
1717
1716
1715
1714
1713
1712
1711
1710
1709
1708
1707
1706
1705
1704
1703
1702
1701
1700
1699
1698
1697
1696
1695
1694
1693
1692
1691
1690
1689
1688
1687
1686
1685
1684
1683
1682
1681
1680
1679
1678
1677
1676
1675
1674
1673
1672
1671
1670
1669
1668
1667
1666
1665
1664
1663
1662
1661
1660
1659
1658
1657
1656
1655
1654
1653
1652
1651
1650
1649
1648
1647
1646
1645
1644
1643
1642
1641
1640
1639
1638
1637
1636
1635
1634
1633
1632
1631
1630
1629
1628
1627
1626
1625
1624
1623
1622
1621
1620
1619
1618
1617
1616
1615
1614
1613
1612
1611
1610
1609
1608
1607
1606
1605
1604
1603
1602
1601
1600
1599
1598
1597
1596
1595
1594
1593
1592
1591
1590
1589
1588
1587
1586
1585
1584
1583
1582
1581
1580
1579
1578
1577
1576
1575
1574
1573
1572
1571
1570
1569
1568
1567
1566
1565
1564
1563
1562
1561
1560
1559
1558
1557
1556
1555
1554
1553
1552
1551
1550
1549
1548
1547
1546
1545
1544
1543
1542
1541
1540
1539
1538
1537
1536
1535
1534
1533
1532
1531
1530
1529
1528
1527
1526
1525
1524
1523
1522
1521
1520
1519
1518
1517
1516
1515
1514
1513
1512
1511
1510
1509
1508
1507
1506
1505
1504
1503
1502
1501
1500
1499
1498
1497
1496
1495
1494
1493
1492
1491
1490
1489
1488
1487
1486
1485
1484
1483
1482
1481
1480
1479
1478
1477
1476
1475
1474
1473
1472
1471
1470
1469
1468
1467
1466
1465
1464
1463
1462
1461
1460
1459
1458
1457
1456
1455
1454
1453
1452
1451
1450
1449
1448
1447
1446
1445
1444
1443
1442
1441
1440
1439
1438
1437
1436
1435
1434
1433
1432
1431
1430
1429
1428
1427
1426
1425
1424
1423
1422
1421
1420
1419
1418
1417
1416
1415
1414
1413
1412
1411
1410
1409
1408
1407
1406
1405
1404
1403
1402
1401
1400
1399
1398
1397
1396
1395
1394
1393
1392
1391
1390
1389
1388
1387
1386
1385
1384
1383
1382
1381
1380
1379
1378
1377
1376
1375
1374
1373
1372
1371
1370
1369
1368
1367
1366
1365
1364
1363
1362
1361
1360
1359
1358
1357
1356
1355
1354
1353
1352
1351
1350
1349
1348
1347
1346
1345
1344
1343
1342
1341
1340
1339
1338
1337
1336
1335
1334
1333
1332
1331
1330
1329
1328
1327
1326
1325
1324
1323
1322
1321
1320
1319
1318
1317
1316
1315
1314
1313
1312
1311
1310
1309
1308
1307
1306
1305
1304
1303
1302
1301
1300
1299
1298
1297
1296
1295
1294
1293
1292
1291
1290
1289
1288
1287
1286
1285
1284
1283
1282
1281
1280
1279
1278
1277
1276
1275
1274
1273
1272
1271
1270
1269
1268
1267
1266
1265
1264
1263
1262
1261
1260
1259
1258
1257
1256
1255
1254
1253
1252
1251
1250
1249
1248
1247
1246
1245
1244
1243
1242
1241
1240
1239
1238
1237
1236
1235
1234
1233
1232
1231
1230
1229
1228
1227
1226
1225
1224
1223
1222
1221
1220
1219
1218
1217
1216
1215
1214
1213
1212
1211
1210
1209
1208
1207
1206
1205
1204
1203
1202
1201
1200
1199
1198
1197
1196
1195
1194
1193
1192
1191
1190
1189
1188
1187
1186
1185
1184
1183
1182
1181
1180
1179
1178
1177
1176
1175
1174
1173
1172
1171
1170
1169
1168
1167
1166
1165
1164
1163
1162
1161
1160
1159
1158
1157
1156
1155
1154
1153
1152
1151
1150
1149
1148
1147
1146
1145
1144
1143
1142
1141
1140
1139
1138
1137
1136
1135
1134
1133
1132
1131
1130
1129
1128
1127
1126
1125
1124
1123
1122
1121
1120
1119
1118
1117
1116
1115
1114
1113
1112
1111
1110
1109
1108
1107
1106
1105
1104
1103
1102
1101
1100
1099
1098
1097
1096
1095
1094
1093
1092
1091
1090
1089
1088
1087
1086
1085
1084
1083
1082
1081
1080
1079
1078
1077
1076
1075
1074
1073
1072
1071
1070
1069
1068
1067
1066
1065
1064
1063
1062
1061
1060
1059
1058
1057
1056
1055
1054
1053
1052
1051
1050
1049
1048
1047
1046
1045
1044
1043
1042
1041
1040
1039
1038
1037
1036
1035
1034
1033
1032
1031
1030
1029
1028
1027
1026
1025
1024
1023
1022
1021
1020
1019
1018
1017
1016
1015
1014
1013
1012
1011
1010
1009
1008
1007
1006
1005
1004
1003
1002
1001
1000
999
998
997
996
995
994
993
992
991
990
989
988
987
986
985
984
983
982
981
980
979
978
977
976
975
974
973
972
971
970
969
968
967
966
965
964
963
962
961
960
959
958
957
956
955
954
953
952
951
950
949
948
947
946
945
944
943
942
941
940
939
938
937
936
935
934
933
932
931
930
929
928
927
926
925
924
923
922
921
920
919
918
917
916
915
914
913
912
911
910
909
908
907
906
905
904
903
902
901
900
899
898
897
896
895
894
893
892
891
890
889
888
887
886
885
884
883
882
881
880
879
878
877
876
875
874
873
872
871
870
869
868
867
866
865
864
863
862
861
860
859
858
857
856
855
854
853
852
851
850
849
848
847
846
845
844
843
842
841
840
839
838
837
836
835
834
833
832
831
830
829
828
827
826
825
824
823
822
821
820
819
818
817
816
815
814
813
812
811
810
809
808
807
806
805
804
803
802
801
800
799
798
797
796
795
794
793
792
791
790
789
788
787
786
785
784
783
782
781
780
779
778
777
776
775
774
773
772
771
770
769
768
767
766
765
764
763
762
761
760
759
758
757
756
755
754
753
752
751
750
749
748
747
746
745
744
743
742
741
740
739
738
737
736
735
734
733
732
731
730
729
728
727
726
725
724
723
722
721
720
719
718
717
716
715
714
713
712
711
710
709
708
707
706
705
704
703
702
701
700
699
698
697
696
695
694
693
692
691
690
689
688
687
686
685
684
683
682
681
680
679
678
677
676
675
674
673
672
671
670
669
668
667
666
665
664
663
662
661
660
659
658
657
656
655
654
653
652
651
650
649
648
647
646
645
644
643
642
641
640
639
638
637
636
635
634
633
632
631
630
629
628
627
626
625
624
623
622
621
620
619
618
617
616
615
614
613
612
611
610
609
608
607
606
605
604
603
602
601
600
599
598
597
596
595
594
593
592
591
590
589
588
587
586
585
584
583
582
581
580
579
578
577
576
575
574
573
572
571
570
569
568
567
566
565
564
563
562
561
560
559
558
557
556
555
554
553
552
551
550
549
548
547
546
545
544
543
542
541
540
539
538
537
536
535
534
533
532
531
530
529
528
527
526
525
524
523
522
521
520
519
518
517
516
515
514
513
512
511
510
509
508
507
506
505
504
503
502
501
500
499
498
497
496
495
494
493
492
491
490
489
488
487
486
485
484
483
482
481
480
479
478
477
476
475
474
473
472
471
470
469
468
467
466
465
464
463
462
461
460
459
458
457
456
455
454
453
452
451
450
449
448
447
446
445
444
443
442
441
440
439
438
437
436
435
434
433
432
431
430
429
428
427
426
425
424
423
422
421
420
419
418
417
416
415
414
413
412
411
410
409
408
407
406
405
404
403
402
401
400
399
398
397
396
395
394
393
392
391
390
389
388
387
386
385
384
383
382
381
380
379
378
377
376
375
374
373
372
371
370
369
368
367
366
365
364
363
362
361
360
359
358
357
356
355
354
353
352
351
350
349
348
347
346
345
344
343
342
341
340
339
338
337
336
335
334
333
332
331
330
329
328
327
326
325
324
323
322
321
320
319
318
317
316
315
314
313
312
311
310
309
308
307
306
305
304
303
302
301
300
299
298
297
296
295
294
293
292
291
290
289
288
287
286
285
284
283
282
281
280
279
278
277
276
275
274
273
272
271
270
269
268
267
266
265
264
263
262
261
260
259
258
257
256
255
254
253
252
251
250
249
248
247
246
245
244
243
242
241
240
239
238
237
236
235
234
233
232
231
230
229
228
227
226
225
224
223
222
221
220
219
218
217
216
215
214
213
212
211
210
209
208
207
206
205
204
203
202
201
200
199
198
197
196
195
194
193
192
191
190
189
188
187
186
185
184
183
182
181
180
179
178
177
176
175
174
173
172
171
170
169
168
167
166
165
164
163
162
161
160
159
158
157
156
155
154
153
152
151
150
149
148
147
146
145
144
143
142
141
140
139
138
137
136
135
134
133
132
131
130
129
128
127
126
125
124
123
122
121
120
119
118
117
116
115
114
113
112
111
110
109
108
107
106
105
104
103
102
101
100
99
98
97
96
95
94
93
92
91
90
89
88
87
86
85
84
83
82
81
80
79
78
77
76
75
74
73
72
71
70
69
68
67
66
65
64
63
62
61
60
59
58
57
56
55
54
53
52
51
50
49
48
47
46
45
44
43
42
41
40
39
38
37
36
35
34
33
32
31
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1

SUBJECT INDEX

Key to use

1. The index is in English only, except for a very few foreign words which are cross-referenced.
2. Subjects, not titles, have been indexed.
3. Volume numbers are given in bold-face type, pages in normal type (i.e. **10**: 216-23).
(The year for each volume is tabulated on p. 3.)
4. Abbreviations:
A = abstract; ed. = editor; Ital. = Italian; math. = mathematical;
Span. = Spanish; T = title only; u.v. = ultraviolet.
5. Elements are listed according to their chemical symbol (e.g. Al, Ag, Cu) rather than by name, because the symbols are international whereas the names may differ greatly from language to language. For example, iron (English) = Eisen (German) = fer (French).
6. Prepositions such as "in", "by", "with", etc., have been ignored in alphabetizing.

Abreisssbögen (see *arcs*, *interrupted*, under *Sources*)

Absorption laws for overlapping infrared bands of different gases (A), **11**: 650

Absorption of light by powders, **11**: 534-41

by randomly dispersed discrete particles (theory of), **9**: 148-56

Absorption spectra (see *Spectra*)

Analysis (see *Spectrochemical analysis*)

Archeology—spectrochemical analysis in, **5**: 73-6

Arcs (see *Discharges* and *Sources of radiation*)

Arc-spark stand, **1**: 400-2; **4**: 472; **5**: 345-9

for analysis of small sample areas, **3**: 354-66; **6**: 223-7

with controlled atmosphere, **2**: 350-60; **4**: 513-15

for C are in, **4**: 473-5; **5**: 252

for minerals, using Stallwood jet, **13**: 197-201

for inclusions, **6**: 223-7

mechanized, **12**: 4-11

spark-traverse attachment for large Hilger quartz spectrograph, **5**: 364-70

for sparking thin metal sheets, **4**: 327-9

for use with micro-spark, **3**: 354-66

of Zeerleder and Rohner, use as pre-sparking device in industrial analyses, **2**: 291-5

Argonne—30-ft spectrograph at, **6**: 139-43

Aromaticity, mono—ultraviolet criterion for, **12**: 262-74

Association, intermolecular—and infrared spectra, **6**: 434-41

Atomic spectra (see *Spectra*, *atomic*)

Band shapes and band intensities—influence of spectrometer slit width on, **9**: 133-47

Bond properties of diatomic molecules—and ionization potentials of their constituent atoms,
12: 154-61

Book Reviews

analysis, absorption

Absorption Spectrophotometry. G. F. Lothian. **4**: 68. 2nd Ed. **13**: 159

Absorptions-Spektralanalyse. F. X. Mayer und A. Luszczak. **5**: 344

Book Reviews (cont'd)**analysis, absorption (cont'd)**

Analytical Absorption Spectroscopy. M. G. Mellon, ed. **4:** 544

Colorimetry, Photometry, and Spectrometry. G. Körtüm. **9:** 104

Kolorimetrische Analyse mit besonderer Berücksichtigung der licht-elektrischen Kolorimetrie.
B. Lange. **2:** 325

analysis, emission

Chemical and Spectrographic Analysis of Magnesium and its Alloys. A. Mayer and W. J. Price. **7:** 398

Éléments de Spectrographie (Applications à la spectroanalyse qualitative et quantitative des métaux). G. Monnot. **4:** 307

De Grondslagen van de Spectrochemische Analyse. R. Schmidt. **5:** 341

Metal Spectroscopy. F. Twyman. **5:** 341

Methods for Emission Spectrochemical Analysis. American Society for Testing Materials. **6:** 256

Quantitative Spectrochemical Analysis of Silicates. L. H. Ahrens. **7:** 251

Report on Standard Samples for Spectrochemical Analysis. American Society for Testing Materials. **3:** 622; **4:** 426

Spectrochemical Analysis. L. H. Ahrens. **4:** 425

Spectrochemical Analysis in 1938. F. Twyman. **1:** 84, 207

Spectrographic Analysis in Great Britain. A. C. Candler. **1:** 84

The Spectrographic Analysis of Soils, Plants, and Related Materials. R. L. Mitchell. **3:** 621

Visual Lines for Spectroscopic Analysis. D. M. Smith. **6:** 184

analysis, flame photometry

L'Analyse Spectrale Quantitative par la Flamme. R. Mavrodineanu et H. Boiteux. **7:** 179

Flame Photometry (A manual of methods and applications). F. Burriel-Marti and J. Ramírez-Muñoz. **12:** 285

analysis, miscellaneous

Ausführung qualitativer Analysen. W. Biltz. **1:** 377

Die chemische Analyse in der Stahlindustrie. 2., umgearb. Aufl. v. Isidor Kassler: Untersuchungsmethoden für Roheisen, Stahl und Ferrolegierungen. Robert Weihrich. **1:** 289

Chemische Spektralanalyse. W. Seith und K. Ruthardt. **2:** 139; **4:** 307; **13:** 339

A Co-operative Investigation of Precision and Accuracy in Chemical, Spectrochemical and Modal Analysis of Silicate Rocks. H. W. Fairbairn. **5:** 522

Erfahrungen mit der spektrochemischen Analyse von Gefügebestandteilen des Stahles (Inclusions in steel). F. Wever, W. Koch und S. Eckhard. **10:** 128

Handbuch der Werkstoffprüfung. **1:** 376

Instrumental Analysis. P. Delahay. **10:** 435

Leicht-Metallanalyse. H. Ginsberg. **2:** 225

Optische Messungen des Chemikers und des Mediziners. F. Löwe. **1:** 375

Physik. Meth. d. analyt. Chemie, Tl. 3. **1:** 376

Der Raman-Effekt und seine analytische Anwendung. W. Otting. **5:** 342

Spektrochemische Betriebsanalyse. Praktische Ratschläge für die Ausführung spektrochemischer Analysen im Betriebslaboratorium. H. Moritz. **3:** 125

Spettroscopia applicata all'analisi chimica. V. Gazzi. **3:** 120

Standard Methods of Chemical Analysis. W. W. Scott and N. H. Furman. **1:** 207

bibliographies and indexes

Index to the Literature on Spectrochemical Analysis. W. F. Meggers and B. F. Scribner.

Part I. 1920-37. **1:** 85

Part II. 1940-45. **3:** 119

Part III. 1946-50. **7:** 180

Book Reviews (cont'd)**bibliographies and indexes (cont'd)**

- Molecular Electronic Bibliography*. Vol. I. Molecular Quantum Mechanics and Molecular Electronic Spectroscopy. Early Workers. L. Kasha and M. Kasha. **13**: 338
Spectrochemical Abstracts 1933-1937. F. Twyman. **1**: 84
Spectrochemical Abstracts 1946-1951. E. H. S. van Someren and F. Lachman. **8**: 128
Ultraviolet and Visible Absorption Spectra: Index for 1930-54. H. M. Hershenson. **10**: 131

miscellaneous

- Données Spectroscopiques Concernant les Molécules Diatomiques*. B. Rosen, ed. **5**: 341
The Gilding Process and the Metallurgy of Copper and Lead Among the Pre-Columbian Indians. P. Bergsøe. **1**: 86
The Interpretation of Spectra. W. M. Venable. **3**: 620
Reine Metalle. Herstellung. Eigenschaften. Verwendung. **1**: 207
Die Spurenelemente in unserer Nahrung und in unserem Körper. R. Berg. **2**: 131
Structure et Propriétés des Couches Photographiques. L. P. Clerc. **1**: 378
Veröffentlichung des Wissenschaftlichen Zentral-Laboratorium der photographischen Abteilung Agfa. Bd. 6. **1**: 207
Vistas in Astronomy. A. Beer, ed. **10**: 131

optics

- Fundamentals of Optics*. F. A. Jenkins and H. E. White. **12**: 284
Optische Messungen des Chemikers und des Mediziners. F. Löwe. **7**: 179

reports of meetings

- Proceedings of the Colloquium Spectroscopicum Internationale VI*. W. van Tongeren and F. Freese. **13**: 339. (see also **11**: 1-663)
Spectroscopy in Science and Industry. Proceedings of Fifth Summer Conference on Spectroscopy and its Applications. G. R. Harrison. **1**: 86

spectra, atomic

- Atlante dello Spettro di scintilla del ferro, da 2227 a 4415 Å, suddiviso in 13 tavole fotografiche con l'indicazione della posizione della righe analitiche de 54 elementi*. V. Gazzi i P. Gelli. **3**: 121
Atomic Energy Levels. C. E. Moore. Vol. I: **4**: 68. Vol II: **5**: 522. Vol. III: **12**: 406
Bogen- und Funkenspektrum des Eisens von 4555 bis 2227 Å mit gleichzeitiger Angabe der Analysenlinien der wichtigsten Elemente. F. Gössler. **2**: 323
Grating Spectrum of Iron. A. Gatterer. **4**: 426
Lines of the Elements in Astronomical Spectra. P. W. Merrill. **10**: 128
Spectroscopic Properties of Uranium Compounds. G. H. Dieke and A. B. F. Duncan. **4**: 307
The Spectrum of Steel—A Table for the Selection of Homologous Spectral Lines. J. Convey and J. K. Hurwitz. **6**: 453
Spektren von 30 chemischen Elementen. A. Gatterer und J. Junkes. **4**: 176
Spektren der seltenen Erden. A. Gatterer und J. Junkes. **4**: 176
Spektren seltener Metalle und einiger Metalloide. A. Gatterer und J. Junkes. **4**: 177
Tabelle der Hauptlinien der Linienspektren aller Elemente nach Wellenlänge geordnet. H. Kayser. **1**: 83
An Ultraviolet Multiplet Table. C. E. Moore. **4**: 255; **5**: 522
Wavelength Tables of Sensitive Lines. L. H. Ahrens. **5**: 253

spectra, molecular

- Atlas des Longueurs d'Ondes Caractéristiques des Bandes d'Emission et d'Absorption des Molécules Diatomiques*. M. B. Rosen. **5**: 523
Einführung in die Ultrarotspektroskopie. W. Brügel. **7**: 250. 2nd Ed. **12**: 284
Fluoreszenz organischer Verbindungen. T. Förster. **5**: 253
The Identification of Molecular Spectra. R. W. B. Pearse and A. G. Gaydon. **4**: 427

Book Reviews (*cont'd*)**spectra, molecular** (*cont'd*)

The Infrared Spectra of Complex Molecules. L. J. Bellamy. **7**: 250

Kontinuierliche Spektren. W. Finkelburg. **1**: 577

Molecular Spectra. I. Selection Rules for Vibrational Spectra of Polyatomic Molecules. F. F. Cleveland. **6**: 340

Der Raman-Effekt und seine analytische Anwendung. W. Otting. **5**: 342

The Ultraviolet Spectra of Aromatic Compounds. R. A. Friedel and M. Orchin. **5**: 343

spectroscopy

Chemical Applications of Spectroscopy. W. West, ed. **10**: 129

Microwave Spectroscopy. W. Gordy, W. V. Smith and R. F. Trambarulo. **6**: 453

Practical Spectroscopy. G. R. Harrison, R. C. Lord and J. R. Loofbourow. **3**: 619;
5: 342

La Spectroscopie d'Emission. P. Michel. **7**: 180

Spectroscopy and Combustion Theory. A. G. Gaydon. **3**: 623

C.I.R.—center for infrared documentation, **11**: 481–4

Calculating boards (see *calculating devices* under *Photographic topics*)

Calibration—of wavelength and wavenumber scales of spectrophotometers, method for exact,
8: 66–70

Cassette—automatic positioning of (in spectrograph), **3**: 599–602

Cells

effective length in cylindrical cuvettes, **3**: 584–98

infrared, cavity type micro, **12**: 183–91

infrared, for solids at low temperature, **11**: 508–14

for measurement of aqueous systems at elevated temperatures (in u.v.), **12**: 109–13

for u.v. absorption, extremely thin (less than 1 μ), **6**: 185–93

Characteristic frequencies (see *Group frequencies*)

Chemical analysis (see *Spectrochemical analysis*)

Comparators, spectrum (see also *Densitometers*), **1**: 352–73; **4**: 476–81
new double, **11**: 462–3

Zeiss double projector, **2**: 202–9

Conferences (see *Meetings, reports of*)

Criminalistics—spectrum analysis in, **5**: 63–72

Crystals—vibration spectra of, **8**: 19–26

Curie point—spectral determination of, for Ni (brief), **6**: 25

Cyanogen bands—elimination of, **3**: 327–40

Densitometers and photometers (see also *Photometry*)

conversion of Zeiss "Schnell photometer" to automatic recording, **3**: 412–9

microdensitometer

cathode ray tube used in, **4**: 13–20

recording, **5**: 124–9

stabilized power supply for lamp of, **8**: 180–3

photometer for spectral lines, **2**: 296–8

Detectors of radiation—review (especially theory), **6**: 9–18

Diatomic molecules—relation between some bond properties and ionization potentials of the
constituent atoms, **12**: 154–61

Dichroism studies, infrared—of some molecular complexes, **8**: 142–51

Differential spectroscopy—in near infrared, **14**: 119–26

Diffraction gratings (see *Gratings*)

Direct-reading spectrographs (see *Spectrographs*)

Discharges and discharge phenomena

apparatus for (see *Sources of radiation*)

Discharges and discharge phenomena (*cont'd*)

arcs

a.c. arc, comparison at various voltages, **11**: 197–204

carbon arc

background in, and significance for spectrochemical analysis, **11**: 125–33origin of background in, **11**: 119–24

d.c. arc

concentration distribution of metal vapor in (theory), **11**: 146–51effect of noble gases on characteristics of, **11**: 179–85stabilizing vaporization of filled cathode, **11**: 192–6volatilization phenomena during analysis of powders, **11**: 186–91

d.c. intermittent arc (Pfeilsticker type)

influence of electrical parameters on distribution of spectral energy across analytical gap, **11**: 282–8interactions in plasma of, **11**: 260–6dependence of emission on external influences, **11**: 111–18Na—enhancement of lines by influence of intermolecular Stark effect, **11**: 333–7physical phenomena of—significance for spectroanalytical methods, **1**: 66–82problems of optical excitation in, **5**: 476–82, 500

temperatures in arcs

calculation for different gases, **11**: 152–61determination of, in d.c. carbon arc, **11**: 162–7in gas column of Cu, **1**: 173–96measurement of, with reference to spectrochemical analysis, **11**: 168–78in capacitor discharges—effect of variation of circuit parameters on excitation of spectra, **5**: 378–87chemical reactions in carbon electrodes, **4**: 237–51electrode processes—correlation with spectral emission, **11**: 217–21in gas—intensity distribution of spectral lines in, **5**: 491–4porous-cup—sample transport and temperature studies in, **9**: 19–39role of stepwise transitions in excitation of spectral lines, **11**: 350–5source conditions—effect on line intensities of various metals, **5**: 483–90, 500sparks—calculation of, **2**: 229–42change of spectrum during duration of a single, **2**: 318–22decomposition in—experimental investigation of zinc cathodes, **10**: 133–48effect of changing gases (A, N₂, CO₂, air, O₂) on “sparking-off” effect (A), **11**: 243–4electrode decomposition during the sparking process, measurement of, **11**: 236–42electrode vapor jets in, **7**: 149–64energy distribution of spectral lines in, **2**: 306–8excitation temperature in, **3**: 546–9; **9**: 68–88influence of discharge conditions on emission spectrum in, **5**: 11–17metal vapor clouds in—pictures of, **3**: 546–59oxidation processes in the spark volume, **7**: 367–72

Pfeilsticker

excitation of lines of nonmetals in, **5**: 460–8investigation at various pressures, **5**: 350–63sparking-off effects in flat-surface sparking of steels, **3**: 141–58spectral character of, **4**: 446–66spectral character as function of spark source parameters, **13**: 99–106as spectrochemical light source—general considerations, **11**: 233–5spectrum excitation in, **11**: 245–51spark-channel plasma—excitation processes in, **11**: 245–51spark lines—obtaining in pulsed hollow-cathode source, **11**: 342–9studies with time-resolved spectra (A), **11**: 267Tesla sparks—apparent rectification in, **13**: 168–79

Discharges and discharge phenomena (*cont'd*)transient discharges—photoelectric spectroscopy of, **5**: 452-9volatilization of metal from an alloy—periodic phenomena in, **7**: 219-30**Disiloxane**—force constants, interbond angle, and solid state spectrum, **13**: 38-42**Documentation**, infrared—center for, **11**: 481-4**Dyes**—bleaching of, **5**: 41**Echelles**—use in spectroscopy, **6**: 61-5**Electrical discharges** (see *Discharges*)**Electrode holder** (see *Arc-spark stand*)**Electrode processes** (see *Discharges*)**Electrodes**of Al, anodically oxidized, to determine traces of Th, Pb, Hg and Zn, **4**: 218-223Al as substitute for carbon, **1**: 560-2**C**chemical reactions in, **4**: 237-51cutter for preparation of, **5**: 422-5effect of dimensions of on spectral line intensity, **4**: 73-84Eloxal as substitute for, **1**: 560-2purification of, **2**: 49-70; **5**: 327-8contamination of—in flat surface sparking technique, **3**: 127-40double-chamber—for determination of chlorine and other halogens, **6**: 331-3Eloxal as substitute for carbon, **1**: 560-2holder and cutter for—improved, **4**: 2-7natural form of, **2**: 258-63notes on preparation, **6**: 334-7rotating disk—use for analyzing brasses and bronzes, **4**: 330-7for solutions, **7**: 396-7**Emission spectroscopy** (see *Spectroscopy, emission*)**Energy transfer**, intramolecular—in ytterbium organic chelates, **10**: 377-82**Errata** (individual errata are listed under subject)**Filters**, opticalinterference, **11**: 361-7interference, for the infrared, **10**: 179-94

step

photographic—photometric calibration of, **3**: 518-37question of graduation of, **2**: 385-8**Filtration**—influence on quantitative u.v. measurements, **11**: 542-7**Flame photometry**apparatus for (ultrasonic oscillator and pre-heater), **4**: 152-6Ca depression by P, **12**: 394in a clinical laboratory (A), **4**: 64-5constant-ratio method for analysis by, **5**: 426-35control of atomization in, **1**: 421-3determination of Al, **11**: 62-6determination of Ca and Mg in biological samples—interferences in (A), **11**: 50determination of Cs and Rb—small amounts of, **11**: 67-70determination of In, **12**: 397-400determination of K₂O and phosphoric acid, **2**: 71-81determination of Na in aluminum oxide, **11**: 51-61of Dy and Te oxides (Ital.), **1**: 532-47of Fe alloys, **4**: 396-9mutual influence of Na and K in, **11**: 35-43perturbations in, and their removal with "normalizers", **11**: 28-34

Flame photometry (*cont'd*)

- of rare earths (Ital.), **1**: 249-69
- of small samples (A), **11**: 368-9
- talk on (A), **4**: 62-3
- use of spark to introduce metal into flame, **4**: 396-9

Flames

- carbon—use for spectrochemical work, **2**: 252-7
- current-voltage curves in ionized gases of, **1**: 293-318
- cyanogen (A), **11**: 49
- influence of flame characteristics on the emission from, **11**: 7-19
- shape and width of spectral lines from, **11**: 310-17
- temperature in—photoelectric measurement by line reversal, **11**: 44-8

Fluorescence—of Sm in CaSO_4 , analytical studies, **9**: 307-22**Fluorescence analysis** (see *Spectrochemical analysis by fluorescence*)**Fluorescent X-ray spectroscopy** (see *X-rays*)**Force constants**

- of CrO_4^- , **12**: 403-5
- of $\text{Cr}_2\text{O}_7^{2-}$, **13**: 192-6
- of disiloxane, **13**: 38-42
- of iron pentacarbonyl, **10**: 8-16
- of SiD_3I , **12**: 41-6
- of uranyl complexes, **10**: 395-403; **12**: 408

Forensic problems—spectrum analysis in, **5**: 63-72**Free radicals**—concentration in hydrogen flames, **11**: 20-7**Free radical spectroscopy**—recent progress in, **14**: 261-70**Frequencies, characteristic** (see *Group frequencies*)**G.A.M.S.**

- center for infrared documentation, **11**: 481-4
- and instruction in physical methods of analysis, **9**: 175-6

Galvanometer—vibration-free support for, **2**: 417-18**Gatterer, Father A.**—obituary, **6**: 1**Gratings**

- echelles—use in spectroscopy, **6**: 61-5
- polarization of the reflected infrared radiation from echelette, **12**: 294-8
- production of, **6**: 57-8
- ruling, testing and mounting—activity in Sweden on, **6**: 59-60

Group frequencies, infrared

- of carbonyl group (also intensity), **13**: 236-47
- C—H out-of-plane bends
 - in aromatics, $625-900\text{ cm}^{-1}$, **7**: 14-24
 - in polynuclear aromatics, **11**: 579-85
- of C—O—C groups in organic compounds, **6**: 95-97
- and electronegativity, **13**: 257-60
- for multiple bonds—origin of shifts in, **13**: 60-8
- of naphthalenes, substituted, **10**: 105-9
- of N—H stretching in primary amines, **9**: 341-5
- of NH^+ and NH_2^+ angle deformations, **13**: 261-70
- of OH at $3\ \mu$ (frequency, intensity, shape), **10**: 21-37
- OH in-plane deformation frequency in $\text{CH}_3\text{CD}_2\text{OH}$, **9**: 263
- O—H in-plane deformation and C—O stretching frequencies in carboxylic acids, **12**: 162-8
- of OH stretching vibration in COOH acids and phenols, **6**: 129-33
- of S—O bonds, **11**: 601-8
- solvent effects in infrared, **14**: 192-7

Heterogeneity in metals—spectrographic examination of localized, **3**: 354-66

Homogeneity of Zn-base spectrographic standards—statistical study on, **9**: 323–31

Hydrogen bonds and hydrogen bonding

- in amides—infrared and ultraviolet study of strength of, **7**: 100–107
- in estrololactone, **13**: 248–52
- infrared study of, **14**: 198–212
- in methanol, ethanol and *t*-butanol—infrared studies of, **10**: 70–84
- review (spectroscopic and theoretical), **10**: 341–68
- stretching frequency as function of interatomic distance in straight, **12**: 280–3

Infrared spectra (see *Spectra, infrared*; *Spectra, near infrared*; *Spectra, infrared and Raman*)

Intensities (see also *Photographic topics*)

of atomic emission lines

- in carbon arc—effect of electrode dimension on, **4**: 73–84
- complete proof of statistical behavior of, **11**: 222–32
- of Cu—line absorption and total absorption by, **1**: 173–96
- diminution by very narrow slit (Ital.), **1**: 229–38
- effect of A atmosphere on, **6**: 134–8
- elimination of background noise in intensity measurements with photomultipliers, **5**: 371–7
- enhanced and depressed, **11**: 140–5
- enhancement by other elements, and qualitative analysis, **5**: 42–51
- exponent of number of atoms in expression for, **3**: 475–87
- in the Fe arc—photoelectric measurements of, **4**: 122–151
- in gas discharges, **5**: 491–4
- influence of alloy partners on homologous line pairs (A), **11**: 290
- intensity ratios—influence of prism magnification on, **5**: 251
- of metals—effect of source conditions on, **5**: 483–90, 500
- relation to energy and excitation potential of source, **11**: 134–9
- of resonance lines in electric arc—dependence on concentration, **1**: 197–206
- short period measurements of, **5**: 436–51

infrared

- of benzene, monosubstituted (A), **11**: 649
- of carbonyl group (also frequency), **13**: 236–47
- of carbonyl group in aromatic compounds, **9**: 208–15
- of C≡N group in aliphatic nitriles, **13**: 217–22
- of hydrocarbons, *n*-paraffin, **9**: 235–51
- influence of conditions of measurement on, **11**: 640–7
- influence of spectrometer slit width on, **9**: 133–47
- influence of temperature variations on—for aliphatic compounds, **11**: 618–22
- of NH group in substituted acetanilides, **10**: 240–1
- of OH band at 3 μ , **10**: 21–37
- of OH group in phenols (also frequency and width), **10**: 17–20
- solvent effect in, **10**: 149–53
- solvent effects in—for aromatic compounds, **14**: 181–91
- and structural factors, **14**: 145–60
- theoretical considerations **14**: 161–80

miscellaneous

- in fluorescence spectroscopy (A), **11**: 548
- photographic
 - background of plate in measurement, **2**: 396–416
 - device for converting to analytical concentrations, **11**: 420–9
 - linear-plate characteristic and an intensity scale, **8**: 262–79
- photographic measurement in absorption spectra—accuracy of, **9**: 216–26
- slide rule for calculating blackening curve separations, **10**: 119–22
- in spectrophotometry—use of screens for calibrating, **11**: 394–400

Intensities (*cont'd*)**miscellaneous** (*cont'd*)

statistical factors in measurement of, **12**: 169-78

Raman

of aliphatic C=O group, **10**: 259-68

correction for the absorption by a diffusing medium, **12**: 400-2

of gaseous CH₄, C₂H₆, neopentane, benzene, ethylene and acetylene, **14**: 127-41

influence of conditions of measurement on, **11**: 640-7

mean polarizability derivatives of hydrocarbon molecules, **14**: 127-41

X-ray

statistical factors in measuring, **12**: 169-78

Interferometer—photoelectric Fabry-Perot for analysis of U and Pb isotopes, **8**: 329-47

Intermolecular association and infrared spectra, **6**: 434-41

Intermolecular forces in gaseous mixtures—spectroscopic study of, **14**: 213-33

Internal rotation in 1,2-dichloro-2-methylpropane, **10**: 1-7

Isotopic assay

of Li, **6**: 383-412; **10**: 110-18

by means of hydride band, **7**: 175-8

of Pb and U—photoelectric Fabry-Perot interferometer for, **8**: 329-47

IUPAC Commission on Molecular Spectroscopy (see *Meetings, reports of*)

Key to classification of work abstracted *Spectrochimica Acta*, **3**: 105-113

Linear molecule—determination of order of atoms in, **12**: 1-3

Lines, spectral, shape and width of

emitted by flame and by d.c. arc, **11**: 310-17

of H—Paschen and Balmer series emitted by condensed discharge, **11**: 356-60

Matrix isolation method for spectroscopic studies—promise and problems of, **12**: 94-6

Meetings, reports of

American Association of Spectrographers. Symposium on spectroscopy (Chicago)

1953, **6**: 180 (T's)

1954, **6**: 339 (T's)

1956, **8**: 196-200 (A's)

1957, **9**: 359-63 (A's)

1958, **13**: 154 (A's)

Canadian Association for Applied Spectroscopy

1st Ottawa Symposium. Sept. 1954, **6**: 444-8 (A's)

4th Ottawa Symposium. Sept. 1957, **10**: 330-4 (A's)

Color and Electronic Structure of Complex Molecules. Chicago, Dec. 1946 (A's), **3**: 616-8

Conference on Molecular Spectroscopy (Institute of Petroleum Hydrocarbon Research Group). London, Feb. 1958 (proceedings), **14**: 1-316

10th Conference on Spectroscopy in the U.S.S.R.—report on, **9**: 357-9

Industrial Applications of X-ray Analysis. Denver, Aug. 1957 (A's), **10**: 335-9

International Spectroscopy Colloquium (Colloquium Spectroscopicum Internationale)

1st, Strasbourg, Oct. 1950, **4**: 542-3

3rd, High Leigh, England. Sept. 1952, **5**: 471; **6**: 7-123 (proceedings)

4th, Münster. Sept. 1953, **6**: 182-3 (T's)

5th, Gmunden. Sept. 1954, **6**: 449-51 (T's)

6th, Amsterdam. May 1956, **11**: 1-663 (proceedings)

IUPAC Commission on Molecular Spectroscopy

establishment, **9**: 102

meetings in Paris, July 1957 (report), **12**: 101

Meetings, reports of (*cont'd*)

Ohio State Symposium on Molecular Structure and Spectroscopy. Columbus, Ohio

1952, **5**: 330-40 (A's)1953, **6**: 124-8 (T's)1956, **8**: 280-316 (A's)1957, **10**: 213-37 (A's)

Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy

1953, **5**: 502-21 (A's)1954, **6**: 238-55 (A's)1956, **8**: 107-27 (A's)1957, **9**: 160-73 (A's)1958, **12**: 370-90 (A's)

Society for Applied Spectroscopy. Annual meeting. New York

1953, **6**: 181 (T's)1954, **6**: 338 (T's)1956, **8**: 390-4 (A's)1958, **10**: 434 (T's)Spectroscopy symposium at Argonne National Laboratory. Feb. 1956 (A's), **8**: 184-96

Symposium on Spectrochemical Analysis for Trace Elements. Atlantic City, N.J., June

1957 (A's), **10**: 2382nd Symposium on Spectroscopy in India. Madras. Jan. 1958 (T's), **12**: 1034th Symposium on Spectroscopy in Japan. Tokyo. Oct. 1957 (T's), **12**: 102**Meetings, reports of** (*cont'd*)

Western Spectroscopy Association

3rd Annual Conference (T's), **8**: 564th Annual Conference. Los Angeles. (T's), **9**: 173**Methanol**—in-plane normal vibrations in, **9**: 265-9**Microchemistry**—and spectral analysis, **6**: 19-22**Microdensitometer** (see *Densitometer*)**Microphotometer** (see *Densitometer*)**Molecular complexes**—infrared dichroism studies of, **8**: 142-51**NMR** (see *Nuclear magnetic resonance*)**Nomographs**

application to spectral densities lying off straight-line portion of characteristic curve,

5: 278-85use in spectrographic calculations, **5**: 163-9**Normal co-ordinate calculations**for iron pentacarbonyl, **10**: 8-16for uranyl complexes, **10**: 395-403; **12**: 408**Normal vibrations**—of sulfamic acid, **12**: 239-43**Nuclear magnetic resonance**high-resolution spectroscopy, new method for analyzing spectra in, **14**: 17-23in petroleum analytical research, **14**: 24-44practice and application of, **14**: 5-16spectra of some crystals containing N and F, **10**: 154-60**Obituary**—Gatterer, Father A., **6**: 1-5**Order of atoms** in a linear molecule—determination of, **12**: 1-3**Pfeilsticker arc** (see *Discharges, arc*)**Photographic topics**

apparatus for photographic development

film washer, **8**: 54film washer-dryer-rinser, automatic, **12**: 99-100

Photographic topics (*cont'd*)apparatus for photographic development (*cont'd*)for rapid processing of plates, **1**: 131-6simple rapid drying procedure, **2**: 171-2tank for uniform development of spectrographic film, **5**: 469-70

blackening-concentration curves

comparison of three methods for determining, and evaluation for routine analysis of low-alloy steels, **7**: 373-86determination of, **2**: 1-17; **4**: 36-42factors influencing, **1**: 117-22, 123-30, 374influence of background on, **2**: 396-416; **3**: 297-319influence of optical system of microphotometer on, **4**: 489-95calculating boards (see *calculating devices*)calculating devices for photographic spectrochemical analysis, **4**: 429-34, 351-65; **11**: 420-9slide rule for blackening-curve separations, **10**: 119-22for use with special transformations, **11**: 430-6calibration of plates—using homologous lines, **5**: 130-46contrast changes of Eastman Kodak S.A. No. 1 emulsion during cold storage, and their effect on observed intensity ratios, **7**: 349-57effect of plate emulsion contrast factor on precision of spectrochemical analysis, **4**: 59exposure techniques—some simple practical innovations in, **2**: 299-305film cassette—to replace plates, **6**: 235-7

intensities

errors in measurement, review, **3**: 488-97errors, systematic, in photographic-photometric evaluation of spectral exposures, **3**: 278-96of lines, rapid and accurate method of measuring, **4**: 36-42ratios of spectral lines, variation in photographic measurement, **3**: 498-517intensity scales in photographic photometry, **5**: 286-94linear-plate characteristic and an intensity scale, **8**: 262-79

plates

device to use more fully (in plate holder), **1**: 227-8; **2**: 23-5rapid processing of, for routine spectrographic analysis, **1**: 131-136precision of computation methods for photographic spectrochemical analysis, **3**: 538-545reciprocity law failure—effect on calibration curve in quantitative spectrochemical analysis, **1**: 123-130Schwartzschild coefficient of photographic plate, **4**: 57-8

Seidel transformation

application to determination of intensity ratio by blackening-curve separation, **4**: 519-24in practice, **11**: 401-8theory, **4**: 60-1, 188

theory

of blackening vs. exposure, **4**: 60-1, 188for density transformations (math.), **3**: 159-89determination of transformation number κ , **7**: 242-5of Seidel's blackening transformation, **4**: 60-1, 188**Photometers** (see *Densitometers*)**Photometry**effective line widths in, **7**: 60-3line-width procedure for measuring dense spectrum lines, **6**: 442-3use of intensity scales in, **7**: 165-74**Photo-multiplier**—obtaining alternating current from, without chopping radiation, **4**: 516-18**Polarization**—of the reflected infrared radiation from an echelette grating, **12**: 294-8**Polarized infrared radiation**—applications of, **14**: 284-307

Polymorphism—studied by infrared, **11**: 609–17
Porphin—infrared and visible spectrum, crystallographic and X-ray data, **12**: 65–77
Powders—light absorption by, **9**: 148–56 (theory); **11**: 534–41

Quantometers (see *Spectrographs*)

Radiation detectors—review, especially theory, **6**: 9–18
Raman spectra (see *Spectra, Raman and Spectra, infrared and Raman*)
Raman spectroscopy (see *Spectroscopy, Raman*)
Rocks, sedimentary—of Appenino Tosco-Emiliano, minor constituents of (Ital.), **2**: 32–44
Rydberg term tables, **12**: 179–82

Schumann region (see *Vacuum ultraviolet*)

Sector, step

for use with intermittent light sources, **4**: 467–71
 question of graduations of, **2**: 385–8

Seidel transformation (see *Photographic topics*)

Slide rule—for calculating blackening curve separations, **10**: 119–22

Slit and photocell arrangement—high precision, **6**: 211–15

Slit widths

calibration for spectrographic analysis, **5**: 257–77
 influence on vibrational band shapes and band intensities, **9**: 133–47
 method for determining mechanical, **4**: 212–7

Solvent effects

in infrared group frequencies, **14**: 192–7
 in infrared spectra of aromatic compounds, **14**: 181–91

Solvents

purification for spectroscopic use, **5**: 170–3
 purification of benzene and hexane for absorption measurements in the u.v., **2**: 243–4

Sources of radiation (see also *Arc-spark stand* and *Discharges and discharge phenomena*)

for atomic emission spectroscopy

arcs, **4**: 525–32; **7**: 238–41

carbon, background of spectrum in, and significance for spectrochemical analysis,
11: 125–33

d.c., **7**: 238–41

apparatus for excitation of powders in, **9**: 157–9

device for stabilization, **11**: 146–51

interrupted, **7**: 238–41

electronically controlled, a.c. operated, **5**: 397–408

thyatron-controlled switch for, **13**: 271–9

universally adjustable with electronic control, **8**: 152–66

of very high stability, **11**: 464–6

carbon flame—use for spectrochemical work, **2**: 252–7

electrodeless—for halogens, S and Se, **3**: 214–32

electrodeless ring discharge in high-frequency magnetic field—for emission trace analysis,
1: 164–7

for exciting atomic emission lines of N in steel, **12**: 96–8

generator for rectangular-shaped arc-like current pulses, **4**: 43–6

high frequency brush discharge as spectral source (for solutions), **11**: 441–7

hollow cathode, **6**: 169–79

hollow-cathode discharge tubes—two new, **5**: 322–26

sparks

effect of a bridging resistor on ignition of spark gaps connected in series, **2**: 98–106

electronic regulation of the charging potential of condensers in, **7**: 246–9

Sources of radiation (*cont'd*)sparks (*cont'd*)

- flat surface sparking technique—sample electrode vapor contamination of the graphite electrode in, **3**: 127–140
- high-voltage spark source with electronic control, **7**: 307–20; **8**: 316
- low-voltage spark
 - electronically controlled (and interrupted arc and d.c. arc), **7**: 238–41
 - spectroscopic and electrical measurements on, **5**: 19–23
- low-voltage spark generator, **6**: 228–34, 454
 - electronic control mechanism for, **7**: 134–40
- micro-spark—for studying localized heterogeneity in metals, **3**: 354–66
- sliding spark in vacuum—for spectrochemical analysis, **11**: 268–74
- sparks and electrically initiated interrupted arcs—simple means for removal of starting difficulties, **2**: 92–7
- spark generator, unregulated—contribution to knowledge of, **1**: 477–500
- spark, triggered 220 V—for high precision metal analysis, **11**: 370–6

flames (see *Flames*)

microwave-powdered tuneable cavity for excitation at 2425 Mc/s of an optical spectroscopic source, **10**: 432–3

for molecular electronic spectra

- arc stand in sound-proof housing, **1**: 572–6
- electron collision excitation in the glow discharge (Schüler tube), **4**: 85–92
- hydrogen lamp, use of, **1**: 437–61
- shock tube for studies of emission and absorption spectra **14**: 56–66
- underwater spark, for continuous u.v. spectrum, **4**: 366–72
- vacuum sliding spark for vacuum u.v., **13**: 150–1

phenomena in (see *Discharges and discharge phenomena and Flames*)

for Raman spectra

- comparison of high- and low-pressure Hg arcs, **11**: 490–8
- He lamps of high intensity, **11**: 485–9
- Hg arcs, construction of, **11**: 499–502
- microwave powered, **12**: 88–93
- in red and near infrared, **8**: 41–5

Schüler tube, **4**: 85–92

shock tube—for studies of emission and absorption spectra, **14**: 56–66

for vacuum ultraviolet—vacuum sliding spark, **13**: 150–1

for visible and u.v. spectra (see *for molecular electronic spectra*)

“**Sparking-off**” effect with change of discharge gas (A), **11**: 243–4

Sparks (see *Discharges and Sources of radiation*)**Spectra, atomic** (see also *Book Reviews*)

- of Ac, **10**: 195–200
- of Am (spark), **8**: 71–87
- of C (graphite) in air—tables of arc and spark spectra at medium dispersion, **6**: 144–52
- of Fe—intensities of lines in, measured photoelectrically, **4**: 122–51
- of H—line profiles in Paschen and Balmer series emitted in condensed discharges, **11**: 356–60
- of Hg—continuous atomic and molecular, **11**: 318–24
- of nonmetals in Pfeilsticker arc, **5**: 460–8
- of Pm, **4**: 317–26
- of Pu excited in King furnace—emission and absorption, **10**: 383–94
- of Tc, **4**: 317–26
- of Te—two second-order lines listed in M.I.T. tables as first-order lines, **8**: 53

Spectra, electronic (of molecules) (see also *Spectra, fluorescence*)

- of acetaldehyde—spin-forbidden transitions in, **12**: 394–6
- of acetylene, dicyano, **12**: 321–31
- of anisole, *p*-fluoro—analysis of, **9**: 252–62

Spectra, electronic (*cont'd*)

- of anthracene at -170° , **4**: 116-121
- of aqueous systems at elevated temperatures—simple arrangement for measurement of, **12**: 109-13
- of aromatic hydrocarbons at low temperatures, **4**: 116-121
- of aromatic hydrocarbons, catacondensed, and purity, **11**: 555-61
- of benzene at -170° , **4**: 116-121
- of benzene in alcohol by various methods, **1**: 437-61
- of benzene derivatives in glow discharge (Schüler tube), **4**: 85-92
- of benzene, toluene, chlorobenzene, diphenyl and benzyl-chloride in glow discharge (Schüler tube), **10**: 61-9
- of benziminazoles, methyl-substituted, **4**: 338-47, 541
- of benzophenones, substituted—steric effects in, **8**: 348-55
- of benzyl radical, **12**: 299-304
- of biphenyls, methyl substituted, **14**: 67-81
- of camphorquinone at 77° K, and electronic states, **12**: 78-87
- of CdS single crystals—H-like absorption spectra in (A), **11**: 648
- of chelates, metal (including fluorescence spectra), **9**: 105-12; **10**: 132
- of chrysene, monomethoxy chrysenes and 1,2-dimethoxychrysene, **4**: 157-64
- criterion for monoaromaticity, **12**: 262-74
- of Cu_2 , Ag_2 , Au_2 , CuAu , CuAg and AuAg (emission), **11**: 329-32
- of diphenyl at -170° , **4**: 116-121
- effects of environment on, **11**: 515-33
- of Fe^{3+} complexes with thiosulfate, thioglycollate, cysteine, thiophenol and 2,3-dimer-captopropanol, **11**: 549-54
- of free radicals, **14**: 261-70
- of Hg—continuous molecular and atomic emission, **11**: 318-24
- and intermolecular forces in gaseous mixtures, **14**: 213-33
- and ionization potentials of hydrocarbon molecules, **14**: 45-55
- of merocyanine dyes—solvent effects on, **12**: 192-210
- of N_2 , emitted by radiative combination, **11**: 325-8
- of naphthalene at -170° , **4**: 116-121
- of neodymium ion in aqueous solution and in crystal, **10**: 274-80
- of OH, from 2.8 to 4.1 μ (emission), **9**: 126-32
- of organic substances in glow discharge (Schüler tube), **4**: 85-92; **10**: 61-9
- of oxo-triazines and their acyclic analogs, **12**: 127-38
- $\pi \rightarrow \pi$ and $n \rightarrow \pi$ transitions in, **11**: 515-33
- of perylene at -170° , **4**: 116-121
- of phenanthrene at -170° , **4**: 116-121
- of porphin (in visible), **12**: 65-77
- of powders, **11**: 534-41
- of pyrazine and chloropyrazine vapor, and analysis of, **12**: 114-26
- of pyrene at -170° , **4**: 116-121
- of pyrrole and pyrrole-N-d—absorption in gas phase, **2**: 245-51
- of rubrene in different solvents, **4**: 280-3
- solvent effects on merocyanine spectra, **12**: 192-210
- of thiophene, some α - and β -monosubstituted derivatives, **12**: 350-4; **13**: 260
- of TiO_2 , **13**: 43-9
- of transient compounds by technique of capacity flow, **11**: 549-54
- of 1,2,3-triazoles, substituted phenyl amino-, **10**: 250-8
- of triphenylene at -170° , **4**: 116-121
- of VOCl_3 , and apparent thermochromism, **9**: 98-100

Spectra, fluorescence

- of chelates, metal, **9**: 105-12; **10**: 132
- of petroleum oils, **11**: 562-4

Spectra, fluorescence (*cont'd*)

- photographic method for taking quantitatively comparable, **2**: 137-149
- photography of—for small or weak sources, **3**: 191-205
- of U minerals in filtered ultraviolet light, **4**: 21-35
- of U-NaF beads—band at 663 m μ , **3**: 191-205

Spectra, infrared (see also *Spectra, infrared and Raman* and *Spectra, near infrared* for separate entries)

- of acetone, 550-350 cm⁻¹, **11**: 638
- of adsorbed molecules, **14**: 249-60
- in alkali halide disks—effect of grinding on (hydroxylic compounds), **8**: 374-89
- of alkali metal hydroxides, gaseous—at high temperatures (LiOH, NaOH, KOH and RbOH), **12**: 244-6
- of amides, and geometrical isomerism, **8**: 138-41
- of aromatic compounds
 - (of 104), **4**: 373-95
 - out-of-plane C—H bending vibrations in region 625-900 cm⁻¹, **7**: 14-24
 - polynuclear, C—H wagging motion in, **11**: 579-85
 - solvent effects in, **14**: 181-91
- of bacteria, **6**: 302-19
 - existence of differences between, **9**: 177-98
- bands associated with COOH and COOD groups in dimeric carboxylic acids (3700-1500 cm⁻¹), **8**: 249-61
- of benzene, *sym*-benzene-*d*₃, benzene-*d*₆, and pyridine—rotational analysis and upper-stage transitions of parallel absorption bands in, **13**: 180-91
- of benzene carboxylic acids, **12**: 17-33
- of benzene, *p*-disubstituted derivatives, **12**: 305-20
- of benzenes, substituted—summation bands of the out-of-plane C—H bands, **7**: 253-63
 - beyond 18 μ , **11**: 632-9
- of biphenyls, methyl substituted, **14**: 67-81
- of calcite, high-resolution, temperature-dependent (2-3.5 μ), **10**: 281-90
- of carboxylic acid dimers—bands associated with COOH and COOD groups (3700-1500 cm⁻¹), **8**: 249-61
- of carboxylic acids and alcohols, deuterated, **10**: 423-5
- of carboxylic acids in vapor state, **12**: 162-8
- of CH₃CD₂OH—OH in-plane deformation frequency in, **9**: 263
- of chelates, metal (see *of metal chelates*)
- of chloronaphthalenes, **7**: 274-82
- of CH₃OH, CH₃OD and CD₃OH, **9**: 265-9
- of CH₃OH, C₂H₅OH, and *t*-butanol in 3 μ region, and hydrogen bonding, **10**: 70-84
- of C₂H₅Cl, C₂H₅Br, and *trans* 1,2-C₂H₄Cl₂ (gas, fine structure), **9**: 59-67
- of CO₂ and N₂O, and torsional vibrations in crystal, **13**: 308-10
- of Cu salts, basic (especially for OH frequencies), **13**: 107-19
- of cyclohexylammonium salts of detergents, **11**: 594-600
- dichroic—of some molecular complexes, **8**: 142-51
- of β -diketones (1800-1500 cm⁻¹), **12**: 289-93
- of disiloxane, **13**: 38-42
- of estradiol-17 β —effects of polymorphism and sample preparation on, **9**: 346-56
- of ethanol (see *of CH₃CD₂OH*)
- of ethylene co-ordinated to Pt or Pd, **13**: 69-74
- of fluoro-cyclo-olefins, **12**: 139-42
- of gases, compressed, **14**: 237-48
- of GeCl₄, GeHCl₃ and GeDCl₃, **9**: 47-50
- of gem dihydroxy compounds and their deuterated derivatives, **12**: 233-8
- of α -glycine, α -glycine-*d*₃, glycine·HCl, glycine·HCl-*d*₃, Na-glycinate and Na-monochloro-acetate (and vibrational assignments), **12**: 253-61

Spectra, infrared (*cont'd*)

- of HBr, **5**: 313-18
- of HI, **5**: 308-12
- of H₂O-D₂O mixtures in liquid from 0.8-30 μ , **11**: 623-31
- of H₂O, D₂O and HDO, crystalline, **12**: 338-49
- of homophthalimides, **13**: 93-8
- of hydrazine dihydrochloride and dihydrofluoride (N₂H₆Cl₂, N₂D₆Cl₂, N₂H₆F₂, N₂D₆F₂), **13**: 280-90
- of hydrazine, tetramethyl, **10**: 161-9
- of hydrocarbons, *n*-paraffin—intensities in, **9**: 235-51
- hydrogen bonding and metal-element bonding—study by, **14**: 198-212
- of hydroxamic acids and derivatives, **10**: 38-51
- of hydroxy compounds, 3 μ band (frequency, intensity, shape), **10**: 21-37
- of I₂ in alkyl benzenes, solutions of, **10**: 123-4
- of indole-3-ketones, **9**: 282-6
- interaction of NH₃ and CHCl₃ molecules in CCl₄ solution from, **10**: 429-30
- and intermolecular association, **6**: 434-41
- and intermolecular forces in gaseous mixtures, **14**: 213-33
- of ketene—vibration-rotation bands, **13**: 223-35
- of ketones, unsaturated—influence of conjugation and steric hindrance on frequency and intensity of C=O and C=C bands, **12**: 391-3
- of keto-steroids, α -halogenated, **13**: 75-9
- of lactones, ring-*D* steroid
 - intense hydrogen bonding in estrololactone, **13**: 248-52
 - structure-absorption correlations, **13**: 291-5
- long wavelength
 - beyond 18 μ , **11**: 632-9
 - analytical applications of (15-35 μ), **13**: 1-30
- of malonic acids, *n*-alkyl, and their diethyl esters, **13**: 151-3
- mercuric amidobromide, Hg(NH₂)Br, **9**: 199-203
- of metal chelates derived from 8-hydroxyquinoline, 2-methyl-8-hydroxyquinoline and 4-methyl-8-hydroxyquinoline, **8**: 1-8
- of methanol (see of CH₃OH)
- of methyl amines (mono, di and tri), **8**: 27-40
- of methylammonium iodides: angle deformation frequencies of NH⁺ and NH₂⁺, **13**: 261-70
- of methylbiphenyls, **14**: 67-81
- of micro-organisms, **6**: 302-19; **9**: 177-98
- of NaNO₃, and anion rotational disorder in, **10**: 291-8
- of naphthalenes, chloro, **7**: 274-82
- of nervous tissue, **6**: 320-30
- of NH₃
 - analysis of *P*- and *R*-branches of 950 cm⁻¹ band, **13**: 80-92
 - transitions $J = 15 \rightarrow 16$, and $2\nu_2 - \nu_2$, **11**: 632-9
- of NH₃ in CCl₄, **10**: 425-9
- of NO—fundamental vibration band of, at high resolution, **8**: 129-37
- of NO₂—pure rotational absorption in 50-200 μ region, **12**: 247-52
- of NO₂⁻ ion in alkali halide solid solutions, **13**: 336-7
- of N₂O in solid state, **9**: 204-7
- of N₂O, and torsional vibrations in crystal, **13**: 308-10
- of olefins, fluoro-cyclo-, **12**: 139-42
- of oxalato complexes, **9**: 51-8
- of *n*-paraffin hydrocarbons—intensities in, **9**: 235-51
- of *n*-paraffins, solid—relationship to crystalline type, **12**: 12-16
- of phosphate, trimethyl-, triethyl- and triphenyl—vibrational assignment and rotational isomerism, **9**: 270-81

Spectra, infrared (*cont'd*)

- of phthalocyanins with different central metal atoms, **11**: 573-8
- of platinum(II) and palladium(II)-ammine complexes, **13**: 31-7
- polarized—applications of, **14**: 284-307
- and polymorphism, in some long *n*-chain alcohols, ethyl esters, mono- and tri-glycerides, **11**: 609-17
- polymorphism and sample preparation effects on estradiol-17 β , **9**: 346-56
- of porphin, **12**: 65-77
- of powders—effect of particle size on intensity, **6**: 194-7
- of pyrimidines, hydroxy, **8**: 9-18
- of rubeanates (chelates of rubeanic acid), **10**, 245-9
- of SiD₃I, **12**: 41-6
- of SiH₃CN and SiD₃CN, **10**: 299-306
- of SO₂BrF, **12**: 143-6
- solvent effect
 - in compounds containing the carbonyl group, **12**: 34-40
 - on frequencies (theory), **13**: 125-38
 - on frequency and intensity of carbonyl band of acetone, **13**: 254-7
 - OH stretching frequency in trifluoroethanol and Kirkwood-Bauer relation, **13**: 253-4
- of *trans*-stilbene derivatives, and steric hindrance in, **8**: 218-28
- of sulfamic acid, and vibrational assignments, **12**: 239-43
- of sulfur-oxygen compounds, organic, **11**: 601-8
- of thiocyanates, *isothiocyanates* and *isocyanates*, **13**: 212-16
- of thiocyanates and *isothiocyanates*, organic, **13**: 296-9
- of tissue, nervous, **6**: 320-30
- and torsional vibrations in crystalline CO₂ and N₂O, **13**: 308-10
- of urotropin (1,3,5,7-tetra-aza-adamantine), including vibrational analysis, **7**: 387-94
- variation of frequencies with solvent (theory), **13**: 125-38
- of vinyl fluoride and seven deuterium derivatives, **12**: 355-69
- of water (see of H₂O)

Spectra, infrared and Raman (see also *Spectra, infrared*; *Spectra, near infrared*; *Spectra, Raman* for separate entries)

- of acetyl chloride, dichloro- and rotational isomerism in, **13**: 161-7
- of acetylene, disilyl, **12**: 147-53
- of amine,
 - methyl-, dimethyl- and trimethyl-, **8**: 27-40
 - trisilyl- and trisilyl-*d*₉-, **13**: 202-11
- of benzene
 - p*-dibromo-, *p*-dichloro- and *p*-di-iodo, **12**: 47-56
 - p*-bromochloro-, *p*-chloroiodo- and *p*-bromoiodo, **12**: 57-64
- of Cr₂O₇²⁻ ion, **13**: 192-6
- of the diazines, **9**: 113-25
- of ferrocene, ferrocene-*d*₁₀ and ruthenocene, **10**: 307-29
- of NbCl₅, NbCl₃ and NbCl₄ **10**: 52-6
- of propane, 1,2-dichloro-2-methyl- and internal rotation in, **10**: 1-7
- of pyrazine, **9**: 113-25
 - chloro, **12**: 114-26
- of pyridazine, **9**: 113-25
- of pyrimidine, **9**: 113-25
- of ruthenocene, **10**: 307-29
- of SbCl₅, **10**: 57-60
- or urea and urea-*d*₄, **10**: 170-8

Spectra, microwave of vinyl fluoride, **13**: 120-4**Spectra, near infrared** (see also *Spectra, infrared*)

- of benzene, **6**: 257-87

Spectra, near infrared (*cont'd*)

- of CHBr_3 , **6**: 257-87
- of CH_2Br_2 , **6**: 257-87
- of CHCl_3 , **6**: 257-87
- of CH_2Cl_2 , **6**: 257-87
- review, **6**: 257-87

Spectra, NMR (see *Nuclear magnetic resonance*)**Spectra, Raman** (see *Spectra, infrared and Raman* for separate entries)

- of CHI_3 , **8**: 52-3
- of CrO_7^- ion, **12**: 403-5
- of diborane-4 isotopic varieties, in gas phase, **10**: 419-22
- excitation in the red and near infrared region—technique and results of, **81**: 41-5
- of HgCl_2 - HgBr_2 mixtures, **11**: 565-7
- of hydrocarbon molecules—and structural analysis, **14**: 271-83
- quantitative study of chemical equilibria with, **11**: 565-7
- of S_2Cl_2 , S_2Br_2 , Se_2Cl_2 and Se_2Br_2 , **8**: 46-51

Spectra, Schumann region (see *Spectra, vacuum ultraviolet*)**Spectra, ultraviolet** (see *Spectra, electronic*)**Spectra, vacuum ultraviolet**—absorption coefficients of $\text{C}_2\text{Cl}_2\text{F}_4$, CCl_2F_2 , CHClF_2 and isopropyl methylphosphonofluoride, **10**: 431-2**Spectra, vibrational**

- of crystals, **8**: 19-26
- and geometrical isomerism in amides, **8**: 138-41

Spectra, visible (see *Spectra, electronic*)**Spectral lines** (see *Lines, spectral*)**Spectrochemical analysis**

- by **atomic absorption**—spectrophotometer for, and its application to analysis of solutions, **8**: 317-28

by **atomic emission**

- absolute quantitative—attempt to establish, **2**: 333-9
- of Ac, **10**: 195-200
- accuracy in, factors affecting, **3**: 267-77
- of Ag, trace impurities in, **3**: 327-40
- of air for minute amounts of Be, **5**: 238-50
- of Al
 - for Na, **3**: 341-5
 - pure (for Si, Fe, Cu, Zn, Ti), **2**: 309-17
 - in steel, **3**: 379-88
- of Al and its alloys
 - by direct reading, **6**: 80-84
 - sample preparation in, **5**: 473-5, 500
- of Al alloys, **1**: 21-30
 - with 5% Si, Mg and Cu, **3**: 560-8
 - transient effects in, **1**: 1-20
- of Al-Mg alloys, **1**: 108-116
- of Al-Mg-Zn alloys—effect of oxygen on, **2**: 340-9
- of Al, Ti, Fe, Ca, Mg and Mn in silicates, **9**: 287-96
- of alkali chloride mixtures, **1**: 408-20
- of alkali metals, **6**: 169-79
- of alloys, ternary—graphical method for, **4**: 165-6
- of Al_2O_3 in metallic oxides, **3**: 379-88
- of alpha-active materials by Cu spark method, **8**: 167-79
- apparatus for—improvements in, **5**: 5-8
- application to cultural and historical questions, **1**: 381-399
- with arc, constant-temperature d.c., **5**: 495-9, 501; **6**: 123; **7**: 45-59

Spectrochemical analysis (*cont'd*)**by atomic emission** (*cont'd*)

with arc, d.c.—effect of current control in, **8**: 88–93

with arcs, interrupted—comparative investigations of, **2**: 81–91

of As—a sensitive method using adsorption in ferric hydroxide, **4**: 189–99

assessment of performance of spectrographic methods, **8**: 94–101

of B

in graphite, **9**: 297–306

in steel (Ital.), **1**: 462–70

of Ba in silicate rocks, **10**: 125–7

for Be

minute amounts in air, **5**: 238–50

in sedimentary rocks (Ital.), **2**: 269–90

in steel (Ital.), **1**: 501–12

in sub-microgram amounts, by cathode layer technique, **7**: 231–7

behavior of various metals in emission, **5**: 483–90, 500

of Bi in Pb at low concentrations, using briquetted oxide samples, **5**: 319–21

of biological materials, for silica, **6**: 158–60

of biological preparations, microscopic—heavy metals in, **1**: 168–172

of blood—for magnesium content in various illnesses, **1**: 93–107

of blood serum—for Na, K, Ca, Mg and P, without ashing, **4**: 100–115

of Br in HCl, **11**: 338–41

of brasses and bronzes—using solutions and rotating disk electrode, **4**: 330–7

of bronze and Cu by Cu oxide spark technique, **5**: 388–96

of bronze objects, antique (qualitative), **5**: 24–9

of C

(graphite)—effect of, in analysis of refractory materials, **5**: 417–21

in sedimentary rocks, using d.c. arc excitation, **9**: 89–97

spectral grade—for trace elements, **11**: 448–56

in steel, **3**: 68–88

of Ca in Pb alloys, **1**: 319–22

calibration for (photographic and quantometric), **5**: 52–62

of cast iron (see of *Fe, cast*)

of Cd, Cu, Fe and Pb in Zn, **1**: 332–51

of Ce minerals—for rare earths and thorium, **6**: 161–8

chemical concentration by organic reagents—application to, **3**: 367–78

of Cl and other halogens, **6**: 331–3

of CO₂-N₂ mixtures in presence of O₂, **4**: 8–12

in criminalistics, **5**: 63–72

of Cu

in iron and steel, **3**: 18–39

spectrographic standards for, **5**: 1–4

trace impurities in, **3**: 327–40

of Cu and Cu alloys—impurities in, **6**: 198–210

of Cu and bronze by Cu oxide spark technique, **5**: 388–96

of Cu-As alloys—effect of oxygen on, **2**: 340–9

by direct reading

calculating device for, **11**: 84–8

of cast iron, **9**: 227–34

new developments in (A), **11**: 105

with rapid-scanning spectrometer, **6**: 341–72

trends in, **11**: 106–10

of duraluminum-type alloys (Span.), **3**: 206–13

of elements which cannot be obtained spectrally pure, for small amounts of impurities,

1: 513–31

Spectrochemical analysis (*cont'd*)**by atomic emission** (*cont'd*)

- of elements in powder at low concentrations—without aid of standard samples, **5**: 409–16
- errors in photographic methods—review, **3**: 488–97
- of Eu (traces) in Sm, **1**: 31–46
- for F in silica rocks, **6**: 153–7
- for F, Cl, Br, I, S, Se (qualitative and quantitative), **3**: 214–232
- of Fe, cast, **5**: 87–96; **11**: 291–7
 - collaborative research in, **5**: 182–3
 - by direct reading, **9**: 227–34
 - for Si, Mn, Ni, Cr, Cu, Sn, Mo, V, **4**: 93–9
- of Fe, gray cast, **11**: 291–7
- of Fe, trace impurities in, **3**: 327–40
 - in zinc blende, **3**: 569–74
- of Fe and high-alloy steel—for Nb and Ta, **1**: 239–48
- in forensic problems, **5**: 63–72
- of Ga in blende, **7**: 88–90
- of gas mixtures, **13**: 50–9
- of Ge in coal and flue dust, **7**: 214–8
- of geological materials—double-arc method for, **4**: 233–6
- graphite—effect of in analysis of refractory materials, **5**: 417–21
- of H in metals—by spectral-isotopic method, **10**: 369–76
- of H₂, D₂ and T₂ mixtures, **13**: 139–49
- of halogens, **6**: 169–79
- for halogens, S and Se, **3**: 214–232
- of halogens and other difficultly excited nonmetals (S, Se, H, N, O), **1**: 424–36
- of halogens and other non-metals, by excitation with ultrashort waves (A), **3**: 122–4
- of Haynes stellite alloy No. 30—effect of heat treatment on, **5**: 18
- of Hg, smallest traces, **4**: 218–223
- of Hg (traces) in gases—electrodeless discharge for, **1**: 164–7
- hollow-cathode source, application to, **6**: 169–79
- of impurities, trace
 - in a base element which cannot be obtained spectrally pure, **1**: 513–31
 - in high purity materials, **3**: 327–40
 - in non-ferrous metals, **3**: 346–53
- intensity attenuations and exaltations in, **11**: 134–9
- internal standard method, variable—spectrographic modification of, **4**: 435–8
- interrupted arc—comparative investigations of, **2**: 81–91
- of iron (see *of Fe*)
- of iron, cast (see *of Fe, cast*)
- LaO bands for d.c. arc analysis, **13**: 304–7
- of lead (see *of Pb*)
- of Li isotopes, **6**: 383–412; **10**: 110–18
 - by means of hydride band, **7**: 175–8
- of materials, high purity—improvements in technique for, **3**: 327–40
- of mercury (see *of Hg*)
- of metals for trace impurities, **3**: 341–5
- of metals, heavy—in microscopic biological preparations, **1**: 168–172
- of metals, noble—in concentrates (Span.), **2**: 185–201, 419
- of metal sheets, thin—modified method of sparking, **4**: 327–9
- of Mg content of blood in various illnesses, **1**: 93–107
- of Mg and its alloys—for trace elements, **7**: 118–127
- of Mg alloys, **1**: 21–30
 - for Al, Mn, Si, Zn and Cu, **1**: 563–71
- microanalysis, local, **1**: 47–65

Spectrochemical analysis (*cont'd*)**by atomic emission** (*cont'd*)

and microchemistry, **6**: 19-22

micro-volume analysis—some observations on sparked craters in, **7**: 1-13

of minerals—in inert atmosphere using Stallwood jet, **13**: 197-201

of Mo in treatment of leprosy (Ital.), **3**: 233-4

of monazite for Th, **6**: 373-82

of N in steel, **12**: 96-8

of Nb and Ta

1-99%, **3**: 389-96

in high-alloy iron and steel, **1**: 239-48

of Ni-Co alloys in range 0-100%, **5**: 36-40

of O

in metals—especially C steels, **8**: 201-17; **12**: 108

in steel, **3**: 379-88

significance of, for quantitative spectrochemical analysis of numerous complex materials, **2**: 340-9

of ores, **6**: 26-36

by introducing powder into arc in stream of air, **10**: 404-18

of oxides

complex—especially slags and ores, **6**: 26-38

metallic—by spark excitation, **3**: 320-6

of P

in steel, **6**: 413-17

in steel and iron ore—by direct reading, **6**: 418-33

of Pb

high purity, **5**: 210-17

and its ores—for Bi and Th, **3**: 346-53

for impurities—observations on sensitivity, **5**: 114-23

nominally pure (report of British Lead Analysis Panel), **7**: 205-13

smallest traces of, **4**: 218-23

of Pb alloys—for Ca, **1**: 319-22

of Pb-Sn-Zn systems, **4**: 265-79

of Pb and U isotopes—photoelectric Fabry-Perot interferometer for, **8**: 329-47

of petroleum ash—for metallic constituents, **4**: 439-45

by photoelectric measurement of line intensities, **1**: 270-88

of plant ash in C arc, **4**: 224-8

of plutonium (A), **11**: 289

of Pm, **4**: 317-26

of powders

apparatus for excitation of, in d.c. arc, **9**: 157-9

by introduction into the arc in a stream of air, **10**: 404-18

measurement of "effective width" of lines in, **10**: 85-98

by spark excitation (quantitative), **3**: 320-6

volatilization phenomena in d.c. arc, **11**: 186-91

principals and principles of (review), **3**: 5-17

of promethium, **4**: 317-26

of Pt-Rh alloys—for trace impurities, **4**: 229-32

of Pu (A), **11**: 289

with quantometer—factors in, **5**: 97-113

of rare earths, **9**: 332-40

Ce, Pr, Nd, La, **5**: 201-9

determination of impurities commonly associated with purified Sm, Gd, Tb and Y, **12**: 332-7

determination of rare-earth impurities commonly associated with purified Tm, Yb, Lu and Sc, **13**: 300-3

Spectrochemical analysis (*cont'd*)**by atomic emission** (*cont'd*)

of rare earths and Th in Ce minerals, **6**: 161-8

recording at controlled energies of emission—tests of, **13**: 311-35

of refractory materials—effect of graphite in, **5**: 417-21

review

in Belgium, 1940-46, **3**: 114-19

in France, 1939-45, **3**: 247-58

in Germany, 1939-46, **3**: 603-15

in Great Britain, 1945-46, **3**: 89-104

quantometry in 1952, **6**: 69-79

in Spain and Portugal, 1939-48, **4**: 168-75

in U.S.S.R. up to 1943, **3**: 235-46

of rocks, sedimentary—minor constituents of (Ital.), **2**: 32-44

rotating filter-paper disk method for, **8**: 102-6

routine method for survey, **11**: 409-19

for S, Se and halogens, **3**: 214-32

of Se in silicate rocks, **1**: 221-6

of Se—electrodeless discharge for, **1**: 164-7

of Se in pyrites ores, **11**: 338-41

of segregates with dynamic microvolume technique

experimental, **12**: 211-23

theory, **9**: 3-18

selection of excitation conditions and analytical lines—principles for, **11**: 252-9; 260-6

sensitivity of detection of elements—calculation of, **3**: 40-67

of Si

in biological products, **6**: 158-60

in cast iron, **5**: 77-86

in spars, **6**: 153-7

of silicates for Al, Ti, Fe, Ca, Mg and Mn, **9**: 287-96

of silicate rocks, **6**: 53-4

for Ba, **10**: 125-7

for F, **6**: 153-7

for Se, **1**: 221-6

of silicate rocks, silicate minerals and allied materials, **4**: 302-6

of slags, **6**: 39-52

comparison of different excitation conditions for, **4**: 284-301

Cu-making and Pb-making—for major constituents, **7**: 358-66

by cup-electrode solution arc method, **11**: 212-16

using spark technique, **3**: 575-83

of slags and ores, **6**: 26-38

of slags from steel-making (including F in), **4**: 496-512

of Sm—for traces of Eu, **1**: 31-46

of Sn in Bi, **7**: 395-6

of solder, spelter, magnesium alloys and aluminum alloys, **1**: 21-30

of solutions

with C electrodes—method for increasing sensitivity of, **11**: 382-5

capillary electrodes out of metal for, **7**: 396-7

electrode heating block for, **12**: 278-80

of spelter, **1**: 21-30

of Sr in silicate materials, **9**: 40-6

of steel

for Al and Al_2O_3 , **4**: 482-8

for C, **3**: 68-88; **11**: 298-305, 306-9

comparison of arc and spark excitations in special method for, **11**: 437-40

Spectrochemical analysis (*cont'd*)**by atomic emission** (*cont'd*)of steel (*cont'd*)with counter-electrode, **2**: 26-31for Cr, Mn, Ni, Si, **2**: 350-60for Cr, Mo, Ti, **2**: 158-70effect of microstructure of specimen on, **11**: 205-11high alloy—for Nb and Ta, **1**: 239-48for impurity and alloying elements—composite procedure for, **11**: 275-81inclusions in, **11**: 89-93low alloy—collaborative comparison of results by 18 laboratories, **5**: 147-57low and high alloy—for C, **11**: 298-305by A.R.L. quantometer—study of errors in, **5**: 184-200by quantometer, **5**: 97-113with quartz spectrograph, **5**: 158-162sparking-off effects in flat surface sparking, **3**: 141-58with step sector, **1**: 137-63; 288of substances, poorly conducting, **1**: 403-7of Ta and Nb (1-99%), **3**: 389-96of Ta and Nb—in high-alloy iron and steel, **1**: 239-48of Tc, **4**: 317-26of Te, Tl, As, Sb, Bi, Zn, Cd, Sn, P, **11**: 338-41of technetium, **4**: 317-26of Th in monazite, **6**: 373-82of Th and rare earths in Ce minerals, **6**: 161-8time-dependence in, **1**: 213-220of tin (see of *Sn*)of Tl—smallest traces, **4**: 218-223of trace amounts by the addition procedure—statistical scattering of (theory), **10**: 201-12of trace elements—after prior chemical concentration, **11**: 377-81transient effects in the spectral analysis of aluminum alloys—observations on, **1**: 1-20by two-line method of Scheibe-Schöntag, **2**: 374-84ultraviolet lines, short wavelength—in direct-reading methods, **11**: 94-6of U in U ores, **4**: 200-211of U for Fe, Si, Mn, Cu, Ni, **4**: 47-56of W oxide, **4**: 400-12and X-ray fluorescence methods, **11**: 97-104

of Zn

for Cd, Cu, Fe and Pb, **1**: 332-51for Co and Ni, **3**: 346-53for impurities, **1**: 548-59smallest traces, **4**: 218-223of Zn-Pb-Sn systems, **4**: 265-79**by emission** (see *by atomic emission*)**by fluorescence**of Sm in Ca tungstate, **7**: 321-48of Sm and Eu, **9**: 307-22of U in NaF bead, **3**: 191-205**by infrared**analytical applications of far infrared (15-35 μ), **13**: 1-30of CCl₄—for purity, **4**: 348-50derivative spectroscopy for determining methyl groups in polyethylene, **14**: 104-18of D₂O, **8**: 57-65of gasoline, **6**: 98-109for HF, **12**: 224-32

Spectrochemical analysis (*cont'd*)**by infrared** (*cont'd*)

- of methyl groups in polyethylene—by derivative spectroscopy, **14**: 104–18
- of micro-organisms—identification, **6**: 302–19
- of nervous tissue, **6**: 320–30
- of powders
 - effect of particle size on, **6**: 194–7
 - experimental, **7**: 32–44
 - theory, **7**: 25–31
- of specific structural groups (from data for simpler molecules), **11**: 586–93
- of *t*-butyl groups in hydrocarbons, **11**: 568–72

by near infrared

- difference spectroscopy in, **14**: 119–26
- review, **6**: 257–87

by Raman spectroscopy

- of mixtures of liquids (photographic), **5**: 218–37
- of petroleum products (with direct-recording apparatus), **6**: 115–23
- of *t*-butyl groups in hydrocarbons, **11**: 568–72
- of water in acetone–alcohol–water mixtures, **6**: 115–123

of solutions—by atomic absorption, **8**: 317–28**by visible and ultraviolet absorption**

- for Cd, Cu, Fe and Pb in Zn, **1**: 332–51
- of Cl₂, H₂O, NO₂, SO₃, by modulated light—in industrial control, **6**: 87–94
- of CO₂–N₂ mixtures in presence of O₂, **4**: 8–12
- as a division of analytical chemistry (review), **2**: 210–224
- influence of filtration on, **11**: 542–7
- refinements in (chiefly for photographic instruments), **3**: 420–32

by X-ray fluorescence spectroscopy

- complementary nature to optical emission methods, **11**: 97–104
- internal standards in, **7**: 91–99

Spectrographs, spectrometers and spectrophotometers

- automatic positioning of cassette in, **3**: 599–602

direct reading

- apparatus for, **5**: 9–10, 295–307
- high precision slit and photocell arrangement for, **6**: 211–15
- sequential vs. parallel integrating, **11**: 76–83
- use in research, **5**: 174–81

film cassette—to replace plates, **6**: 235–7**illumination of spectrograph**, **7**: 128–33; **10**: 99–104

- inclination of lines resulting from incorrect, **11**: 467–73
- with intermediate imaging of light source, **10**: 99–104
- lenticular-screen condenser for, **11**: 457–61
- on loss of light with very narrow slit (Ital.), **1**: 229–38

infrared fore-prism-grating spectrometer—design and performance, **11**: 503–6**interferometer, photoelectric Fabry–Perot**—for analysis of U and Pb isotopes, **8**: 329–47**resolution and irradiation of spectroscopic instruments**—dependence on slit width, approximation formulas for, **3**: 433–5**spectrographs**

- Argonne 30-ft, **6**: 139–43
- grating vs. prism spectrographs for spectrochemical work, **5**: 30–5
- miniature—for fluorescence of small or weak samples, **3**: 191–205
- prism
 - construction principles for, **3**: 397–411
 - of higher resolution and shorter focal length, **2**: 365–73
 - resolving power and resolution of, **2**: 107–130, 263
 - using Fery prism, **5**: 5–8

Spectrographs, spectrometers and spectrophotometers (*cont'd*)spectrographs (*cont'd*)for vacuum ultraviolet, **11**: 474-8

spectrophotometers

for 1850-40,000 Å (Å), **11**: 507for atomic absorption and its application to analysis of solutions, **8**: 317-28exact calibration of wavelength and wavenumber scales—method for, **8**: 66-70grating, 3600-9500 Å, **10**: 269-73**Spectrometers** (see *Spectrographs*)**Spectrophotometers** (see *Spectrographs*)**Spectrophotometry**, photographic—using effective line widths, **11**: 386-93**Spectroscopy**emission (see also *Spectra*, atomic and *Spectrochemical analysis by atomic emission*)apparatus for (see *Arc-spark stands*; *Electrodes*; *Filters*; *Sectors*; *Slits*; *Sources*; *Spectrographs*; *Timing circuits*)of organic substances—by means of electron collision excitation in the glow discharge (Schüler tube), **4**: 85-92; **6**: 288-301

infrared

applications of polarized infrared to, **14**: 284-307effects of grinding during preparation of alkali-halide disks—for hydroxylic compounds, **8**: 374-89method of mounting micro-samples, **12**: 276-7and polymorphism, **11**: 609-17recent advances in instrumentation, **14**: 86-103review, **11**: 479-80near infrared—instrumentation and technique (review), **7**: 181-204

Raman

analysis by (see *Spectrochemical analysis by Raman spectroscopy*)direct-recording apparatus for, **6**: 110-114; 115-123He lamps with high intensity for, **11**: 485-9photoelectric recording spectrometer with large dispersion for, **8**: 356-73sources for (see *Sources*)**Steric hindrance** in *trans*-stilbene derivatives—investigation of, **8**: 218-28**Switches** (see *Timing circuits*)**Symposia** (see *Meetings, reports of*)**Temperature**in arcs and sparks (see *Discharges*)in flames (see *Flames*)measurements, spectroscopic—interpretation of, **7**: 264-73**Thermochromism** of VOCl_3 , apparent, **9**: 98-100**Thompson, H. W.**—becomes Editor of *Spectrochimica Acta*, **5**: 524**Time-dependence** in analytical emission spectroscopy, **1**: 213-220**Timing circuits and switches** for spectral exposures, **1**: 323-31; **2**: 18-22, 150-7, 389-95; **6**: 216-22**Ultraviolet criterion for monoaromaticity**, **12**: 262-74**Ultraviolet spectra** (see *Spectra, electronic*)**Vacuum ultraviolet**direct measurement of intensities in, **11**: 71-5review, **7**: 65-87; **8**: 229-48source for spectrochemical analysis in, **13**: 150-1spectrograph for, **11**: 474-8spectrum tables used for wavelength identification in, **12**: 275-6

- Vibrational assignments** (see also *Spectra, infrared*; *Spectra, infrared and Raman*; *Spectra, Raman*)
of glycine, **12**: 253-61
and rotational isomerism in some simple organic phosphates, **9**: 270-81
- Vibrational band shapes and band intensities**—influence of spectrometer slit widths on, **9**: 133-47
- Vinyl fluoride**—structure, **13**: 120-4
- Visible spectra** (see *Spectra, electronic*)
- Wavelength measurement**—drum attachment to traveling microscope for rapid approximate reading of, **7**: 64
- X-ray fluorescence spectroscopy**
complementary nature of optical emission methods and, **11**: 97-104
internal standards in, **7**: 91-9
intensities from mixtures—theoretical derivation of, **7**: 283-306
multi-channel instruments for, **7**: 141-8
- X-ray intensity measurements**—statistical factors in, **12**: 169-78

AUTHOR INDEX

Key to use

1. In cases of multiple authorship an entry has been made under *each* author.
2. Volume numbers are given in bold-face type, pages in normal type (i.e. **10**: 216).
3. Abbreviations:
 N = Note; S = Summary; BR = Book Review; L = Letter to the Editors.

- ADCOCK J. N. : A spark-traverse attachment for the Hilger large quartz spectograph, **5**: 364
- ADDINK N. W. H. : A rapid and accurate method of measuring line intensities in spectrochemical analysis, **4**: 36
- Quantitative spectrochemical analysis by means of the constant-temperature d.c. carbon arc, **5**: 495
- Quantitative spektrochemische Analyse mittels des gleichstrom kohlebogens, **7**: 45
- Excitation energies in line spectra (N), **9**: 158
- Temperature measurements with reference to spectrochemical analysis, **11**: 168
- ADELSTEIN S. J. : The effect of argon atmospheres on the intensity of certain spectral lines, **6**: 134
- ADLER I. : Internal standards in fluorescent X-ray spectroscopy, **7**: 91
- AHRENS L. H. : A double-arc method for spectrochemical analysis of geological materials, **4**: 233
- Quantitative spectrochemical analysis of silicate rocks, silicate minerals, and allied materials, **4**: 302
- Observations on the use of LaO bands for d.c. arc spectrochemical analysis, **13**: 304
- AINSCOUGH J. B. : The molecular structure of niobium pentachloride, **10**: 52
- The molecular structure of antimony pentafluoride, **10**: 57
- ALKEMADE C. T. J. : The influence of the flame characteristics on the emission, **11**: 7
- On the problem of calcium depression by phosphorus in flame photometry (N), **12**: 394
- ALLEN H. C., JR. : The emission spectrum of OH from 2.8 to 4.1 μ , **9**: 126
- AMBROSE A. D. : A method for determination of dissolved aluminium and alumina in steel, **4**: 482
- ANDERSON D. M. W. : The infrared spectra of some gem dihydroxy compounds and their deuterated derivatives, **12**: 233
- ANDRISANO R. : Absorption spectra in the near ultraviolet of some α - and β -monosubstituted derivatives of thiophene, **12**: 350
- ANTHEUNISSENS F. F. : Über die Energieverteilung der Spektrallinien im funken, **2**: 306
- ARCHIBALD L. B. : Solvent effects in infra-red spectra of compounds containing the carbonyl group, **12**: 34
- ARREGHINI E. : Osservazioni sulla sensibilità di riconoscimento spettrale delle impurità nel piombo, **5**: 114
- ARTAUD J. : Analyse isotopique du lithium par spectroscopie optique—I. Utilisation de la raie $\lambda = 4603 \text{ \AA}$, **10**: 110
- ASHTON F. L. : A constant ratio method for spectrographic analysis by the Lundegardh flame technique, **5**: 426
- AUSTIN L. : The examination of nervous tissue by infrared spectrophotometry, **6**: 320
- AXELROD J. M. : Internal standards in fluorescent X-ray spectroscopy, **7**: 91
- AZEVEDO L. H. DE P. : Double-chamber electrode for spectrochemical determination of chlorine and other halogens (N), **6**: 331
- BĂDĂRĂU E. : Hochfrequente fackelentladung als spektralquelle, **11**: 441
- BADGER G. M. : Absorption spectrum of rubrene in different solvents, **4**: 280
- BAISTROCCHI R. : Ricerche spettrochimiche orientative su alcuni bronzi antichi italiani, **5**: 24
- BAK B. : Infrared absorption spectra of deuterated vinyl fluorides, **12**: 355
- The structure of vinyl fluoride, **13**: 120

- BALASSE G. : Utilisation des grillages en spectrophotométrie hétérochromatique; methode d'extradéfocalisation, **11**: 394
- BALDI F. : L'analyse spectrochimique des laitiers, **6**: 39
- BALLOFFET G. : L'étincelle glissante dans le vide comme source pour l'analyse spectrochimique d'émission, **11**: 268
- Application of the vacuum sliding spark to spectrochemical analysis in the far ultraviolet, **13**: 150
- BALZ G. : Ein einfaches Hilfsmittel zur Steigerung des Fassungsvermögens von Photoplatten für Spektren bei der technischen Analyse von Legierungen, **1**: 227
- Ein automatisches Zeitschaltgerät für Spektralaufnahmen, **1**: 323
- Ein einfaches Mittel zur Beseitigung von Zündschwierigkeiten bei Funken und elektrisch gezündeten Abreissbögen, **2**: 92
- BARCELÓ J. R. : Contribution to the study of the structures of methyl derivatives of ammonia from spectroscopical data, **8**: 27
- The infra-red spectrum of some metallic chelate compounds—I. Rubeanates, **10**: 245
- BARDÓCZ Á. : Über einige Erfahrungen bei der Spektralanalyse von Eisen und Stahlsorten, **2**: 350
- Investigations concerning light sources for spectrum analysis—III. Electronically controlled, a.c. operated, a.c. interrupted arc source, **5**: 397
- Electronically controlled spectrographic low-voltage spark, interrupted arc and d.c. arc source, **7**: 238
- Investigations concerning light sources for spectrum analysis—IV. High-voltage spark source with electronic control and its electrical characteristics, **7**: 307
- Untersuchungen über Lichtquellen für Spektralanalyse—VII. Universal Einstellbares Abreissbogengerät mit elektronischer Steuerung, **8**: 152
- BARTEL R. : The direct-reading spectrometric analysis of alloy cast iron, **9**: 227
- BARTOLI L. : Ricerca delle principali cause di errore nelle determinazioni quantometriche eseguite con quantometro A.R.L. (S.Q.A.), **5**: 184
- BASSI D. : Raman spectrum and force constants of the chromate ion (N), **12**: 403
- The vibrational spectrum of the dichromate ion, **13**: 192
- BEALE P. T. : The use of intensity scales in the microphotometry of spectra, **7**: 165
- BEAVER G. H. : The ultra-violet absorption spectra of some methyl-substituted benzimidazoles, **4**: 338
- The ultra-violet and infra-red absorption spectra of the methylbiphenyls: A preliminary analysis, **14**: 67
- BECART M. : Obtention de raies d'étincelle dans une lampe à cathode creuse fonctionnant en impulsions, **11**: 342
- BECCHIO C. : Ricerca delle principali cause di errore nelle determinazioni quantometriche eseguite con quantometro A.R.L. (S.Q.A.), **5**: 184
- BECKER E. D. : Infra-red spectroscopic studies of hydrogen bonding in methanol, ethanol and *t*-butanol, **10**: 70
- BEINTEMA J. : Volatilization phenomena in the direct current arc used as a spectrochemical light source for the analysis of powders, **11**: 186
- BELLAMY L. J. : The NH stretching frequencies of primary amines, **9**: 341
- The infrared spectra of some gem dihydroxy compounds and their deuterated derivatives, **12**: 233
- Einführung in die Ultrarot Spektroskopie* (BR), **12**: 284
- The origin of group frequency shifts—I. Abnormal frequencies in multiple bonds, **13**: 60
- Solvent effects on infra-red group frequencies, **14**: 192
- BELLANATO J. : Contribution to the study of the structures of methyl derivatives of ammonia from spectroscopical data, **8**: 27
- BENTLEY F. F. : Analytical applications of far infrared spectra—I. Historical review, apparatus and technique, **13**: 1
- BENUSSI L. : L'impiego dell'analisi spettrochimica a lettura diretta per mezzo del quantometro nel controllo della produzione degli acciai speciali, **5**: 97

- BERNSTEIN H. J. : Intensity in the Raman effect: The mean polarizability derivatives of hydrocarbon molecules, **14**: 127
- BERNSTEIN R. B. : *Molecular Spectra—I. Selection rules for vibrational spectra of polyatomic molecules* (BR), **6**: 340
- BERNSTEIN R. E. : Sources of interferences in the flame spectrophotometric estimation of calcium and magnesium in biological fluids and tissues (S), **11**: 50
- BERTA R. : Osservazioni sull'analisi spettrografica della ghisa, **5**: 87
- BESZEDES S. G. : Abfunkeffekte an Kupfer, Zink, Zinn, Blei und einem Böhlerstahl beim Wechsel des Entladungsgases (Argon, Stickstoff, Kohlendioxyd, Luft, O₂) im kondensierten Funken—und ihre Erklärung (S), **11**: 243
- BEVAN H. : The electronic spectra of titanium dioxide, **13**: 43
- BILLS K. M. : The influence of the electrical parameters of an intermittent d.c. arc unit on the distribution of spectral energy across the analytical gap, **11**: 282
- BIRD G. R. : Pure rotational absorption of NO₂ in the 50–200 μ region, **12**: 247
- BIRKS F. T. : The application of the hollow cathode source to spectrographic analysis, **6**: 169
The spectrographic estimation of sub-microgram quantities of beryllium by the cathode layer technique, **7**: 231
- The spectrographic analysis of alpha-active materials by the copper spark method, **8**: 167
- BISWAS A. B. : An infrared absorption study of *n*-alkyl malonic acids and their diethyl esters (N) **13**: 151
- BLACK I. A. : Application of the Seidel transformation to the determination of intensity ratio by blackening curve separation, **4**: 519
- BLAINE L. R. : The emission spectrum of OH from 2.8 to 4.1 μ , **9**: 126
- BLAISE J. : Analyse isotopique du lithium par spectroscopie optique—I. Utilisation de la raie $\lambda = 4603 \text{ \AA}$, **10**: 110
- BLEANEY B. : *Microwave Spectroscopy* (BR), **6**: 453
- BLUHM A. L. : The infrared spectra and the structure of some homophthalimides, **13**: 93
- BOER A. P. : A method of mounting micro samples in infrared spectrometry (N), **12**: 276
- BOER F. DE. : Änderungen des Spektrums während der Dauer des Einzelfunkens, **2**: 318
- BONFIGLIOLI G. : Mesures directes d'intensité de raies spectrales à l'aide de photomultiplicateurs, **5**: 371
- BONHOMME J. : Contribution à l'analyse quantitative par les spectres d'absorption infrarouge des poudres—II. Étude expérimentale, **7**: 32
- BOOG W. : The identification and quantitative determination of tertiary butyl groups in hydrocarbons by Raman and infra-red spectroscopic methods, **11**: 568
- BOTSCHKOWA O. : Quantitative spektralanalyse von Gasgemischen, **13**: 50
- BOUMANDS P. W. J. M. : Konzentrationsverteilung des Metaldampfes im Glimmschichtbogen, **11**: 146
- BOVEY L. : Emission and absorption spectra of plutonium excited in a King furnace, **10**: 383
A tuneable microwave cavity for excitation at 2425 Mc/s of an optical spectroscopic source (L) **10**: 432
- BOYD D. R. J. : The fundamental vibration band of hydrogen iodide, **5**: 308
- BRACKEBUSCH H. : Eine einfache Einrichtung zur vollautomatischen Steuerung aller Schaltvorgänge bei Spektralaufnahmen, **2**: 18
- BRADBURY E. M. : Applications of polarized infra-red radiation, **14**: 284
- BRAICOVICH L. : Détermination du sodium par spectrophotométrie de flamme dans l'oxyde d'aluminium, **11**: 51
- BRALSFORD R. : Ultra-violet spectra and ionization potentials of hydrocarbon molecules, **14**: 45
- BRATOZ S. : The infra-red absorption bands associated with the COOH and COOD groups in dimeric carboxylic acid—II. The region from 3700 to 1500 cm⁻¹, **8**: 249
- BRAUDO C. J. : On the excitation temperature in a spectroscopic spark source, **3**: 546
- BRECKPOT R. : L'analyse spectrochimique par la méthode du secteur à échelons, **1**: 137
Sur l'obtention de courants pulsatoires aux dépens de multiplicateurs d'électrons, **4**: 516
A. Gatterer, s.j. (Obituary), **6**: 1

- BREHM R. K. : Direct-reading spectrochemical analysis with a rapid-scanning spectrometer, **6**: 341
- BREWER F. M. : The spectrochemical determination of gallium in blende, **7**: 88
- BRODY J. K. : Spectroscopic assay of lithium isotopes—I. Measurements at high intensity, **6**: 383
Spectroscopic assay of lithium isotopes—II. Measurements on small samples at low intensity, **6**: 406
Photoelectric Fabry-Perot interferometer for assay of lead and uranium isotopes, **8**: 329
- BROOKS LER. S. : A spectrographic method for the determination of phosphorus in steels, **6**: 413
- BROWN T. L. : The solvent effect in infra-red intensities, **10**: 149
- BRUCELLE G. : L'influence de l'énergie mise en jeu dans la décharge et du caractère de cette décharge sur l'émission des raies spectrales, **5**: 11
- BRUCH J. : Spektralanalytische Kohlenstoffbestimmung in niedrig- und hochlegierten Stählen, **11**: 298
- BRYAN F. R. : A spectrographic method for the determination of phosphorus in steels, **6**: 413
Excitation of atomic emission lines of nitrogen in steel by means of a high-energy single-discharge source (N), **12**: 96
- BÜCKERT H. : Ein neues Auswertegerät für die spektrochemische Analyse, **4**: 476
Ein neues Bogengerät, **4**: 525
Über einige Verbesserungen an den Apparaturen für die spektrochemische Analyse, **5**: 5
New developments in direct emission analysis (S), **11**: 105
Ein neues Spektralphotometer (S), **11**: 507
- BULEWICZ E. M. : Spectrometric measurements of the concentrations of free radicals in hydrogen flames, **11**: 20
- BUNGE K. : Materialabbau in Funkenentladungen. Experimentelle Untersuchungen an Zink-kathoden, **10**: 133
- BURDON J. : Infrared spectra of fluoro-cyclo-olefines, **12**: 139
- BURKHARDT C. : Über die Vorteile eines Auswertegerätes bei Spektralanalysen mit Direktable-sung, **11**: 84
- BUTLER J. R. : A spectrographic modification of the variable internal standard method, **4**: 435
The spectrographic determination of the rare earths, **9**: 332
- BUTLER P. E. B. : Vibration-rotation bands of keten, **13**: 223
- CALDOW G. L. : Vibrational bands of isothiocyanates, thiocyanates and isocyanates, **13**: 212
- CALKER J. VAN : Über Versuche zur spektralanalytischen Untersuchung schlecht leitender Substanzen, **1**: 403
Über einen Versuch zur Begründung einer absoluten quantitativen Spektralanalyse, **2**: 333
Die Bedeutung des Sauerstoffs für die quantitative spektrochemische Analyse vielfältig zusammengesetzter Stoffe, **2**: 340
Spektroskopische und elektrische Messungen an Niederspannungsfunken, **5**: 19
Probleme der Leuchtanregung im elektrischen Funken, **5**: 476
Physikalische Prinzipien zur Auswahl von elektrischen Anregungsverfahren und Analysen-linien für qualitative und quantitative spektrochemische Arbeiten, **11**: 252
Wechselwirkungen im Plasma kondensierter Niederspannungsentladungen, **11**: 260
- CALLOMON H. J. : The fundamental vibration band of hydrogen bromide, **5**: 313
- CAMUNAS A. : Comparaison des excitations par arc et par étincelle dans une méthode speciale d'analyse des aciers, **11**: 437
- CANDLER C. : A linear-plate characteristic and an intensity scale, **8**: 262
- CANNON C. G. : The infra-red absorption spectra of some aromatic compounds, **4**: 373
The nature of hydrogen bonding, **10**: 341
The infra-red spectrum of NH_3 in carbon tetrachloride (N), **10**: 425
The interaction of NH_3 and CHCl_3 molecules in CCl_4 solution from infra-red spectra (N), **10**: 429
OH of trifluoroethanol and the Kirkwood-Bauer relation (N), **13**: 253

- CARLSSON C. G. : A high-precision slit and photocell arrangement for spectrochemical analysis, **6**: 211
 Direct-reading spectrochemical determination of phosphorus in steel and iron ore, **6**: 418
 A triggered 220-V a.c. spark for high precision in metal analysis, **11**: 370
- CAROBBI G. : Sopra i costituenti minoris di alcune rocce sedimentarie di Passo delle Radici (Appennini Tosco-Emiliano), **2**: 32
- CAROLI A. : L'impiego dell'analisi spettrochimica a lettura diretta per mezzo del quantometro nel controllo della produzione degli acciai speciali, **5**: 97
- CARRANCIO H. : Comparaison des excitations par arc et par étincelle dans une méthode spéciale d'analyse des aciers, **11**: 437
- CARRON M. K. : A chemical-spectrochemical method for the determination of rare-earth elements and thorium in cerium minerals, **6**: 161
- CASTRO R. : Le dosage spectrographique du cuivre contenu à basses teneurs le fer et l'acier, **3**: 18
 Le dosage spectrographique de l'alumine dans les résidus d'oxydes métalliques. Application au dosage de l'oxygène dans les aciers spéciaux, **3**: 379
 L'analyse spectrochimique des laitiers sidérurgiques, **4**: 496
- CECCALDI M. : Le spectre d'absorption des mélanges H_2O-D_2O à l'état liquide entre 0.8μ et 30μ , **11**: 623
- CENCELJ L. : Infra-red spectra of polychloronaphthalenes, **7**: 274
 Die indirekte flammenphotometrische Aluminium-Bestimmung, **11**: 62
- CHAO T. S. : The ultra-violet absorption spectra of substituted phenyl amino-1,2,3-triazoles **10**: 250
- CHAPMAN D. : Infra-red spectroscopy applied to studies of polymorphism, **11**: 609
- CHARLES R. G. : Infra-red absorption spectra of metal chelates derived from 8-hydroxyquinoline, 2-methyl-8-hydroxyquinoline and 4-methyl-8-hydroxyquinoline, **8**: 1
- CHEIRIER C. : Utilisation de la lumière modulée dans les analyseurs photoélectriques pour le dosage de gaz dans le contrôle industriel, **6**: 87
- CHRISTENSEN D. : Infrared absorption spectra of deuterated vinyl fluorides, **12**: 355
 The structure of vinyl fluoride, **13**: 120
- CHUAN-CHIO W. : Hydrogen-like absorption spectra due to excitons in cadmium sulphide single crystals (S), **11**: 648
- CHUBB T. A. : Absorption coefficients of four organic fluorine compounds in the vacuum ultra-violet (L), **10**: 431
- CHURCHILL W. L. : A direct spectrographic method for the monitoring of air for minute amounts of beryllium and beryllium compounds, **5**: 238
- CLAR E. : Absorption spectra of aromatic hydrocarbons at low temperatures. LV-Aromatic hydrocarbons, **4**: 116
- CLARK A. : A method of mounting micro samples in infrared spectrometry, **12**: 276
- CLARKE S. A. : A drum attachment to a travelling microscope for direct wavelength reading of spectral lines (N), **7**: 64
- CLIPPELEIR C. DE. : Sur l'obtention de courants pulsatoires aux dépens de multiplicateurs d'électrons, **4**: 516
- CLOUSTON J. G. : The shock tube as a source for studies of emission and absorption spectra, **14**: 56
- COLLIER G. L. : The use of derivative spectroscopy for determining methyl groups in Polythene, **14**: 104
- CONVER R. J. : Infrared spectra of some deuterated carboxylic acids and alcohols (N), **10**: 423
- COOK H. D. : Quantitative spectrographic analysis of the rare-earth elements, **5**: 201
 Excitation stand for spectrographic analysis—A new design, **5**: 345
- CORLISS C. H. : Effect of variation of circuit parameters on the excitation of spectra by capacitor discharges, **5**: 378
- CORNAND P. : Spectrographic determination of small amounts of Bi in lead using briquetted oxide samples, **5**: 319
- COULSON C. A. : Some theoretical considerations about vibrational band intensities, **14**: 161

- Craggs J. D. : On the excitation temperature in a spectroscopic spark source, **3**: 546
 Photoelectric spectroscopy of transient discharges, **5**: 452
 Electrode vapour jets in spark discharges, **7**: 149
 Excitation temperatures in spark discharges, **9**: 68
- CRISTESCU G. D. : Sur l'inclinaison des raies spectrales résultant de l'incorrecte illumination du spectrographe, **11**: 467
- CROSBY G. A. : Intramolecular energy transfer in ytterbium organic chelates, **10**: 377
- CROSSWHITE H. M. : Photoelectric intensity measurements in the iron ore, **4**: 122
 Short-period spectral intensity measurements, **5**: 436
- CROW T. T. : Infrared spectrum of sulfonyl bromofluoride, **12**: 143
- CUNDALL C. M. : Electrode vapour jets in spark discharges, **7**: 149
 Excitation temperatures in spark discharges, **9**: 68
- CURRAN C. : Infrared absorption spectra of inorganic co-ordination complexes—XVII. Infrared spectra of platinum (II) and palladium (II) ammine complexes, **13**: 31
- DAASCH L. W. : Infrared group frequencies vs. electronegativity (N), **13**: 257
- DAHMEN E. A. M. F. : Infrared study of some organic salts in solution, **11**: 594
- DALLEMAND J. E. : A statistical study on the homogeneity of zinc-base spectrographic standards, **9**: 323
- DANIELSSON L. : Direct-reading spectrochemical determination of phosphorus in steel and iron ore, **6**: 418
- DANTI A. : Pure rotational absorption of NO_2 in the 500–200 μ region, **12**: 247
 Rotational analysis and upper-stage transitions of parallel absorption bands in benzene, *sym*-benzene- d_3 , benzene- d_6 and pyridine, **13**: 180
- DAVIES D. R. : The examination of nervous tissue by infrared spectrophotometry, **6**: 320
- DAVIS H. M. : The application of the cathode ray tube to microphotometry of trace elements, **4**: 13
- DAWES S. V. : The electronic spectra of titanium dioxide, **13**: 43
- DECIUS J. C. : The infrared spectra of $\text{N}_2\text{H}_6\text{Cl}_2$ and $\text{N}_2\text{H}_6\text{F}_2$, **13**: 280
- DEHIO H. : Begriffliche Überlegungen zum Problem des Plattenfehlers, **3**: 488
- DEINUM H. W. : Änderungen des Spektrums während der Dauer des Einzelfunkens, **2**: 318
- DELHAYE M. M. : Lampes à helium à grande puissance pour spectroscopie Raman, **11**: 485
- DELWAULLE M. L. : Etude quantitative d'équilibres chimiques au moyen de l'effet Raman **11**: 565
- DENNEN W. H. : Spectrographic determination of carbon in sedimentary rocks, using direct-current arc excitation, **9**: 89
- DEPREZ G. : Obtention de raies d'étincelle dans une lampe à cathode creuse fonctionnant en impulsions, **11**: 342
- DETONI S. : Infra-red spectra of some organic sulphur-oxygen compounds, **11**: 601
- DIEKE G. H. : Short-period spectral intensity measurements, **5**: 436
 Studies of light-source properties with time resolved spectra (S), **11**: 267
- DIJKSTRA G. : The influence of temperature variations on the intensities of absorption bands in the infra-red spectra of aliphatic compounds, **11**: 618
- DIKHOFF J. A. M. : Quantitative Spektrochemische Analyse Mittels des Gleichstrom Kohlegogens, **7**: 45
 Temperaturbestimmungen im Gleichstromkohlebogen, **11**: 162
- DIXON R. N. : The structure of some halogenated ethanes from infra-red measurements, **9**: 59
- DOIWA A. : Die verschiedenartigen Störungen in der Flammenspektrometrie und ihre Ausschaltung durch Normalisatoren, **11**: 28
- DOORSELAER M. VAN : Spectrographic determination of small amounts of Bi in lead using briquetted oxide samples, **5**: 319
- Spectrochemical analysis of copper and bronze by the copper oxide spark technique, **5**: 388
- DORFMAN R. I. : The infrared absorption spectra of ring-D steroid lactones—I. Intense hydrogen bonding in estrololactone, **13**: 248

- DOWS D. A. : Torsional vibrations in CO_2 and N_2O crystals, **13**: 308
- DUNTON P. J. : Two second-order tellurium lines listed in M.I.T. tables as first-order lines (N), **8**: 53
- DUTRA C. V. : Spectrochemical determination of thorium in monazite by the powder-d.c. arc technique, **6**: 373
- DUYCKAERTS G. : Note concernant les spectres infrarouges de poudres, **6**: 194
 Contribution à l'analyse quantitative par les spectres d'absorption infrarouge des poudres, **7**: 25
 Contribution à la spectrométrie Raman—I. Construction d'un spectromètre enregistreur à grande dispersion, **8**: 356
 Contribution à la spectrométrie Raman—II. Intensité de la raie du carbonyle aliphatique, **10**: 259
- EATON D. R. : Vibration-rotation bands of keten, **13**: 223
- EBSWORTH E. A. V. : Vibrational spectra and structure of trisilylamine and trisilylamine- d_9 , **13**: 202
 The infra-red spectra of some methylammonium iodides: angle deformation frequencies of NH and NH_2 groups, **13**: 261
- ECKER G. : Periodische Erscheinungen bei der Metallablösung an der Oberfläche von Mehrstoffsystemen, **7**: 219
- ECKHARD S. : Der Einsatz eines lichtelektrischen Gerätes zur serienmässigen Durchführung von Mikroanalysen bei der Untersuchung von Stahlgefugebestandteilen, **11**: 89
- EDGE R. A. : Observations on the use of LaO bands for d.c. arc spectrochemical analysis, **13**: 304
- EDISBURY J. R. : Refinements in quantitative absorption spectrophotometry, **3**: 420
- ECKHOUT J. : Spectrographic analysis of slags using spark technique, **3**: 575
 Étude comparative de différentes conditions d'excitation pour l'analyse spectrale quantitative des laitiers, **4**: 284
 Dosages des faibles quantités d'un élément dans une poudre sans l'aide d'échantillons standards, **5**: 409
- EGGERT J. : Begriffliche Überlegungen zum Problem des Plattenfehlers, **3**: 488
- EICHHOFF H. J. : Das Isomelanverfahren eine Routinemethode zur spektrochemischen Übersichtsanalyse, **11**: 409
- ELIEL E. L. : Infrared spectra of some deuterated carboxylic acids and alcohols, **10**: 423
- ELLENBURG J. Y. : Contrast changes of Eastman Kodak Spectrum Analysis No. I. Emulsion during cold storage, and their effect on observed intensity ratios, **7**: 349
- EMERY A. R. : The Raman spectra of four isotopic varieties of diborane in the gas phase, **10**: 419
- EMERY R. ST. J. : A modified method of sparking thin metal sheets for spectrographic analysis using the alternating current condensed spark unit, **4**: 327
 An apparatus for quantitative spectrographic analysis in controlled atmospheres, **4**: 513
- ENNS J. H. : *An Ultraviolet Multiplet Table* (BR), **4**: 255
- FALTA Ě. : Spektroskopische Untersuchungen der Ultraviolettabsorption von katakondensierten Kohlenwasserstoffen, **11**: 555
- FARMER V. C. : The spectrographic analysis of plant ash in the carbon arc, **4**: 224
 Effects of grinding during the preparation of alkali-halide disks on the infra-red spectra of hydroxylic compounds, **8**: 374
- FARRELL F. : Simplified line-width procedure for measuring dense spectrum lines (N), **6**: 442
- FASSEL V. A. : Quantitative spectrographic analysis of the rare-earth elements, **5**: 201
 Excitation stand for spectrographic analysis, **5**: 345
 Direct reading spectrochemical analysis with a rapid-scanning spectrometer, **6**: 341
 The infrared spectra of aromatic compounds—I. The out-of-plane C—H bending vibrations in the region $625\text{--}900\text{ cm}^{-1}$, **7**: 14
 Isotopic assay of lithium by means of hydride band emission spectra, **7**: 175
Spectrochemical Abstracts (BR), **8**: 128
 Infrared dichroism studies of some molecular complexes, **8**: 142

- The spectrographic determination of oxygen in metals—I. Plain carbon steels, **8**: 201
Lines of the Elements in Astronomical Spectra (BR), **10**: 128
- Quantitative spectrographic analysis of the rare-earth elements—IX. Determination of rare-earth impurities commonly associated with purified samarium, gadolinium, terbium and yttrium, **12**: 332
- Quantitative spectrographic analysis of the rare-earth elements—X. Determination of rare-earth impurities commonly associated with purified thulium, ytterbium, lutetium and scandium, **13**: 300
- FATELEY W. G. : Normal co-ordinate analysis of the vibrational spectrum of iron pentacarbonyl, **10**: 8
- FAVRE J. : Analyses d'essences par spectrometrie infra-rouge, **6**: 98
 Le centre de documentation infra-rouge C.I.R., **11**: 481
- FEILCHENFELD H. : The stretching frequency as a function of the interatomic distance in straight hydrogen bonds (N), **12**: 280
- FELDMAN C. : *Quantitative Spectrochemical Analysis of Silicates* (BR), **7**: 251
 Contrast changes of Eastman Kodak Spectrum Analysis No. 1 Emulsion during cold storage, and their effect on observed intensity ratios, **7**: 349
 Sample transport and temperature studies in porous-cup discharges, **9**: 19
- FELGETT P. B. : *Vistas in Astronomy* (BR), **10**: 131
- FENNER E. : Die Verwendung der elektrodenlosen Ringentladung im hochfrequenten Magnetfeld zur spektralanalytischen Spurensuche, **1**: 164
- FERGUSON E. E. : Infra-red spectra of solutions of iodine in alkyl benzenes (N), **10**: 123
- FINCKH B. : Eine photographische Methode zur Aufnahme quantitativer vergleichbarer Fluoreszenzspektren, **2**: 137
- FIorenza A. : La mesure de la "largeur effective" des raies dans l'analyse des substances en poudre, **10**: 85
- FISCHER J. : Die verschiedenartigen Störungen in der Flammenspektrometrie und ihre Ausschaltung durch Normalisatoren, **11**: 28
- FLETCHER M. F. : The spectrographic determination of germanium in coal and flue dust, **7**: 214
- FLETT M. ST. C. : Studies of the band near 3μ in some hydroxy compounds, **10**: 21
- FORD R. A. : Electronic and vibrational states of carbonyl compounds—I. Electronic states of camphorquinone, **12**: 78
 Spin-forbidden transitions in the electronic spectrum of acetaldehyde (N), **12**: 394
 The electronic spectra of titanium dioxide, **13**: 43
- FORNERIS R. : Raman spectra and structure of tetratomic sulphur and selenium halides, **8**: 46
 Raman spectrum of iodoform (N), **8**: 52
- FRANK R. C. : A statistical study on the homogeneity of zinc-base spectrographic standards, **9**: 323
- FRASER A. M. : Electrode clamps for spectrochemical analysis, **4**: 472
 A cutter for the preparation of carbon electrodes, **5**: 422
- FRED M. : The Argonne thirty-foot spectrograph, **6**: 139
 Spectroscopic assay of lithium isotopes—I. Measurements at high intensity, **6**: 383
 Spectroscopic assay of lithium isotopes—II. Measurements on small samples at low intensity, **6**: 406
 Photoelectric Fabry-Perot interferometer for assay of lead and uranium isotopes, **8**: 329
- FREISER H. : Infra-red absorption spectra of metal chelates derived from 8-hydroxyquinoline, 2-methyl-8-hydroxyquinoline and 4-methyl-8-hydroxyquinoline, **8**: 1
- FRIEDEL R. A. : Infra-red absorption spectra of metal chelates derived from 8-hydroxyquinoline, 2-methyl-8-hydroxyquinoline and 4-methyl-8-hydroxyquinoline, **8**: 1
- FRISCH S. : Über die Rolle der Stufenübergänge bei Anregung von Spektrallinien, **11**: 350
 Quantitative Spektralanalyse von Gasgemischen, **13**: 50
- FRY D. L. : A statistical study on the homogeneity of zinc-base spectrographic standards, **9**: 323
 Spectral character as a function of spark source parameters, **13**: 99
- FUCHS L. : Die Reinigung von Benzin und Hexan für spektrophotographische Absorptionsmessungen in u.v., **2**: 243

- GAMBLE L. W. : The spectrographic determination of metallic constituents in petroleum ash, **4**: 439
- GARRIGOU-LAGRANGE C. : Étude comparée des spectres de vibration des dérivés paradisubstitués du benzène—I. Région 670–1600 cm^{-1} , **12**: 305
- GARTON F. W. J. : The spectrographic determination of carbon in steel, **3**: 68
- GASPAROTTI F. : Purificazione dei solventi per uso spettroscopico, **5**: 170
- GAST P. W. : Emission-spectrographic method for the determination of strontium in silicate materials, **9**: 40
- GATTERER A., S.J. : Die Quantitative Bestimmung kleinster Mengen von Europium in Samarium, **1**: 31
 Ein Projektionskomparator für spektrochemische Analyse, **1**: 352
 Quantitative Bestimmung kleinster Beträge von Zusatzelementen in einem Grundelement das spektralrein nicht erhaltlich ist, **1**: 513
 Zur Reinigung der Kohle für spektralanalytische Zwecke, **2**: 49
 Die Anwendung der Kohleflame für spektrochemische Arbeiten, **2**: 252
Spettroscopia applicata all'analisi chimica (BR), **3**: 120
Atlante dello spettro di scintilla del ferro, da 2227 a 4415 Å, (BR), **3**: 121
Spektrochemische Betriebsanalyse. Die chemische Analyse, 43 Bd. (BR), **3**: 125
 Zur Spektrochemie der Metalloide F, Cl, Br, J, S, Se, **3**: 214
 Über die Eignung von Gitter- und Prismenspektrographen für spektrochemische Arbeiten, **5**: 30
- GAUNT J. : The analysis of heavy water by infra-red spectrometry, **8**: 57
 The molecular structure of niobium pentachloride, **10**: 52
 The molecular structure of antimony pentafluoride, **10**: 57
- GAYDON A. G. : *Atomic Energy Levels (as derived from the analyses of optical spectra)*, Volume I. (BR), **4**: 68
Atomic Energy Levels, Volume II. (BR), **5**: 522
 The shock tube as a source for studies of emission and absorption spectra, **14**: 56
- GAZZI V. : Le "esaltazioni" nell'analisi spettrochimica qualitativa, **5**: 42
 Les "exaltations" et les "atténuations" dans l'analyse spectrochimique. Étude en relation avec l'énergie de la source et le potentiel d'excitation des raies des éléments. Dédutions analytiques, **11**: 134
- GERLACH W. : Über die spektralanalytische Bestimmung der Metalle in mikroskopischen Präparaten, **1**: 168
- GERSTENKORN S. : Analyse isotopique du lithium par spectroscopie optique—I. Utilisation de la raie $\lambda = 4603 \text{ Å}$, **10**: 110
- GIAVINO A. : Alcuni aspetti della taratura dei quantometri, **5**: 52
- GIGUÈRE P. A. : Spectre d'absorption infra-rouge du protoxyde d'azote à l'état solide, **9**: 204
- GILBERT P. T. : Determination of indium by flame photometry (N), **12**: 397
- GILLIESON A. H. C. P. : A direct spectrographic method for the monitoring of air for minute amounts of beryllium and beryllium compounds, **5**: 238
- GILLIS J. : Étude comparative de différentes conditions d'excitation pour l'analyse spectrale quantitative des laitiers, **4**: 284
 Spectrographic determination of small amounts of Bi in lead using briquetted oxide samples, **5**: 319
 Spectrochemical analysis of copper and bronze by the copper-oxide spark technique—I. Experimental study of the copper oxide spark technique, **5**: 388
 Dosages des faibles quantités d'un élément dans une poudre sans l'aide d'échantillons standards, **5**: 409
- GIURGEA G. : Hochfrequente Fackelentladung als Spektralquelle, **11**: 441
- GIURGEA M. : Hochfrequente Fackelentladung als Spektralquelle, **11**: 441
 Sur l'inclinaison des raies spectrales résultant de l'incorrecte illumination du spectrographe **11**: 467
- GLANVILLE D. E. : A simple arrangement for the measurement of absorption spectra of aqueous systems at elevated temperatures, **12**: 109

- GLUSKER D. L. : Vibrational spectra and intermolecular association, **6**: 434
- GOLDBLATT A. : The direct-reading spectrometric analysis of alloy cast iron, **9**: 227
- GOLDMAN M. : Le spectre d'absorption des mélanges H_2O-D_2O à l'état liquide entre 0.8μ et 30μ , **11**: 623
- GOLLING E. : Über den Untergrund im Spektrum des Kohlebogens und seine Bedeutung für die Spektralanalyse, **11**: 125
- GONSIOR T. : Über die gegenseitige Beeinflussung der Emission von Natrium und Kalium bei ihrer flammenphotometrischen Bestimmung, **11**: 35
- GONZÁLEZ-SÁNCHEZ F. : Infra-red spectra of the benzene carboxylic acids, **12**: 17
- GORDON W. A. : Quantitative spectrographic analysis of rare-earth elements—IX. Determination of rare-earth impurities commonly associated with purified samarium, gadolinium, terbium and yttrium, **12**: 332
- GORI A. : Effects of polymorphism and influence of sample preparation on the infra-red spectrum of estradiol-17 β , **9**: 346
- GOULDEN J. D. S. : The OH-vibration frequencies of carboxylic acids and phenols, **6**: 129
- GRANT D. W. : A simple arrangement for the measurement of absorption spectra of aqueous systems at elevated temperatures, **12**: 109
- GREEN B. A. : The fundamental vibration band of nitric oxide, **8**: 129
- GREENSTREET J. E. S. : The identification of micro-organisms by infrared spectrophotometry, **6**: 302
- The existence of differences between the infra-red absorption spectra of bacteria, **9**: 177
- GRIGOROVICI R. : Sur l'inclinaison des raies spectrales résultant de l'incorrecte illumination du spectrographe, **11**: 467
- GROENEWEGE M. P. : Some regularities in the infra-red spectra of polynuclear aromatic compounds in the C—H wagging region, **11**: 579
- GROOT T. : Quantitative Spektrochemische Analyse Mittels des Gleichstrom Kohlebogens, **7**: 45
- GUAL C. : The infrared absorption spectra of ring-*D* steroid lactones—I. Intense hydrogen bonding in estrolactone, **13**: 248
- The infrared absorption spectra of ring-*D* steroid lactones—II. Structure-absorption correlations, **13**: 291
- HAALAND I. : Spectrochemistry of plutonium (S), **11**: 289
- HAAS C. : Vibration spectra of crystals, **8**: 19
- HABERLANDT H. : Die Fluoreszenzspektren von Uranmineralien in filtrierten ultravioletten Licht, **4**: 21
- HABITZ P. : Beiträge zur quantitativen Spektralanalyse von Stählen (Mo, Cr, Ti), **2**: 158
- HADNI A. : Sur quelques spectres d'absorption au-delà de 18μ , **11**: 632
- HADŽI D. : Infra-red spectra of polychloronaphthalenes, **7**: 274
- The infra-red absorption bands associated with the COOH and COOD groups in dimeric carboxylic acid—II. The region from 3700 to 1500 cm^{-1} , **8**: 249
- The infra-red spectrum and the OH in-plane deformation frequency in CH_3CD_2OH (N), **9**: 263
- Infra-red absorption bands associated with the NH group—III. Hydroxamic acids and derivatives, **10**: 38
- Infra-red spectra of some organic sulphur-oxygen compounds, **11**: 601
- The OH in-plane deformation and the C—O stretching frequencies in monomeric carboxylic acids and their association shifts, **12**: 162
- HAFTKA F. J. : Zur Bestimmung der Transformationszahl (N), **7**: 242
- Eine Methode zur Steigerung der Nachweisempfindlichkeit bei spektrochemischen Lösungsanalysen auf Kohleelektroden, **11**: 382
- HAINSKI Z. : Essais d'enregistrements à énergie d'émission contrôlée, **13**: 311
- HALL J. R. : Vibrational spectra and structure of trisilylamine and trisilylamine- d_9 , **13**: 202
- HAM N. S. : Microwave-powered Raman sources, **12**: 88
- HAMMER A. : Auflösungsvermögen und Auflösung von Prismenspektrographen, **2**: 107
- Prismenspektrographen hoher Auflösung und kurzer Brennweite, **2**: 365

- HANNAN R. B. : The ultraviolet absorption spectrum of dicyanoacetylene, **12**: 321
- HANSEN G. : Zur Ausübung des leitprobenfreien spektrochemischen Analysenverfahrens nach dem Zweilinienvorfahren von Scheibe-Schöntag, **2**: 374
- Baugrundsätze für Prismenspektrographen, **3**: 397
- Näherungsformel für die Auflösung und die Bestrahlungsstärke in Abhängigkeit von der Spaltbreite (N), **3**: 433
- Wirksame Schichtlänge bei zylindrischen Küvetten, **3**: 584
- HANSEN-NYGAARD L. : The structure of vinyl fluoride, **13**: 120
- HARNER R. S. : Double-chamber electrode for spectrochemical determination of chlorine and other halogens (N), **6**: 331
- HARP W. R. : Theory of radiant-energy absorption by randomly dispersed discrete particles, **9**: 148
- HARRIS P. V. : Ultra-violet spectra and ionization potentials of hydrocarbon molecules, **14**: 45
- HARTLEY H. E. R. : Quantitative spectrographic analysis by spark excitation of metallic oxides, **3**: 320
- HARVEY K. B. : Spectra d'absorption infra-rouge du protoxyde d'azote à l'état solide, **9**: 204
- HASLER M. F. : Quantometry in 1952, **6**: 69
- Multichannel instruments for fluorescent X-ray spectroscopy, **7**: 141
- Performance of sequential as compared to parallel integrating quantometers for spectrochemical analysis, **11**: 76
- The complementary nature of X-ray fluorescence methods and optical emission methods in spectrochemical analysis, **11**: 97
- HAWKINS J. G. : Characteristic infra-red absorption frequencies of substituted naphthalenes, **10**: 105
- HAYASHI M. : Internal rotation in 1:2-dichloro-2-methylpropane, **10**: 1
- HAYLES W. J. : Quantitative spectrographic analysis of the rare-earth elements—IX. Determination of rare-earth impurities commonly associated with purified samarium, gadolinium, terbium and yttrium, **12**: 332
- HEAVENS O. S. : Interference filters for the infra-red, **10**: 179
- HEGEMANN F. : Die quantitative Spektralanalyse von Spuren verunreinigender Elemente in Spektralkohlen im Gleichstrom-Dauerbogen, **11**: 448
- HEIDEL R. H. : Excitation stand for spectrographic analysis, **5**: 345
- HEPNER G. : Étude expérimentale du profil des raies de la série de Paschen de l'atome d'hydrogène, émises en décharge condensée, **11**: 356
- HERMAN L. : Spectres moléculaires émis par recombinaison radiative, **11**: 325
- Elargissement des raies d'arc du sodium sous l'influence de l'effet Stark intermoléculaire, **11**: 333
- HERMAN P. : Dosage spectrographique du Niobium et du Tantale, **3**: 389
- Essais d'enregistrements à énergie d'émission contrôlée, **13**: 311
- HERMAN R. : Spectres moléculaires émis par recombinaison radiative, **11**: 325
- Elargissement des raies d'arc du sodium sous l'influence de l'effet Stark intermoléculaire, **11**: 333
- HERNEGGER F. : Die Fluoreszenzspektren von Uranmineralien im filtrierten ultravioletten Licht **4**: 21
- HERRMANN J. : Spektralanalyse der Verunreinigungen im Zink, **1**: 548
- HETTEL H. J. : Isotopic assay of lithium by means of hydride band emission spectra, **7**: 175
- HEUMANN T. : Über Stromspannungskurven in ionisierten Flammgasen, **1**: 293
- HEXTER R. M. : High-resolution temperature-dependent spectra of calcite, **10**: 281
- Infrared spectroscopic investigation of anion rotational disorder in sodium nitrate, **10**: 291
- HEYES J. : Die spektralanalytische Bestimmung von Elementen in der Flamme und im Funken durch unmittelbare photoelektrische Messung von Linienintensitäten, **1**: 270
- HILLIARD L. E. : Infra-red absorption spectra of metal chelates derived from 8-hydroxyquinoline, 2-methyl-8-hydroxyquinoline and 4-methyl-8-hydroxyquinoline, **8**: 1
- HIRT R. C. : Ultraviolet absorption vapor spectra of pyrazine and chloropyrazine, **12**: 114
- Ultraviolet absorption spectra of derivatives of symmetric triazine—II. Oxo-triazines and their acyclic analogs, **12**: 127

- HOENS M. F. A. : Stabilization of the vaporization of the filled cathode in a d.c. carbon arc, **11**: 192
- HÖFERT H. J. : Eine neue Funkenstrecke in schalldichtem Gehäuse, **1**: 572
- HOFFMAN D. E. : Fluorescence emission spectra, fluorescence excitation spectra, and absorption spectra of some metal chelates, **9**: 105
- HOLBOURN A. H. S. : Production of diffraction gratings (S), **6**: 57
- HOLDT G. : Zur Korrelation der Intensitäten von Emissionslinien—I. Die vollständige Prüfung des statistischen Verhaltens von Intensitätsverhältnissen, **11**: 222
- HOLIDAY E. R. : *Absorption Spectrophotometry* (BR), **4**: 68
The ultraviolet spectral absorption of chrysene, its monomethoxy-derivatives and 1:2-dimethoxychrysene, **4**: 157
- The ultra-violet absorption spectra of some methyl-substituted benzimidazoles, **4**: 338
- HOLIK L. : Ueber die Verwendung von eloxierten Aluminiumelektroden zur spektrochemischen Bestimmung kleinster Mengen von Thallium, Blei, Quecksilber und Zink, **4**: 218
- HONERJÄGER-SOHN M. : See SOHN M.
- HÖRMANN H. : Begriffliche Überlegungen zum Problem des Plattenfehlers, **3**: 488
- HORNIG D. F. : The infrared spectra of crystalline H_2O , D_2O and HDO , **12**: 338
- HUGHES R. C. : Spectrochemical analysis of high-purity lead, **5**: 210
- HULDT L. : Zur Deutung spektroskopischer Temperaturmessungen, **7**: 264
- HULEY J. W. : Design and performance of a fore-prism-grating infra-red spectrometer, **11**: 503
- HURD B. G. : Quantitative spectrographic analysis of the rare-earth elements—X. Determination of rare-earth impurities commonly associated with purified thulium, ytterbium, lutetium and scandium, **13**: 300
- HURWITZ J. K. : Some observations on sparked craters in spectrographic microwave analysis, **7**: 1
Spectrographic analysis of segregates with a dynamic microvolume technique—I. Theory, **9**: 3
Spectrographic analysis of segregates with a dynamic microvolume technique—II. Experimental verification of theory, **12**: 211
Proceedings of the Colloquium Spectroscopicum Internationale VI. (BR), **13**: 339
- HYDE W. L. : Detectors of radiation, **6**: 9
- ICHISHIMA I. : Internal rotation in 1:2-dichloro-2-methylpropane, **10**: 1
Polarization of the reflected infrared radiation from an echelette grating, **12**: 294
Infra-red and Raman spectra of dichloroacetyl chloride in relation to rotational isomerism, **13**: 161
- I-DJEN H. : Effect of micro-structure of the specimen on the spectrochemical analysis of steels, **11**: 205
Spectrographic analysis of slags by the cup-electrode solution arc method, **11**: 212
- INN E. C. Y. : Vacuum ultraviolet spectroscopy, **7**: 65
- INTONTI R. : Sulla unificazione nell'analisi spettrografica di acciai mediamente legati, **5**: 147
- JAMESON D. : The intensities of the carbonyl group vibration in some aromatic compounds, **9**: 208
Vibrational frequency and band intensity of the carbonyl group, **13**: 236
- JASCHEK W. : Der Einfluss von Legierungspartnern auf homologe Linienpaare (Spektralanalytische Untersuchung des Dolches des Tut-anch-Amon) (S), **11**: 290
- JERAMIĆ D. : The infra-red spectrum and the OH in-plane deformation frequency in CH_3CD_2OH (N), **9**: 263
- JESSON J. P. : Vibrational band intensities of the $C\equiv N$ group in aliphatic nitriles, **13**: 217
- JEWELL D. J. : Effect of solvent upon vibration bands (N), **13**: 254
- JOENSUU O. I. : A double-arc method for spectrochemical analysis of geological materials, **4**: 233
- JOHNSON E. A. : The ultra-violet absorption spectra of some methyl-substituted benzimidazoles, **4**: 338

- The ultra-violet and infra-red absorption spectra of the methylbiphenyls: A preliminary analysis, **14**: 67
- JOHNSTON R. W. B. : Infrared absorption of solid-state *n*-paraffins—relationship to crystalline type, **12**: 12
- JOHNSTON W. D. : Infra-red absorption spectra of metal chelates derived from 8-hydroxyquinoline, 2-methyl-8-hydroxyquinoline and 4-methyl-8-hydroxyquinoline, **8**: 1
- JONES J. L. : Multichannel instruments for fluorescent X-ray spectroscopy, **7**: 141
- JONES L. H. : Systematics in the vibrational spectra of uranyl complexes, **10**: 395
- JONES R. N. : The intensities of the infra-red absorption bands of *n*-paraffin hydrocarbons, **9**: 235
- Cavity-type micro-cells for infrared spectrometry, **12**: 183
- JOPE E. M. : The ultraviolet spectral absorption of chrysene, its monomethoxy-derivatives and 1:2-dimethoxychrysene, **4**: 157
- JOSIEN M.-L. : Étude comparée des spectres de vibration des dérivés paradisubstitués du benzène—I. Région 670–1600 cm^{-1} , **12**: 305
- JUDEL G. K. : Spektrochemische Spurenanalyse nach vorheriger Anreicherung, **11**: 377
- JUNKES J., S.J. : Die quantitative Bestimmung kleinster Mengen von Europium in Samarium, **1**: 31
- Effektive Linienbreiten in der Spektralphotometrie (N), **7**: 60
- Photographische Spektralphotometrie mit effektiven Linienbreiten, **11**: 386
- JURY R. V. : The calibration of precision slits for spectrographic analysis, **5**: 257
- KAISER H. : Beobachtungen über Abfunkvorgänge bei der Spektralanalyse von Aluminiumlegierungen, **1**: 1
- Beitrag zur Kenntnis ungesteuerter Funkenerzeuger, **1**: 477
- Über die verschiedenen Verfahren zur Auswertung der Spektren bei quantitativen spektrochemischen Analysen, **2**: 1
- Vergleichende Untersuchungen an Abreißbögen, **2**: 81
- Ein einfaches Mittel zur Beseitigung von Zündschwierigkeiten bei Funken und elektrisch gezündeten Abreißbögen, **2**: 92
- Die Wirkung eines Überbrückungswiderstandes auf die Zündung hintereinander geschalteter Funkenstrecken, **2**: 98
- Zur Berechnung von Funkenentladungen, **2**: 228
- Über die natürliche Elektrodenform, **2**: 258
- Zur Frage der Abstufung von Stufenfiltern und Stufensektoren, **2**: 385
- Die Berechnung der Nachweisempfindlichkeit, **3**: 40
- Schlüssel zur Klassifikation der in den Spectrochimica Acta referierten Arbeiten (Editorial), **3**: 105
- Über Schwärzungstransformationen, **3**: 159
- Die systematischen Fehler bei der photographisch-photometrischen Auswertung von Spektralaufnahmen, **3**: 278
- Der Einfluss des Untergrunds auf die Gestalt spektrochemischer Eichkurven, **3**: 297
- Näherungsformeln für die Auflösung und die Bestrahlungsstärke in Abhängigkeit von der Spaltbreite (N), **3**: 433
- Begriffliche Überlegungen zum Problem des Plattenfehlers, **3**: 488
- Über die Streuung bei der photographischen Messung der Intensitätsverhältnisse von Spektrallinien, **3**: 498
- Photographisch-photometrische Eichung von Stufenfiltern, **3**: 518
- Spektren der seltenen Erden (BR), **4**: 176
- Spektren seltener Metalle und einiger Metalloide (BR), **4**: 177
- Über ein "vollständiges" Rechengerät für spektrochemische Analysen, **4**: 351
- Allgemeine Betrachtungen über Funkenentladungen als spektrochemische Lichtquelle, **11**: 233
- KASHA M. : Intramolecular energy transfer in ytterbium organic chelates, **10**: 377
- KAYE W. : Near-infrared spectroscopy—I. Spectral identification and analytical applications, **6**: 257

- Near-infrared spectroscopy—II. Instrumentation and technique, **7**: 181
- KECK P. H. : Ein einfaches Mittel zur Beseitigung von Zündschwierigkeiten bei Funken und elektrisch gezündeten Abreissbögen, **2**: 92
- Zeitschaltgerät, **2**: 389
- Automatische Kassettenverstellung an Spektrographen (N), **3**: 599
- KEHRER P. W. : Quantitative spectrographic analysis of the rare-earth elements, **5**: 201
- Excitation stand for spectrographic analysis, **5**: 345
- KEIL A. : Eine graphische Methode zur Auswertung von Spektralproben die dritte Legierungskomponenten enthalten, **4**: 165
- Über den Nachweis von Oxydationsvorgängen in der Funkenstrecke, **7**: 367
- KEMP J. W. : Multichannel instruments for fluorescent X-ray spectroscopy, **7**: 141
- KENNARD O. : Porphin, **12**: 65
- KETELAAR J. A. A. : Infra-red absorption spectrum of the nitrite ion in alkali halide solid solutions (N), **13**: 336
- Infra-red spectra of compressed gases, **14**: 237
- KEUSSLER V. VON : Zur Theorie der Schwärzungstransformation, **4**: 60
- Über den Unterwasserfunken als Lichtquelle für das kontinuierliche Spektrum im Ultraviolett, **4**: 366
- UV-Absorptionsküvette für extrem dünne Schichten mit genau messbarem Plattenabstand bis unterhalb $1\ \mu$, **6**: 185
- Eine Methode zur genauen Eichung der Wellenlängen- und Wellenzahlsskala von Spektralphotometern, **8**: 66
- KHITROV V. G. : Spectrographic analysis of ores by introducing the powder into the arc in a stream of air, **10**: 404
- KING L. A. : Theoretical calculation of arc temperatures in different gases, **11**: 152
- KINGSBURY G. W. J. : A new electrode holder for running a carbon arc in an inert atmosphere, **4**: 473
- KITCHEN H. : A comparison of three methods of plate calibration and evaluation for routine spectrographic analysis of low-alloy steels, **7**: 373
- KLING C. E. : The spectrographic determination of metallic constituents in petroleum ash, **4**: 439
- KLYNE W. : The use of the flame photometer in a clinical laboratory (S), **4**: 64
- KNISELEY R. N. : Quantitative spectrographic analysis of the rare-earth elements—IX. Determination of rare-earth impurities commonly associated with purified samarium, gadolinium, terbium and yttrium, **12**: 332
- Quantitative spectrographic analysis of the rare-earth elements—X. Determination of rare-earth impurities commonly associated with purified thulium, ytterbium, lutetium and scandium, **13**: 300
- KOCH O. G. : The stretching frequency as a function of the interatomic distance in straight hydrogen bonds (N), **12**: 280
- KOCH W. : Der Einsatz eines lichtelektrischen Gerätes zur serienmässigen Durchführung von Mikroanalysen bei der Untersuchung von Stahlgefügebestandteilen, **11**: 89
- KOEHLER W. : Nachweislinien für die Spektralanalyse von Platin-Rhodium-Legierungen, **4**: 229
- Ein neues Spezialstativ für die Spektralanalyse (N), **6**: 223
- KORTÜM G. : Eine photographische Methode zur Aufnahme quantitativer vergleichbarer Fluoreszenzspektren, **2**: 136
- Lichtabsorption fester Stoffe, **11**: 534
- KOTTMANN A. : Die Spektralanalyse von Nickel-Kobalt-Legierungen im Bereich von 0–100%, **5**: 36
- KROSS R. D. : Infrared dichroism studies of some molecular complexes, **8**: 142
- KROTZ L. C. : Quantitative spectrographic analysis of the rare-earth elements, **5**: 201
- KRUMHOLZ P. : Spectroscopic studies on rare-earth compounds—I. Instrumentation, **10**: 269
- Spectroscopic studies on rare-earth compounds—II. A comparative study of the absorption spectra of the neodymium ion in aqueous solution in crystalline salts, **10**: 274
- KRUSE J. : Spectrochemical analysis of copper and bronze by the copper-oxide spark technique, **5**: 388

- KUANG-TSENG C. : Hydrogen-like absorption spectra due to excitons in cadmium sulphide single crystals (S), **11**: 648
- KULP J. L. : Emission-spectrographic method for the determination of strontium in silicate materials, **9**: 40
- KUNG-SOO C. : Effect of micro-structure of the specimen on the spectrochemical analysis of steels, **11**: 205
- KUNST E. D. : The identification and quantitative determination of tertiary butyl groups in hydrocarbons by Raman and infra-red spectroscopic methods, **11**: 568
- KURATANI K. : In-plane normal vibrations of methanol, **9**: 265
- KVALHEIM A. : Spectrochemical determination of scandium in silicate rocks, **1**: 221
- LACHIN M. : La mesure de la "largeur effective" des raies dans l'analyse des substances en poudre, **10**: 85
- LAFFOLIE H. DE. : Ein elektronisches Zeitschaltgerät für die Spektralanalyse (N), **6**: 216
Zur Praxis der Seidel-Transformation, **11**: 401
- LAGEMANN R. T. : Infrared spectrum of sulfuryl bromofluoride, **12**: 143
- LANDI M. F. : Détermination du sodium par spectrophotométrie de flamme dans l'oxyde d'aluminium, **11**: 51
- LANDSBERG G. S. : Influence des conditions de mesure sur l'intensité enregistrée des bandes dans les spectres de vibration en fonction de leur largeur et de leur forme, **11**: 640
- LANE T. J. : Infra-red absorption spectra of inorganic co-ordination complexes—IX. Infra-red spectra of oxalato complexes, **9**: 51
Infra-red absorption spectra of inorganic co-ordination complexes—XI. Infra-red studies of mercuric amidobromide, $\text{Hg}(\text{NH}_2)\text{Br}$, **9**: 199
Infra-red absorption spectra of inorganic co-ordination complexes—XV. Normal vibrations of sulfamic acid, $\text{H}_3\text{N}^+-\text{SO}_3^-$, **12**: 239
- LANG K. : Die Intensitätsverteilung von Spektrallinien in Gasentladungen, **5**: 491
- LANG L. : Spektroskopische Untersuchungen der Ultraviolettabsorption von katakondensierten Kohlenwasserstoffen, **11**: 555
- LAQUA K. : Über den spektralen Charakter von Funkenentladungen, **4**: 446
Ein Vergleich von Wechselstrombögen verschiedener Treibspannung, **11**: 197
Ein thyatrongesteuertes Schaltgerät für Wechselstromabreissbögen, **13**: 172
- LAU C. LA. : Infra-red study of some organic salts in solution, **11**: 594
Solvent effects in infra-red spectra of some aromatic compounds, **14**: 181
- LEANE J. B. : Proton resonance spectra of some crystals containing nitrogen and fluorine, **10**: 154
- LEBAS J.-M. : Étude comparée des spectres de vibration des dérivés paradisubstitués du benzène—I. Région $670-1600\text{ cm}^{-1}$, **12**: 305
- LECOMTE J. : Conférence d'ensemble sur la spectrométrie infra-rouge, **11**: 479
- LEHMANN K. : Physikalische Prinzipien zur Auswahl von elektrischen Anregungsverfahren und Analysenlinien für qualitative und quantitative spektrochemische Arbeiten, **11**: 252
Wechselwirkungen im Plasma kondensierter Niederspannungsentladungen, **11**: 260
- LEJEUNE R. : Note concernant les spectres infrarouges de poudres, **6**: 194
- LEMMENS M. L. : Spectres continus moléculaires et atomiques d'émission du mercure, **11**: 318
- LEUCHS O. : Chemische Vorgänge in Kohlelektroden, **4**: 237
- LEVITAN I. : Determination of tin in bismuth (N), **7**: 395
- LIDDEL U. : Infra-red spectroscopic studies of hydrogen bonding in methanol, ethanol and *t*-butanol, **10**: 70
- LIEBER E. : The ultra-violet absorption spectra of substituted phenyl amino-1,2,3-triazoles, **10**: 250
The infrared spectra of organic thiocyanates and isothiocyanates, **13**: 296
- LIMMER G. : Die Verwendung kurzwelliger UV-Linien für die unmittelbar messende Analyse, **11**: 94
- LINDEMAN L. P. : Infra-red spectra of GeCl_4 , GeHCl_3 and GeDCl_3 , **9**: 47
- LINTON H. R. : Infrared spectra of silyl and silyl- d_3 cyanides, **10**: 299
- LIPPERT E. : Fluoreszenzspektroskopische Intensitätsmessungen (S), **11**: 548
- LIPPINCOTT E. R. : Normal co-ordinate analysis of the vibrational spectrum of iron pentacarbonyl, **10**: 8

- The vibrational spectra and structure of ferrocene and ruthenocene, **10**: 307
- Die Abhängigkeit der Emission eines elektrischen Lichtbogens von äusseren Einflüssen, **11**: 111
- LOEUILLE E. : Sur l'exposant du nombre d'atomes dans l'expression de l'intensité d'émission d'une raie spectrale, **3**: 475
- Sur le coefficient de Schwartzschild des plaques photographiques (N), **4**: 57
- Atlas des longueurs d'ondes caractéristiques des bandes d'émission et d'absorption des molécules diatomiques* (BR), **5**: 523
- LOPETHUS A. : The accuracy of photographic intensity measurements of absorption spectra, **9**: 216
- LÓPEZ DE AZCONA, J. M. : Valoración espectroquímica de metales nobles en los minerales, previa concentración docimástica o electrolítica, **2**: 185
- Relación entre las densidades de ennegrecimiento de las líneas espectrales y el estado de las aleaciones de tipo Duraluminio, **3**: 206
- Influence de la présence d'étain dans le plomb, et inversement, sur le dosage spectrochimique de système zinc-plomb-étain riche en zinc, **4**: 265
- Estudio espectral sobre la influencia del estado disico en la "Haynes stellite alloy No. 30", **5**: 18
- Spectral determination of the Curie point (S), **6**: 25
- LORD R. C. : Infra-red and Raman spectra of the diazines, **9**: 113
- The preparation and vibrational spectra of disilylacetylene, **12**: 147
- Pure rotational absorption of NO₂ in the 50–200 μ region, **12**: 247
- Rotational analysis and upper-stage transitions of parallel absorption bands in benzene, *sym*-benzene-*d*₃, benzene-*d*₆ and pyridine, **13**: 180
- LOSADA J. M. : Spectral determination of the Curie point (S), **6**: 25
- LOUDE R. : L'analyse spectrochimique des laitiers sidérurgiques, **4**: 496
- LOUNAMAA N. : Spectrographic analysis of pure tungsten oxide, **4**: 400
- Spectrographic analysis of copper-making and lead-making slags for major constituents, **7**: 358
- LUCAS G. : Spectres moléculaires émis par recombinaison radiative, **11**: 325
- LUOTO U. : Ein thyatrongesteuertes Schaltgerät für Wechselstromabreissbögen, **13**: 271
- LÜSCHER E. : Direktauswertung von Spektren im Schumanngebiet, **11**: 71
- LUSZCZAK A. : Die Absorptionsspektralanalyse als Teilgebiet der analytischen Chemie, **2**: 210
- Technisch belangreiche Extinktionsregelmässigkeiten von Farbstoffen, **5**: 41
- LUTZ E. : Organische Moleküle in der Glimentladung—III. Spektroskopische Untersuchungen über das Verhalten von Benzol, Toluol, Chlorbenzol, Diphenyl und Benzylchlorid, **10**: 61
- MACK M. : Statistical factors in X-ray intensity measurements, **12**: 169
- MACKILLOP M. J. : Vibrational spectra and structure of trisilylamine and trisilylamine-*d*₉, **13**: 202
- MACQ P. C. : Génération d'un arc pulsé de très haute stabilité, **11**: 464
- MADER H. : Der Anlaufeffekt in der Spektralanalyse, **1**: 213
- MAGEE J. S. : Fluorescence emission spectra, fluorescence excitation spectra, and absorption spectra of some metal chelates, **9**: 105
- MANDELSTAM S. L. : Über die Spektrumanregung in Funkenentladungen, **11**: 245
- MANN K. E. : Die quantitative Spektralanalyse der Hydronaliumlegierungen, **1**: 108
- Über die Verwendung von Eloxal an Stelle von spektralreiner Kohle, **1**: 560
- Die quantitative spektralanalytische Betriebsanalyse der Elektronlegierungen, **1**: 563
- MANNING D. C. : Photographic film washer (N), **8**: 54
- Mechanized arc-spark stand for emission spectrography, **12**: 4
- MANNKOPFF R. : Über die Intensität der Resonanzlinien eines Elements im Lichtbogen in Abhängigkeit von seiner Konzentration, **1**: 197
- MARGOSHES M. : The infrared spectra of aromatic compounds—I. The out-of-plane C—H bending vibrations in the region 625–900 cm⁻¹, **7**: 14
- MARGRAVE J. L. : Absorption spectra of gaseous alkali metal hydroxides at high temperatures, **12**: 244

- MARSTON A. L. : Infra-red and Raman spectra of the diazines, **9**: 113
- MARTI W. : Ein Generator für rechteckförmige, bogenähnliche Stromimpulse, **4**: 43
Elektronische Regulierung der Ladespannung von Kondensatoren in Funkenerzeugern (N), **7**: 246
- MARTIN A. E. : Multiple differentiation as a means of band sharpening, **14**: 97
- MARTIN J. : Über eine neue Anwendung der Emissionsspektroskopie zur lokalen Mikroanalyse, **1**: 47
- MARTIN J. M., JR. : Infrared absorption of solid-state *n*-paraffins -relationship to crystalline type, **12**: 12
- MARTIN L. J. : Influence de la présence d'étain dans le plomb, et inversement, sur le dosage spectrochimique du système *zinc-plomb-étain* riche en zinc, **4**: 265
- MAST O. : La determinazione spettrografica del boro negli acciai, **1**: 462
La determinazione spettrografica del berillio in acciai comuni e speciali, **1**: 501
A simple graphic calculating board for spectrographic analysis, **4**: 429
Ancora su talune determinazioni sensitometriche in spettrografia, **5**: 130
- MASON G. L. : A spark-traverse attachment for the Hilger large quartz spectrograph, **5**: 364
- MASON S. F. : Porphin, **12**: 65
- MATHEU F. C. : Le spectro-lecteur automatique comme instrument de recherche, **5**: 174
- MAVRODINEANU R. : Die Kontrolle der Zerstäubung beim Lundegardhschen Apparat, **1**: 421
Quelques améliorations aux dispositifs de spectrophotométrie de flamme, **4**: 152
Dispositif simple pour spectrographie de flamme, **4**: 396
- MAYER F. X. : Die Absorptionsspektralanalyse als Teilgebiet der analytischen Chemie, **2**: 210
Über die Verwendung von eloxierten Aluminiumelektroden zur spektrochemischen Bestimmung kleinster Mengen von Thallium, Blei, Quecksilber und Zink, **4**: 218
Spektralanalytische Spurenuntersuchung in der Kriminalistik, **5**: 63
- MAYO D. W. : The preparation and vibrational spectra of disilylacetylene, **12**: 147
- MCCLELLAND J. A. C. : The quantitative spectrographic analysis of solder, spelter, magnesium and aluminium alloys, **1**: 21
- MCCONNELL H. M. : Ultraviolet criteria for monoaromaticity, **12**: 262
- McKEAN D. C. : Infra-red spectrum of tetramethylhydrazine, **10**: 161
Force constants, interbond angle and solid-state spectrum of disiloxane, **13**: 38
Vibrational spectra and structure of trisilylamine and trisilylamine-*d*₉, **13**: 202
- McKENZIE R. M. : The effect of current control in spectrographic analysis with a direct-current arc, **8**: 88
- McRAE E. G. : Solvent effects on merocyanine spectra, **12**: 192
- MECKE R. : Ultrarotspektroskopische Reinheitsprüfung von Tetrachlorkohlenstoff, **4**: 348
Die Infrarot und Ramanspektren hochsymmetrischer Moleküle, **7**: 387
Untersuchungen über die Beeinflussung der Frequenz und Intensität der $\nu_{C=O}$ - und $\nu_{C=C}$ -Banden im I.R.-Spektrum ungesättigter Ketone durch Konjugation und sterische Hinderung (N), **12**: 391
- MEDA F. : Application du dosage quantitatif dans l'infra-rouge de groupements fonctionnels et radicaux spécifiques à la résolution de problèmes chimiques, **11**: 586
Infrared absorption spectra of α -halogenated keto-steroids, **13**: 75
- MEDEK J. : Die quantitative Spektralanalyse kleiner Mengen von Cs und Rb, **11**: 67
- MEGGERS W. F. : Principals and principles of spectrochemical analysis, **3**: 5
The spectrochemistry of technetium and promethium, **4**: 317
Grating Spectrum of Iron (BR), **4**: 426
The spectrochemistry of actinium, **10**: 195
- MENZIES A. C. : Trends in automatic spectrochemical analysis, **11**: 106
- MEYER S. : Ein Elektrodenheizblock zur Lösungsspektralanalyse (N), **12**: 278
- MICHEL G. : Recherches sur l'analyse des mélanges liquides par spectrographie Raman, **5**: 218
Contribution à la spectrométrie Raman—I. Construction d'un spectromètre enregistreur à grande dispersion, **8**: 356
Contribution à la spectrométrie Raman—II. Intensité de la raie du carbonyle aliphatique, **10**: 259

- Correction de l'intensité des raies Raman pour l'absorption du milieu diffusant (N), **12**: 400
- MIELENZ D. K. : Zur Ausleuchtung von Spektrographen durch Zwischenabbildung der Lichtquelle, **10**: 99
- MIHUL C. : Les spectres de fluorescence des pétroles lampants, **11**: 562
- MILAZZO G. : Sulle perdite di luce negli spettrografi per fessure molto piccole, **1**: 229
- Sullo spettro ultravioletto di assorbimento del pirrolo e del N-deuteriopirrolo in fase gassosa, **2**: 245
- Ein Spektrograph für das Schumann-Gebiet, **11**: 474
- Spectrum tables used for wavelength identification in the Schuman region (N), **12**: 275
- MILBOURN M. : Factors affecting accuracy in spectrographic analysis, **3**: 267
- Quantitative spectrographic analysis by spark excitation of metallic oxides, **3**: 320
- The behaviour of various metals in emission spectrography, **5**: 483
- MILLER F. A. : Electronic spectrum and apparent thermochromism of VOCl_3 (N), **9**: 98
- Infra-red and Raman spectra of the diazines, **9**: 113
- Chemical Applications of Spectroscopy* (BR), **10**: 129
- The ultraviolet absorption spectrum of dicyanoacetylene, **12**: 321
- MILLER R. G. J. : Difference spectroscopy in the near infra-red, **14**: 119
- MITCHELL R. L. : Applications of chemical concentration by organic reagents to spectrographic analysis, **3**: 367
- Flame photometry (S), **4**: 62
- Spectrochemical Analysis* (BR), **4**: 425
- Wavelength Tables of Sensitive Lines* (BR), **5**: 253
- De Grondslagen van de spectrochemische Analyse* (BR), **5**: 341
- Visual Lines for Spectroscopic Analysis* (BR), **6**: 184
- Optische Messungen des Chemikers und des Mediziners* (BR), **7**: 179
- Chemische Spektralanalyse* (BR), **13**: 339
- MIYAKE A. : Infra-red and Raman spectra of dichloroacetyl chloride in relation to rotational isomerism, **13**: 161
- MIYAZAWA T. : Infra-red absorption spectra of inorganic co-ordination complexes—IX. Infra-red spectra of oxalato complexes, **9**: 51
- Normal vibrations of urea and urea- d_4 , **10**: 170
- Infra-red and Raman spectra of dichloroacetyl chloride in relation to rotational isomerism, **13**: 161
- MIZUSHIMA S.-I. : Spectroscopic investigation of the strength of hydrogen bonds formed by amides, **7**: 100
- Infra-red absorption spectra of inorganic co-ordination complexes—IX. Infra-red spectra of oxalato complexes, **9**: 51
- Infra-red absorption spectra of inorganic co-ordination complexes—XI. Infra-red studies of mercuric amidobromide, $\text{Hg}(\text{NH}_2)\text{Br}$, **9**: 199
- In-plane normal vibrations of methanol, **9**: 265
- Internal rotation in 1:2-dichloro-2-methylpropane, **10**: 1
- Normal vibrations of urea and urea- d_4 , **10**: 170
- Infra-red absorption spectra of inorganic co-ordination complexes—XV. Normal vibrations of sulfamic acid, $\text{H}_3\text{N}^+ - \text{SO}_3^-$, **12**: 239
- Assignments of the vibrational frequencies of glycine, **12**: 253
- Polarization of the reflected infrared radiation from an echelette grating, **12**: 294
- Infra-red absorption spectra of inorganic co-ordination complexes—XVII. Infra-red spectra of platinum (II) and palladium (II) ammine complexes, **13**: 31
- Analysis of *P*- and *R*-branches of the 950 cm^{-1} band of $^{14}\text{NH}_3$, **13**: 80
- Infra-red and Raman spectra of dichloroacetyl chloride in relation to rotational isomerism, **13**: 161
- MOCCIA R. : Vibrational band intensity of the NH group in substituted acetanilides, **10**: 240
- MOHR E. : Wirksame Schichtlänge bei zylindrischen Küvetten, **3**: 584
- MONNOT G. A. : Dosages spectraux dans les minéraux naturels. (1°) Silice dans les spaths fluor; (2°) fluorures dans les roches siliceuses, **6**: 153

- Dosage spectral par émission de la silice dans les produits biologiques, **6**: 158
- MONTALENTI G. : Mesures directes d'intensité de raies spectrales à l'aide de photomultiplicateurs, **5**: 371
- MONVOISIN J. : Quelques améliorations aux dispositifs de spectrophotométrie de flamme, **4**: 152
- Dispositif simple pour spectrographie de flamme, **4**: 396
- MORELLO B. : Ancora su talune determinazioni sensitometriche in spettrografia, **5**: 130
- MORITZ H. : Das Wechselstativ nach v. Zeerleder und Rohner in besonderer Anwendung als Vorfunkgerät bei spektrochemischen Betriebsanalysen, **2**: 291
- Spektrochemische Analyse von Grauguss, **11**: 291
- MORRIS D. F. C. : The spectrochemical determination of gallium in blende, **7**: 88
- MORTIMER F. S. : Vibrational assignment and rotational isomerism in some simple organic phosphates, **9**: 270
- MORTON R. A. : *Analytical Absorption Spectroscopy* (BR), **4**: 544
- MOSER H. : Vergleich von Hochdruck- und Niederdruck-Quecksilberbrennern als Raman-Erreger Lichtquellen, **11**: 490
- MOSTYN R. A. : The calibration of precision slits for spectrographic analysis, **5**: 257
- MUIR S. : A method for the determination of dissolved aluminium and alumina in steel, **4**: 482
- MULD W. : On the spectrochemical analysis of silicate rocks (S), **6**: 53
- MÜLLER F. : Beitrag zur Verwendung der Wasserstofflampe in der Absorptionsspektroskopie, **1**: 437
- MÜLLER W. : Gewichtsanalytische, colorimetrische und spektralanalytische, Verfahren zur Bestimmung von wenig Cadmium, Kupfer, Eisen und Blei in Zink, **1**: 332
- MÜLLER-URI G. : Spektralanalytische Untersuchungen an Sand- und Kokillenguss-Legierungen vom Typ Al-Si-Cu, **3**: 560
- MURATA K. J. : A chemical-spectrochemical method for the determination of rare-earth elements and thorium in cerium minerals, **6**: 161
- Spectrochemical determination of thorium in monazite by the powder-d.c. arc technique, **6**: 373
- NADEAU A. : Cavity type micro-cells for infrared spectrometry, **12**: 183
- NAISH J. M. : A photoelectric apparatus for spectrochemical analysis, **5**: 295
- NAKAGAWA I. : Infra-red absorption spectra of inorganic co-ordination complexes—XI. Infra-red studies of mercuric aminobromide, $\text{Hg}(\text{NH}_2)\text{Br}$, **9**: 199
- Infra-red absorption spectra of inorganic co-ordination complexes—XV. Normal vibrations of sulfamic acid, $\text{H}_3\text{N}^+ - \text{SO}_3^-$, **12**: 239
- Assignments of the vibrational frequencies of glycine, **12**: 253
- Infra-red absorption spectra of inorganic co-ordination complexes—XVII. Infra-red spectra of platinum (II) and palladium (II) ammine complexes, **13**: 31
- Infra-red and Raman spectra of dichloroacetyl chloride in relation to rotational isomerism, **13**: 161
- NAKAMOTO K. : Infra-red dichroism studies of some molecular complexes, **8**: 142
- NAUDÉ S. M. : Sample electrode vapour contamination of the graphite electrode in the flat surface sparking technique of spectrochemical analysis, **3**: 127
- NAUTA W. T. : Steric effects in the electronic spectra of substituted benzophenones, **8**: 348
- NEEDHAM R. W. : The intensities of the carbonyl group vibration in some aromatic compounds, **9**: 208
- NELSON R. D. : The vibrational spectra and structure of ferrocene and ruthenocene, **10**: 307
- NICHOLLS G. D. : A spectrographic scheme for the determination of Al, Ti, Fe, Ca, Mg and Mn in silicates, **9**: 287
- NIXON E. R. : Infrared spectra of silyl and silyl- d_3 cyanides, **10**: 299
- Infrared spectrum and force constants of silyl- d_3 iodide, **12**: 41
- NOACK K. : Untersuchungen über die Beeinflussung der Frequenz und Intensität der $\nu_{\text{C=O}}$ - und $\nu_{\text{C=C}}$ - Banden im I.R.-Spektrum ungesättigter Ketone durch Konjugation und sterische Hinderung (N), **12**: 391

- NOAR J. : An apparatus for the excitation of powders in the direct-current arc (N), **9**: 157
- NOBBS J. McK. : Intensity scales in spectrographic photometry, **5**: 286
The use of intensity scales in the microphotometry of spectra, **7**: 165
- NORDMEYER M. : *Fluoreszenz organischer Verbindungen* (BR), **5**: 253
Über die Ausleuchtung von Spektrographen (N), **7**: 128
- NORRIS K. P. : The existence of differences between the infra-red absorption spectra of bacteria, **9**: 177
- OGANOV M. N. : Quantitative analysis, by a spectrographic method, of the isotopic composition of hydrogen, deuterium and tritium mixtures, **13**: 139
- OLDFIELD A. : A comparison of three methods of plate calibration and evaluation for routine spectrographic analysis of low-alloy steels, **7**: 373
- OLDFIELD J. H. : The spectrographic examination of localized heterogeneity in metals, **3**: 354
- O'NEAL M. J. : Infrared absorption of solid-state *n*-paraffins—relationship to crystalline type, **12**: 12
- ONISHI T. : Assignments of the vibrational frequencies of glycine, **12**: 253
- ORR S. F. D. : An infra-red spectroscopic investigation of steric hindrance in some *trans*-stilbene derivatives, **8**: 218
Recent advances in infra-red instrumentation, **14**: 86
- ORSAG J. : Une méthode d'analyse spectrale applicable à de faibles traces d'impuretés dans les métaux, **3**: 341
Nouvel appareillage simplifié utilisable pour lecture directe, **5**: 9
L'emploi de l'analyse spectrographique à lecture directe dans l'industrie de l'Aluminium, **6**: 80
- OSWALD F. : Ultrarotspektroskopische Reinheitsprüfung von Tetrachlorkohlenstoff, **4**: 348
- OTTO H. : Die Anwendung der Spektralanalyse für kulturhistorische Fragen, **1**: 381
- OTVOS J. W. : Theory of radiant-energy absorption by randomly dispersed discrete particles, **9**: 148
- OWEN L. E. : Mechanized arc-spark stand for emission spectrography, **12**: 4
Automatic film washer-rinser-dryer (N), **12**: 99
- PAGE F. M. : The investigation of the absorption spectra of transient compounds by the technique of capacity flow, **11**: 549
- PALISCA A. : Osservazioni sull'analisi spettrografica della ghisa, **5**: 87
- PANTING A. C. M. : The use of derivative spectroscopy for determining methyl groups in Polythene, **14**: 104
- PAPPALARDO G. : Absorption spectra in the near ultraviolet of some α - and β -monosubstituted derivatives of thiophene, **12**: 350
- PARDO Y PARDO P., S.J. : Valoración espectroquímica de metales nobles en los minerales, previa concentración docimástica o electrolítica, **2**: 185
- PARK C. : A rotating filter-paper disc method for spectrographic analysis, **8**: 102
- PARRY F. : Electronic and vibrational states of carbonyl compounds—I. Electronic states of camphorquinone, **12**: 78
- PASVEER W. : Le calcul spectrographique à l'aide de nomogrammes, **5**: 163
- PEAKE J. S. : The preparation and vibrational spectra of disilylacetylene, **12**: 147
- PEARCE R. S. : Absorption spectrum of rubrene in different solvents, **4**: 280
- PEATTIE C. G. : Analytical studies of the fluorescence of samarium in calcium tungstate, **7**: 321
Analytical studies of the fluorescence of samarium in calcium sulphate, **9**: 307
- PENLAND R. B. : Infra-red absorption spectra of inorganic co-ordination complexes—XI. Infra-red studies of mercuric amidobromide, $\text{Hg}(\text{NH}_2)\text{Br}$, **9**: 199
- PETERS Cl. : Valoración espectroquímica de metales nobles en los minerales, previa concentración docimástica o electrolítica, **2**: 419
- PFEILSTICKER K. : Spektralanalyse der Halogene und anderer schwer anregbarer Nichtmetalle, **1**: 424
Die gleichzeitige spektrochemische Bestimmung von Natrium, Kalium, Calcium, Magnesium und Phosphor im Blutserum ohne Veraschung, **4**: 100

- PHÉLINE J. M. : Le dosage spectrographique du cuivre contenu à basses teneurs dans le fer at l'acier, **3**: 18
- Le dosage spectrographique de l'alumine dans les résidus d'oxydes métalliques. Application au dosage de l'oxygène dans les aciers spéciaux, **3**: 379
- PHILCOX H. J. : A slide rule for calculating blackening curve separations (N), **10**: 119
- PHILLIPS W. D. : Photographic film washer (N), **8**: 54
- PICCARDI G. : Il metodo degli spettri molecolari ed il frazionamento delle terre rare, **1**: 249
- Sugli spettri dell'ossido di terbio e dell'ossido di disprosio allo stato di vapore, **1**: 532
- Sulla ricerca e sul comportamento dei composti di Molibdeno negli organi leprosi (N), **3**: 233
- Spettroscopia, archeologia e metallurgia, **5**: 73
- PIERUCCI M. : Inhibitions et émissions sensibilisées normales et anormales, **11**: 140
- PIERUCCINI R. : Sopra i costituenti minori di alcune rocce sedimentarie di Passo delle Radici (Appennino Tosco-Emiliano), **2**: 32
- Determinazione spettrografica del berillio in alcune rocce sedimentarie dell'appennino toscano-emiliano, **2**: 269
- Eine empfindliche Methode für den spektralen Nachweis und die Bestimmung des Arsens durch Adsorption in Ferrihydroxyd, **4**: 189
- PIMENTEL G. C. : The promise and problems of the matrix isolation method for spectroscopic studies (N), **12**: 94
- PINTAR M. : The OH in-plane deformation and the C—O stretching frequencies in monomeric carboxylic acids and their association shifts, **12**: 162
- PITT G. J. : The spectrographic determination of germanium in coal and flué dust, **7**: 214
- PLÍVA J. : Construction of mercury arcs for Raman spectroscopy, **11**: 499
- PLYLER E. K. : The emission spectrum of OH from 2.8 to 4.1 μ , **9**: 126
- POETZELBERGER R. : Der Anlaufeffekt in der Spektralanalyse, **1**: 213
- Ein neues Spektrallinienspektrometer, **2**: 296
- POHL F. : Mikrochemie und Spektralanalyse, **6**: 19
- POP V. : Les spectres de fluorescence des pétroles lampants, **11**: 562
- PORTALUPI A. : Lavoro in collaborazione in corso per la unificazione di un metodo di analisi quantitativa spettrografica delle ghise, **5**: 182
- PORTER G. : *Instrumental Analysis* (BR), **10**: 435
- The electronic spectra of benzyl, **12**: 299
- Recent progress in free-radical spectroscopy, **14**: 261
- POWELL D. B. : Infrared spectra and vibrational frequencies of co-ordinated ethylene, **13**: 69
- POWELL W. R. : Analytical applications of far infrared spectra—I. Historical review, apparatus and technique, **13**: 1
- PREUSS E. : Eine Methode zur Bestimmung der Spaltbreite, **4**: 212
- Reinigung von Elektroden aus Spektralkohle, **5**: 327
- PREVORSEK D. : Infra-red absorption bands associated with the NH group—III. Hydroxamic acids and derivatives, **10**: 38
- PRICE C. C. : Infrared spectra of some deuterated carboxylic acids and alcohols (N), **10**: 423
- PRICE W. C. : *Données Spectroscopiques Concernant les Molécules Diatomiques* (BR), **5**: 341
- Fundamentals of Optics* (BR), **12**: 284
- Ultra-violet spectra and ionization potentials of hydrocarbon molecules, **14**: 45
- Applications of polarized infra-red radiation, **14**: 284
- PRICE W. J. : Evaluation in spectrographic analysis—a note on the application of the nomographic method to spectral densities lying off the straight line portion of the normal emulsion characteristic, **5**: 278
- Spectrographic analysis of complex oxides with particular reference to slags and ores, **6**: 26
- The determination of trace elements in magnesium and its alloys by spectrographic procedures, **7**: 118
- PRIMAS H. : A new method for analysing spectra in high-resolution NMR spectroscopy, **14**: 17
- PROSSER T. J. : Infrared spectra of some deuterated carboxylic acids and alcohols (N), **10**: 423

- PUIG A. CAMUÑAS : Relación entre las densidades de ennegrecimiento de las líneas espectrales y el estado de las aleaciones de tipo Duraluminio, **3**: 206
- PULLIN A. D. E. : Solvent effects in infra-red spectra of compounds containing the carbonyl group, **12**: 34
- The variation of infra-red vibration frequencies with solvent, **13**: 125
- PUTZMANN H. : Über die spektralanalytische Bestimmung der Bestandteile eines Gemisches aus Alkalichloriden, **1**: 408
- QUAGLIANO J. V. : Infra-red absorption spectra of inorganic co-ordination complexes—IX. Infra-red spectra of oxalato complexes, **9**: 51
- Infra-red absorption spectra of inorganic co-ordination complexes—XI. Infra-red studies of mercuric amidobromide, $\text{Hg}(\text{NH}_2)\text{Br}$, **9**: 199
- Infra-red absorption spectra of inorganic co-ordination complexes—XV. Normal vibrations of sulfamic acid, $\text{H}_3\text{N}^+-\text{SO}_3^-$, **12**: 239
- Infra-red absorption spectra of inorganic co-ordination complexes—XVII. Infra-red spectra of platinum (II) and palladium (II) ammine complexes, **13**: 31
- QUINNEY B. B. : Quantitative spectrographic analysis of the rare-earth elements—IX. Determination of rare-earth impurities commonly associated with purified samarium, gadolinium, terbium and yttrium, **12**: 332
- Quantitative spectrographic analysis of the rare-earth elements—X. Determination of rare-earth impurities commonly associated with purified thulium, ytterbium, lutetium and scandium, **13**: 300
- RADAELI G. : Sulla ricerca e sul comportamento dei composti di Molibdeno negli organi leprosi (N), **3**: 233
- RADINO G. : Contributo all'analisi spettrografica dell'alluminio puro, **2**: 309
- RAMACHANDRAM J. : The infrared spectra of organic thiocyanates and isothiocyanates, **13**: 296
- RAMSDEN W. : A photoelectric apparatus for spectrochemical analysis, **5**: 295
- The assessment of the performance of spectrographic methods (N), **8**: 94
- RAO C. N. R. : The ultra-violet absorption spectra of substituted phenyl amino-1,2,3-triazoles, **10**: 250
- The infra-red spectra of organic thiocyanates and isothiocyanates, **13**: 296
- RAO K. N. : An infrared absorption study of *n*-alkyl malonic acids and their diethyl esters (N), **13**: 151
- RAO V. R. : Analysis of the near-ultra-violet absorption spectrum of *para*-fluoro-anisole, **9**: 252
- RASTRUP-ANDERSON J. : The structure of vinyl fluoride, **13**: 120
- REDING F. P. : The infrared spectra of crystalline H_2O , D_2O and HDO , **12**: 338
- REID P. M. : Tables of the arc and spark spectra of graphite in air observed at medium dispersion, **6**: 144
- REINEBECK L. : Über die Emissionsspektroskopie organischer Substanzen mit Hilfe der Elektronenstossanregung in der Glimmentladung II, **6**: 288
- REINIGER G. : Ein automatisches Zeitschaltgerät für Spektralaufnahmen, **1**: 323
- REKKER R. F. : Steric effects in the electronic spectra of substituted benzophenones, **8**: 348
- The influence of filtration on quantitative u.v. measurements, **11**: 542
- RICARD R. : L'effet carbone dans l'analyse spectrographique des matériaux réfractaires, **5**: 417
- RICHARDS R. E. : Proton resonance spectra of some crystals containing nitrogen and fluorine, **10**: 154
- The practice and application of nuclear resonance spectroscopy, **14**: 5
- RICHARDSON D. : The use of échelles in spectroscopy, **6**: 61
- RICHE H. H. LE. : A spectrographic modification of the variable internal standard method, **4**: 435
- RIDLEY R. G. : Ultra-violet spectra and ionization potentials of hydrocarbon molecules, **14**: 45
- RILEY R. V. : Routine spectrographic analysis of cast iron, **4**: 93
- RIMINGTON C. : Porphin, **12**: 65
- RING J. : Interference filters for the infra-red, **10**: 179

- ROBERT L. : La spectrométrie Raman avec enregistrement dans l'analyse des produits pétroliers, **6**: 115
- ROBERTS V. : Sample cells for absorption spectroscopy, particularly in the infra-red region, of solid samples at low temperatures, **11**: 508
- ROCKENBAUER W. : Spektrochemische Selenbestimmung in Kieserzen, **11**: 338
- ROE E. M. F. : Some effects of environment on electronic spectra, **11**: 515
- ROES R. L. : Die Herkunft des Untergrundes im Kohlebogen-spektrum, **11**: 119
- ROGERS L. B. : Analytical studies of the fluorescence of samarium in calcium tungstate, **7**: 321
Analytical studies of the fluorescence of samarium in calcium sulphate, **9**: 307
- ROHNER F. : Ein neuartiges Funkenstativ, **1**: 400
Sample preparation in the routine spectrographic analysis of aluminium and its alloys, **5**: 473
- ROIG J. : Obtention de raies d'étincelle dans une lampe à cathode creuse fonctionnant en impulsions, **11**: 342
- ROLLWAGEN W. : Die physikalischen Erscheinungen der Bogenentladung in ihrer Bedeutung für die spektralanalytischen Untersuchungsmethoden, **1**: 66
Schlüssel zur Klassifikation der in den Spectrochimica Acta referierten Arbeiten, **3**: 105
Spektrochemischer Nachweis und Bestimmung der Halogene und anderer Nichtmetalle durch Anregung mit Ultrakurzwellen (BR), **3**: 122
Ten Years of Scientific Research in the Astrophysical Laboratory of the Vatican Observatory (BR), **3**: 124
Die Emissions-Spektralanalyse, **3**: 603
Spectroscopic Properties of Uranium Compounds (BR), **4**: 307
- ROMAND J. : Contribution à l'étude de l'ultraviolet lointain, **8**: 229
L'étincelle glissante dans le vide comme source pour l'analyse spectrochimique d'émission, **11**: 268
Application of the vacuum sliding spark to spectrochemical analysis in the far ultraviolet (N), **13**: 150
- ROSE H. J. : A chemical-spectrochemical method for the determination of rare-earth elements and thorium in cerium minerals, **6**: 161
- ROSENDAHL F. : Untersuchung der statistischen Streuung der Restgehaltsbestimmung nach dem spektrochemischen Zugabeverfahren, **10**: 201
Messung des Elektrodenabbaues während des Abfunkvorganges, **11**: 236
- ROSENKRANTZ H. : The infra-red absorption spectra of ring-*D* steroid lactones—I. Intense hydrogen bonding in estrololactone, **13**: 248
The infra-red absorption spectra of ring-*D* steroid lactones—II. Structure-absorption correlations, **13**: 291
- ROSETTA M. S. : Determinazione spettrochimica del silicio nelle ghise ed osservazione della microstruttura corrispondente, **5**: 77
- ROSSI C. : Sulla unificazione nell'analisi spettrografica de acciai mediamento legati, **5**: 147
- ROST F. : Zur spektralanalytischen Bestimmung des Eisens in Zinkblende, **3**: 569
- ROTH E. : Le spectre d'absorption des mélanges H_2O-D_2O à l'état liquide entre $0,8\ \mu$ et $30\ \mu$, **11**: 623
- ROUIR E. V. : Analyse complete des alliages cuivreux par spectrographie de leurs solutions, **4**: 330
- RUAMPS J. : Spectre d'émission des molécules diatomiques des métaux de la famille du cuivre, **11**: 329
- RUNGE E. F. : Excitation of atomic emission lines of nitrogen in steel by means of a high-energy single-discharge source (N), **12**: 96
- RUSANOV A. K. : Spectrographic analysis of ores by introducing the powder into the arc in a stream of air, **10**: 404
- RUSCIOR C. : Les spectres de fluorescence des pétroles lampants. **11**: 562
- RUSHTON B. J. : A spectrographic scheme for the determination of Al, Ti, Fe, Ca, Mg and Mn in silicates, **9**: 287
- RUSSELL B. J. : An atomic-absorption spectrophotometer and its application to the analysis of solutions, **8**: 317

- RUSSELL R. A. : Vibrational spectra and geometrical isomerism in amides, **8**: 138
 Vibrational band shapes and band intensities, **9**: 133
- RÜSSMANN H.-H. : Die quantitative Spektralanalyse von Spuren verunreinigender Elemente in Spektralkohlen im Gleichstrom-Dauerbogen, **11**: 448
- SALA O. : Raman spectrum and force constants of the chromate ion (N), **12**: 403
 The vibrational spectrum of the dichromate ion, **13**: 192
- SALPETER E. W., S.J. : Effektive Linienbreiten in der Spektralphotometrie (N), **7**: 60
 Photographische Spektralphotometrie mit effektiven Linienbreiten, **11**: 386
- SARACENO A. J. : Infrared absorption spectra of inorganic co-ordination complexes—XV.
 Normal vibrations of sulfamic acid, $\text{H}_3\text{N}^+\text{—SO}_3^-$, **12**: 239
- SAWYER R. A. : Rapid processing of photographic plates for routine spectrographic analysis, **1**: 131
- SAYCE L. A. : Production of diffraction gratings (S), **6**: 57
- SCHARER K. : Spektrochemische Spurenanalyse nach vorheriger Anreicherung, **11**: 377
- SCHATZ F. V. : The spectrochemical determination of impurities in copper and copper alloys by means of a spark-ignited arc-like discharge, **6**: 198
- SCHIEBE G. : Über eine neue Anwendung der Emissionsspektroskopie zur lokalen Mikroanalyse, **1**: 47
- SCHEMINZKY F. : Photographie des Fluoreszenzspektrums schwacher oder millimeterkleiner Leuchter, **3**: 191
 Die Fluoreszenzspektren von Uranmineralien im filtrierten ultravioletten Licht, **4**: 21
- SCHIPPER C. : Quantitative Spektrochemische Analyse Mittels des Gleichstrom Kohlebogens, **7**: 45
- SCHLÄFER R. : Neue Interferenzmonochromatfilter, **11**: 361
- SCHLEICHER A. : Die Bestimmung von Calcium in Bleilegiierungen, **1**: 319
- SCHLIESSMANN O. : Zur spektralanalytischen Bestimmung von Niob und Tantal in hochlegierten Eisen- und Stahlproben, **1**: 239
- SCHMELZ M. J. : Infra-red absorption spectra of inorganic co-ordination complexes—IX.
 Infra-red spectra of oxalato complexes, **9**: 51
 Infra-red absorption spectra of inorganic co-ordination complexes—XVII. Infrared spectra of platinum (II) and palladium (II) ammine complexes, **13**: 31
- SCHMID E. D. : Die integralen Extinktionskoeffizienten der Normalschwingungen einiger monosubstituierter Benzolderivate (S), **11**: 649
- SCHMIDT R. : On the inherent precision of spectrochemical computation methods, **3**: 538
Metal Spectroscopy (BR), **5**: 341
Practical Spectroscopy (BR), **5**: 342
- SCHMITT R. G. : Ultraviolet absorption spectra of derivatives of symmetric triazine—II.
 Oxo-triazines and their acyclic analogs, **12**: 127
- SCHNAUTZ H. : Linienabsorption und Gesamtabsorption der Kupferresonanzlinien sowie Bestimmung der Strahlungstemperatur in der Gassäule des Kupferlichtbogens, **1**: 173
- SCHNEIDER B. : Construction of mercury arcs for Raman spectroscopy, **11**: 499
- SCHNELL J. : Praktische Erfahrungen mit dem, lichtelektrischen Gerät nach Schuhknecht-Waibel bei der Bestimmung von Kali- und Phosphorsäure, **2**: 71
- SCHOLTAN W. : Beitrag zur Verwendung der Wasserstofflampe in der Absorptionsspektroskopie, **1**: 437
- SCHÖNTAG A. : Abfunkeffekte an Kupfer, Zinn, Zink, Blei, und einem Böhlerstahl beim Wechsel des Entladungsgases (Argon, Stickstoff, Kohlendioxyd, Luft, O_2) im kondensierten Funken—und ihre Erklärung (S), **11**: 243
- SCHRAM B. L. : Infra-red absorption spectrum of the nitrite ion in alkali halide solid solutions (N), **13**: 337
- SCHREIBER T. P. : Spectral character as a function of spark source parameters, **13**: 99
- SCHREIDER E. : Quantitative Spektralanalyse von Gasgemischen, **13**: 50
- SCHRÖDER E. : Ein einfaches Schnelltrockenverfahren für photographische Platten, **2**: 171
- SCHROLL E. : Spektrochemische Selenbestimmung in Kieserzen, **11**: 338

- SCHUHKNECHT W. : Einfacher Ausbau eines Schnellphotometers zu einem automatischen und schreibenden Photometer, **3**: 412
- SCHÜLER H. : Über die Emissionsspektroskopie organischer Substanzen mit Hilfe der Elektronenstossanregung in der Glimentladung—I, **4**: 85
Über die Emissionsspektroskopie organischer Substanzen mit Hilfe der Elektronenstossanregung in der Glimentladung—II, **6**: 288
Organische Moleküle in der Glimentladung—III. Spektroskopische Untersuchungen über das Verhalten von Benzol, Toluol, Chlorbenzol, Diphenyl und Benzylchlorid, **10**: 61
- SCHUTTE C. J. H. : Infra-red absorption spectrum of the nitrite ion in alkali halide solid solutions (N), **13**: 337
- SCOTT R. O. : Applications of chemical concentration by organic reagents to spectrographic analysis, **3**: 367
The effect of electrode dimensions on spectral line intensity in the carbon arc, **4**: 73
Electrode clamps for spectrochemical analysis, **4**: 472
A cutter for the preparation of carbon electrodes, **5**: 422
- SEIDEL W. : Das Isomelanverfahren eine Routinemethode zur spektrochemischen Übersichtsanalyse, **11**: 409
- SEITH W. : Spektralanalyse der Verunreinigungen im Zink, **1**: 548
Eine Einrichtung zum Einsparen von Plattenmaterial in der Spektralanalyse, **2**: 23
Die Spektralanalyse von Nickel-Kobalt-Legierungen im Bereich von 0–100%, **5**: 36
Ein elektronisches Zeitschaltgerät für die Spektralanalyse (N), **6**: 216
- SEMPELS G. : Contribution à l'analyse des traces dans les non ferreux, **3**: 346
- SHAW D. M. : A double-arc method for spectrochemical analysis of geological materials, **4**: 233
Some aspects of the determination of barium in silicate rocks (N), **10**: 125
A simple device for the spectrochemical analysis of minerals in an inert atmosphere using the Stallwood jet, **13**: 197
- SHELTON J. P. : An atomic-absorption spectrophotometer and its application to the analysis of solutions, **8**: 317
- SHEPPARD N. : The infra-red absorption bands associated with the COOH and COOD groups in dimeric carboxylic acid—II. The region from 3700 to 1500 cm^{-1} , **8**: 249
Infrared spectra and vibrational frequencies of co-ordinated ethylene, **13**: 69
Vibrational spectra and structure of trisilylamine and trisilylamine- d_9 , **13**: 202
The infra-red spectra of some methylammonium iodides: angle deformation frequencies of NH^+ and NH_2^+ groups, **13**: 261
Infra-red spectra of adsorbed molecules, **14**: 249
- SHERMAN J. : The theoretical derivation of fluorescent X-ray intensities from mixtures, **7**: 283
- SHIGORIN D. N. : Infra-red absorption spectra study of H-bonding and of metal-element bonding, **14**: 198
- SHIH-CHIOU H. : Hydrogen-like absorption spectra due to excitons in cadmium sulphide single-crystals (S), **11**: 648
- SHIH-CHO L. : Spectrographic analysis of slags by the cup-electrode solution arc method, **11**: 212
- SHIMANOUCI T. : Spectroscopic investigation of the strength of hydrogen bonds formed by amides, **7**: 100
Internal rotation in 1:2-dichloro-2-methylpropane, **10**: 1
Normal vibrations of urea and urea- d_4 , **10**: 170
Assignments of the vibrational frequencies of glycine, **12**: 253
Analysis of *P*- and *R*-branches of the 950 cm^{-1} band of $^{14}\text{NH}_3$, **13**: 80
Infra-red and Raman spectra of dichloroacetyl chloride in relation to rotational isomerism, **13**: 161
- SHIRLEY H. T. : A comparison of three methods of plate calibration and evaluation for routine spectrographic analysis of low-alloy steels, **7**: 373
- SHULL H. : *The Identification of Molecular Spectra* (BR), **4**: 427
- SIDOROV A. N. : Infra-red spectra of phthalocyanines with different central metal atoms, **11**: 573

- SIEBERT H. : The vibrational spectrum of the dichromate ion, **13**: 192
- SIEGBAHN M. : Activity in Sweden on grating, ruling, testing and mounting (S), **6**: 59
- SIEGLER E. H. : Design and performance of a fore-prism-grating infra-red spectrometer, **11**: 503
- SIEVERTS A. : Gewischtsanalytische, colorimetrische und spektralanalytische Verfahren zur Bestimmung von wenig Cadmium, Kupfer, Eisen und Blei in Zink, **1**: 332
- SMAKULA E. : Effects of polymorphism and influence of sample preparation on the infra-red spectrum of estradiol-17, **9**: 346
- SMIT J. A. : Photoelectric measurement of flame temperatures by line reversal, **11**: 44
Die Herkunft des Untergrundes im Kohlebogen-spektrum, **11**: 119
Stabilization of the vaporization of the filled cathode in a d.c. carbon arc, **11**: 192
- SMITH D. F. : Infrared spectra analysis for hydrogen fluoride, **12**: 224
- SMITH D. M. : Progress in analytical applications of emission spectrography in Great Britain during 1945-1946, **3**: 89
Some improvements in the technique of spectrographic analysis of high-purity materials, **3**: 327
Chemische spektralanalyse (BR), **4**: 307
Eléments de Spectrographie (BR), **4**: 307
Spectrographic copper standards, **5**: 1
A Co-operative Investigation of Precision and Accuracy in Chemical, Spectrochemical and Modal Analysis of Silicate Rocks (BR), **5**: 522
- SMITH G. S. : Progress of spectrochemical analysis in emission spectroscopy up to 1943 in the U.S.S.R., **3**: 235
- SMITH S. D. : Interference filters for the infra-red, **10**: 179
- SNELLEMAN W. : Photoelectric measurement of flame temperatures by line reversal, **11**: 44
- SNYDER R. G. : The infra-red spectra of $N_2H_6Cl_2$ and $N_2H_6F_2$, **13**: 280
- SOBOLEV N. N. : The shape and width of spectral lines emitted by a flame and by a direct-current arc, **11**: 310
- SOHM M. : Vergleichende Untersuchungen an Abreissbögen, **2**: 81
Über die natürliche Elektrodenform, **2**: 258
Berücksichtigung des Untergrundes bei der Messung von Intensitätsverhältnissen, **2**: 396
Begriffliche Überlegungen zum Problem des Plattenfehlers, **3**: 488
Über die Streuung bei der photographischen Messung der Intensitätsverhältnisse von Spektrallinien, **3**: 498
- SOMEREN E. H. S. VAN : *Index to the Literature on Spectrochemical Analysis Part II, 1940-1945* (BR), **3**: 119
Effect of plate emulsion contrast factor on the precision of spectrochemical analysis, **4**: 59
Report on Standard Samples for Spectrochemical Analysis 1950 (BR), **4**: 426
Methods for Emission Spectrochemical Analysis (BR), **6**: 526
The Spectrum of Steel—A Table for the Selection of Homologous Spectral Lines (BR), **6**: 453
Index to the Literature on Spectrochemical Analysis Part III, 1946-50 (BR), **7**: 180
La Spectroscopie d'Emission (BR), **7**: 180
Chemical and Spectrographic Analysis of Magnesium and its Alloys (BR), **7**: 398
Franz Xaver Mayer (Obituary), **7**: 398
Colorimetry, Photometry and Spectrometry (BR), **9**: 104
Erfahrungen mit der spektrochemischen Analyse von Gefügebestandteilen des Stahles (BR), **10**: 128
Atomic Energy Levels (BR), **12**: 406
- SONGA T. : Osservazioni sulla sensibilità di riconoscimento spettrale delle impurità nel piombo, **5**: 114
- SPECHT A. W. : Double-chamber electrode for spectrochemical determination of chlorine and other halogens (N), **6**: 331
- SPIELBERG N. : Statistical factors in X-ray intensity measurements, **12**: 169
- SPIESECKE H. : Die Infrarot und Ramanspektren hochsymmetrischer Moleküle, **7**: 387
- SPINAR L. H. : Absorption spectra of gaseous alkali metal hydroxides at high temperatures **12**: 244

- SPREADBOROUGH B. E. J. : Tables of the arc and spark spectra of graphite in air observed at medium dispersion, **6**: 144
- SPURR R. A. : Absorption coefficients of four organic fluorine compounds in the vacuum ultra-violet (L), **10**: 431
- SRP E. : Analytical applications of far infra-red spectra—I. Historical review, apparatus and technique, **13**: 1
- STACE B. C. : OH of trifluoroethanol and the Kirkwood-Bauer relation (N), **13**: 253
- STAMMREICH H. : Technique and results of excitation of Raman spectra in the red and near infra-red region, **8**: 41
- Raman spectra and structure of tetratomic sulphur and selenium halides, **8**: 46
- Raman spectrum of iodoform (N), **8**: 52
- Raman spectrum and force constants of the chromate ion (N), **12**: 403
- The vibrational spectrum of the dichromate ion, **13**: 192
- STEINHAUS D. W. : Short period spectral intensity measurements, **5**: 436
- STERNBERG Z. : Correlation between the processes on the electrodes and the spectral emission, **11**: 217
- STETTER A. : Einfluss des Abbildungsmaßstabs für den Spalt auf das gemessene Intensitätsverhältnis von Spektrallinien, **5**: 251
- Untersuchungen an einer stromstarken, langdauernden Kondensatorentladung bei verschiedenen Druken (Pfeilsticker-Funken), **5**: 350
- Über die Anregung der Linien der Nichtmetalle im Pfeilsticker-Funken, **5**: 460
- STEVENS B. : A relationship between some bond properties of diatomic molecules and the ionization potentials of their constituent atoms, **12**: 154
- STEVENSON D. P. : Ultraviolet criteria for monaromaticity, **12**: 262
- STOJILJKOVIĆ A. : The vibration frequencies of the symmetrical *p*-dihalogenobenzenes, **12**: 47
- The vibration frequencies of unsymmetrical *p*-dihalogenobenzenes, **12**: 57
- ŠTOKR J. : Construction of mercury arcs for Raman spectroscopy, **11**: 499
- STONE H. : Theory of radiant-energy absorption by randomly dispersed discrete particles, **9**: 148
- STONE P. J. : Vibrational band intensity of the hydroxyl group in phenols, **10**: 17
- STRACHAN E. : The electronic spectra of benzyl, **12**: 299
- STRACHAN G. L. : A simple arrangement for the measurement of absorption spectra of aqueous systems at elevated temperatures, **12**: 109
- STRASHEIM A. : An investigation of spectrochemical sparking-off effects in the flat surface sparking of steels, **3**: 141
- An improved electrode holder and cutter, **4**: 2
- The spectrographic analysis of uranium in uranium ores, **4**: 200
- A note on the influence of the optical system of a microphotometer on the plate calibration curve, **4**: 489
- STRAUBEL H. : Die Dosierung von Substanzmengen unter 10^{-6} g mittels elektrostatischer Aufladung für mikroanalytische Zwecke (S), **11**: 368
- STRIGANOV A. R. : Quantitative analysis, by a spectrographic method, of isotopic composition of hydrogen, deuterium and tritium mixtures, **13**: 139
- STROCK L. W. : Photographic factors influencing the concentration-calibration curve in quantitative methods of spectrochemical analysis—I. Photographic intensity ratios as an expression of intensity ratios of lines in a light source, **1**: 117
- Photographic factors influencing the concentration-calibration curve in quantitative methods of spectrochemical analysis—II. Failure of the reciprocity law and intensity-retardation of development effect, **1**: 123
- Spectrochemical determination of Scandium in silicate rocks, **1**: 221
- STUMPF K. E. : Über die gegenseitige Beeinflussung der Emission von Natrium und Kalium bei ihrer flammenphotometrischen Bestimmung, **11**: 35
- SUGDEN T. M. : Spectrometric measurements of the concentrations of free radicals in hydrogen flames, **11**: 20
- SURYANARAYANA V. : Analysis of the near-ultra-violet absorption spectrum of *p*-fluoro-anisole, **9**: 252

- SUSHINSKII M. M. : Structural analysis of hydrocarbon molecules based on their Raman spectrum, **14**: 271
- SUTCLIFFE L. H. : Rydberg term tables, **12**: 179
- SUTHERLAND G. B. B. M. : The infra-red absorption spectra of some aromatic compounds, **4**: 373
- SZIKORA G. : Spektrographische Kohlenstoffbestimmung in Stählen, **11**: 306
- TABELING R. W. : The spectrographic determination of oxygen in metals—I. Plain carbon steels, **8**: 201
- Quantitative spectrographic analysis of the rare-earth elements—X. Determination of rare-earth impurities commonly associated with purified thulium, ytterbium, lutetium and scandium, **13**: 300
- TANAKA C. : In-plane normal vibrations of methanol, **9**: 265
- TANNER E. M. : The infra-red absorption spectra of some hydroxypyrimidines, **8**: 9
- The infra-red absorption spectra of some indole-3-ketones, **9**: 282
- TARTÉ P. : Recherches sur les fréquences de déformation OH—I. Spectre infrarouge des sels basiques de cuivre, **13**: 107
- TAYLOR R. : The assessment of the performance of spectrographic methods (N), **8**: 94
- TAYLOR R. C. : The Raman spectra of four isotopic varieties of diborane in the gas phase, **10**: 419
- TEMPLE R. B. : A new electrode holder for running a carbon arc in an inert atmosphere, **4**: 473
- TERENIN A. N. : Infra-red spectra of phthalocyanines with different central metal atoms **11**: 573
- TEYSSIE PH. : Etude spectrographique infra-rouge de quelques β -dicétones, **12**: 289
- THANG-SOO W. : Spectrographic analysis of slags by the cup-electrode solution arc method, **11**: 212
- THANHEISER G. : Die spektralanalytische Bestimmung von Elementen in der Flamme und im Funken durch unmittelbare photoelektrische Messung von Linienintensitäten, **1**: 270
- THIERS R. E. : A step-sector for use with intermittent light sources, **4**: 467
- The effect of noble gases on the characteristics of the d.c. arc, **11**: 179
- THOMAS L. C. : The identification of micro-organisms by infrared spectrophotometry, **6**: 302
- The examination of nervous tissue by infrared spectrophotometry, **6**: 320
- THOMPSON H. W. : The fundamental vibration band of hydrogen iodide, **5**: 308
- The fundamental vibration band of hydrogen bromide, **5**: 313
- Der Raman-Effekt und seine analytische Anwendung* (BR), **5**: 342
- The Ultraviolet Spectra of Aromatic Compounds* (BR), **5**: 343
- Absorptions-Spektralanalyse* (BR), **5**: 344
- Vibrational spectra and intermolecular association, **6**: 434
- Einführung in die Ultrarotspektroskopie* (BR), **7**: 250
- The fundamental vibration band of nitric oxide, **8**: 129
- Vibrational spectra and geometrical isomerism in amides, **8**: 138
- Vibrational band shapes and band intensities, **9**: 133
- The intensities of the carbonyl group vibration in some aromatic compounds, **9**: 208
- Vibrational band intensity of the hydroxyl group in phenols, **10**: 17
- Vibrational band intensity of the NH group in substituted acetanilides (N), **10**: 240
- Vibrational bands of isothiocyanates, thiocyanates and isocyanates, **13**: 212
- Vibrational band intensities of the $C\equiv N$ group in aliphatic nitriles, **13**: 217
- Vibrational frequency and band intensity of the carbonyl group, **13**: 236
- Effect of solvent upon vibration bands (N), **13**: 254
- Vibrational band intensities and structural factors, **14**: 145
- THORNE R. P. : The spark spectrum of americium, **8**: 71
- TIGGELEN A. VAN : Analyse spectrale quantitative de mélanges gazeux—I. Mélanges $CO_2 + N_2$ en présence d'oxygène, **4**: 8
- TOMKINS F. S. : The Argonne thirty-foot spectrograph, **6**: 139
- Spectroscopic assay of lithium isotopes—I. Measurements at high intensity, **6**: 383

- Spectroscopic assay of lithium isotopes—II. Measurements on small samples at low intensity, **6**: 406
- Photoelectric Fabry-Perot interferometer for assay of lead and uranium isotopes, **8**: 329
- TOMMASI G. B. : Sulle perdite di luce negli spettrografi per fessure molto piccole, **1**: 229
- TÖRÖK T. : Quantitative Spektralanalyse der Stähle mit Gegenelektrode, **2**: 27
- Einige einfache praktische Neuerungen in der Aufnahmetechnik der Spektralanalyse, **2**: 299
- Niederspannungs-Funkenerzeuger (N), **6**: 228
- Filmkassette zum Spektrographen (N), **6**: 235
- Spektrographische Kohlenstoffbestimmung in Stählen, **11**: 306
- “Vollständiges” Auswertegerät für Spektralanalyse, **11**: 420
- TREMME C. : Quantitative spectrographic analysis of the rare-earth elements IX. Determination of rare-earth impurities commonly associated with purified samarium, gadolinium, terbium and yttrium, **12**: 332
- TRUTIA A. T. H. : Hochfrequente Fackelentladung als Spektralquelle, **11**: 441
- TSCHAMLER H. : Systematische Ultrarot-Untersuchungen der (C—O—C)-Gruppe in organischen Verbindungen, **6**: 95
- TSUBOI M. : Spectroscopic investigation of the strength of hydrogen bonds formed by amides, **7**: 100
- Assignments of the vibrational frequencies of glycine, **12**: 253
- Analysis of *P*- and *R*-branches of the 950 cm^{-1} band of $^{14}\text{NH}_3$, **13**: 80
- TSUDA Y. : Spectroscopic investigation of the strength of hydrogen bonds formed by amides, **7**: 100
- TSUI-FANG : Photoelectric spectroscopy of transient discharges, **5**: 452
- TUREKIAN K. K. : Emission-spectrographic method for the determination of strontium in silicate materials, **9**: 40
- TYAS R. H. : A composite procedure for the spectrographic determination of impurity and alloying elements in steel, **11**: 275
- ULBERT K. : Construction of mercury arcs for Raman spectroscopy, **11**: 499
- URE A. M. : A stabilized microphotometer-lamp power supply (N), **8**: 180
- VALENTINI L. : Application du dosage quantitatif dans l'infra-rouge de groupements fonctionnels et radicaux spécifiques à la résolution de problèmes chimiques, **11**: 586
- VALESKA F. : Die quantitative Spektralanalyse kleiner Mengen von Cs und Rb, **11**: 67
- VALLEE B. L. : The effect of argon atmospheres on the intensity of certain spectral lines, **6**: 134
- The cyanogen flame as a spectrochemical source (S), **11**: 49
- The effect of noble gases on the characteristics of the d.c. arc, **11**: 179
- VANBOKESTAL A. M. : Analyse complete des alliages cuivreux par spectrographie de leurs solutions, **4**: 330
- VEROT L. : Utilisation de la lumière modulée dans les analyseurs photoélectriques pour le dosage de gaz dans le contrôle industriel, **6**: 87
- VINCENT H. B. : Rapid processing of photographic plates for routine spectrographic analysis, **1**: 131
- VODAR B. : Contribution à l'étude de l'ultraviolet lointain, **8**: 229
- L'étincelle glissante dans le vide comme source pour l'analyse spectrochimique d'émission, **11**: 268
- Application of the vacuum sliding spark to spectrochemical analysis in the far ultraviolet (N), **13**: 150
- Spectroscopic study of inter-molecular forces in gaseous mixtures, **14**: 213
- VOORHUIS M. H. : Spin-forbidden transitions in the electronic spectrum of acetaldehyde (N), **12**: 394
- WAAL D. M. DE : Sample electrode vapour contamination of the graphite electrode in the flat surface sparking technique of spectrochemical analysis, **3**: 127

- An investigation of spectrochemical sparking-off effects in the flat surface sparking of steels, **3**: 140
- WADEWITZ S. : Über ein Auswertegerät Spektralanalyse unter Verwendung spezieller Transformationen, **11**: 430
- WAGNER R. : Utilisation de la lumière modulée dans les analyseurs photoélectriques pour le dosage de gaz dans le contrôle industriel, **6**: 87
- WALSH A. : Spectrographic analysis of uranium, **4**: 47
- The application of atomic absorption spectra to chemical analysis, **7**: 108
- An atomic-absorption spectrophotometer and its application to the analysis of solutions, **8**: 317
- Microwave-powered Raman sources, **12**: 88
- WARD E. R. : Characteristic infra-red absorption frequencies of substituted naphthalenes, **10**: 105
- WEBB R. J. : The application of the cathode ray tube to microphotometry of trace elements, **4**: 13
- The assessment of the performance of spectrographic methods (N), **8**: 94
- WEBER A. : Der Zeiss-Spektrendoppelprojektor nach Weber, **2**: 202
- WEBER J. : Excitation stand for spectrographic analysis, **5**: 345
- WENIGER S. : Élargissement des raies d'arc du sodium sous l'influence de l'effet Stark inter-moléculaire, **11**: 333
- WESZAREMY B. : Filmkassette zum Spektrographen (N), **6**: 235
- WHALLEY H. K. : The quantitative spectrographic analysis of solder, spelter, magnesium and aluminium alloys, **1**: 21
- WHIFFEN D. H. : Infra-red summation bands of the out-of-plane C—H bending vibrations of substituted benzene compounds, **7**: 253
- Characteristic infra-red absorption frequencies of substituted naphthalenes, **10**: 105
- The vibration frequencies of the symmetrical *p*-dihalogenobenzenes, **12**: 47
- The vibration frequencies of unsymmetrical *p*-dihalogenobenzenes, **12**: 57
- Infra-red spectra of fluoro-cycloolefines, **12**: 139
- WHITE C. E. : Fluorescence emission spectra, fluorescence excitation spectra, and absorption spectra of some metal chelates, **9**: 105
- WHITE H. F. : The infrared spectra of crystalline H₂O, D₂O and HDO, **12**: 338
- WHITE W. B. : Electronic spectrum and apparent thermochromism of VOCl₃ (N), **9**: 98
- WHITTEM R. N. : Apparent rectification in Tesla sparks, **13**: 168
- WICKREMASINGHE O. : A simple device for the spectrochemical analysis of minerals in an inert atmosphere using the Stallwood jet, **13**: 197
- WIGGINS G. M. : Some improvements in the technique of spectrographic analysis of high purity materials, **3**: 327
- WIJNEN J. : Analyse spectrale quantitative de mélanges gazeux—I. Mélanges CO₂ + N₂ en présence d'oxygène, **4**: 8
- WILDE-DELYVAUX M. C. DE : Étude spectrographique infra-rouge de quelques-dicétones, **12**: 289
- WILKINSON G. R. : Applications of polarized infra-red radiation, **14**: 284
- WILLIAMS D. : Absorption laws for overlapping infra-red bands of different gases (S), **11**: 650
- WILLIAMS G. C. : On the excitation temperature in a spectroscopic spark source, **3**: 546
- WILLIAMS R. B. : Nuclear magnetic resonance in petroleum analytical research, **14**: 24
- WILLIAMS R. L. : The fundamental vibration band of hydrogen bromide, **5**: 313
- The NH stretching frequencies of primary amines, **9**: 341
- The infra-red spectra of some gem dihydroxy compounds and their deuterated derivatives, **12**: 233
- WILLIS H. A. : Difference spectroscopy in the near infra-red, **14**: 119
- WILLMER TH. K. : Schwingungsfreie Aufhängung für ein Galvanometer, **2**: 415
- WILSON M. KENT : Infra-red spectra of GeCl₄, GeHCl₃ and GeDCl₃, **9**: 47
- WILSON E. BRIGHT : Determination of the order of atoms in a linear molecule, **12**: 1
- WITMER A. : Quantitative Spektrochemische analyse Mittels des Gleichstrom Kohlebogens, **7**: 45

- WITTELS M. K. : Sample transport and temperature studies in porous-cup discharges, **9**: 19
- WOLBANK F. : Ein Zeitschaltgerät zur selbsttätigen Steuerung von Spektralaufnahmen, **2**: 150
- WOLFARTH E. F. : Analytical applications of far infra-red spectra—I. Historical review, apparatus and technique, **13**: 1
- WOODWARD L. A. : Vibrational spectra and structure of trisilylamine and trisilylamine- d_9 , **13**: 202
- WOTIZ H. H. : Effects of polymorphism and influence of sample preparation on the infra-red spectrum of estradiol-17, **9**: 346
- WOUTMAN F. : A developing tank for the uniform development of spectrographic film, **5**: 469
- YAMAGUCHI A. : Normal vibrations of urea and urea- d_4 , **10**: 170
- Polarization of the reflected infrared radiation from an echelette grating, **12**: 294
- YIP C. : A simple device for the spectrochemical analysis of minerals in an inert atmosphere using the Stallwood jet, **13**: 197
- YOSHINO T. : Intensity in the Raman effect: The mean polarizability derivatives of hydrocarbon molecules, **14**: 127
- YOUNG L. G. : Tables of the arc and spark spectra of graphite in air observed at medium dispersion, **6**: 144
- ZAIDEL A. N. : Spectral-isotopic method for the determination of hydrogen in metals, **10**: 369
- ZANINI G. : Metodo di analisi spettrografica quantitativa con spettrografo Hilger E 492, **5**: 158
- ZEEMAN P. B. : Notes on electrode preparation—I. A new cutting tool for motor driven electrode cutters (N), **6**: 334
- ZEERLEDER A. VON : Ein neuartiges Funkenstativ, **1**: 400
- ZEITZ L. : Multichannel instruments for fluorescent X-ray spectroscopy, **7**: 141
- ZIMMER E. : Spektralanalytische Untersuchungen über den Magnesiumgehalt des Blutes bei verschiedenen Krankheiten, **1**: 93



3 8198 301 984 579

UNIVERSITY OF ILLINOIS AT CHICAGO

4

